

73147

Please do a standard search on SEQ ID NO: 24 against both commercial and interference nucleic acid databases.

Ruixiang Li
GAU 1646
CM1 10E18
Mail Box 10C01
306-0282

Point of Contact
P. Sheppard
Telephone number: (703) 308-4499

Searcher: _____
Phone: _____
Location: _____
Date Picked Up: _____
Date Completed: 8/23/02
Searcher Prep/Review: _____
Clerical: _____
Online time: _____

NA Sequences: _____
 AA Sequences: _____
 Structures: _____
 Bibliographic: _____
 Litigation: _____
 Full text: _____
 Patent Family: _____
 Other: _____

STN: _____
DIALOG: _____
Questel/Orbit: _____
DRLink: _____
Lexis/Nexis: _____
Sequence Sys.: _____
WWW/Internet: _____
Other (specify): _____



.

.

1. . . 1

OM of: US-09-898-586-24 to: GenBank.* out_format: pfs

Date: Aug 21, 2002 8:18 PM

About: Results were produced by the Gencore software, version 4.5,
Copyright (c) 1993-2000 Compugen Ltd.

Command line parameters:

```
-MODE=frame+g2n.model -DEV=xlh  
-Q/g2n2.1/USPTO_spool/US09898586/unal_16082002_205735_20549/app-query.fasta.1.373  
-DB=GenBank -QFMT=fastap -SUFFIX=rge -GAPOP=12.000 -GAPEXT=4.000  
-MINMATCH=0.000 -LOOPEXT=0.000 -LOOPEXT=0.000 -GAPOP=4.500  
-GAPEXT=0.000 -GAPOP=10.000 -GAPEXT=0.500 -GAPOP=6.000  
-GAPEXT=7.000 -GAPOP=10.000 -GAPEXT=0.500 -DELOP=6.000  
-DELETE=7.000 -START=1 -MATRIX=blom62 -TRANS=human40.cdi  
-LIST=45 -DOCALIGN=200 -THR_SCORE=pcr -THR_MAX=100 -THR_MIN=0  
-ALIGN=15 -MODE=LOCAL -OUTFMT=pfcs -NORM=ext -REPAIRS2E=500  
-MINLEN=0 -MAXLEN=200000000 -USER=US09898586.ecgn1.1.4134  
-NCPU=6 -ICPU=3 -LONGLOG -DEV_TIMEOUT=120 -WARN_TIMEOUT=30  
-NO_XLIPXY -WAIT -THREADS=1
```

Search information block:

Query: US-09-898-586-24

Query length: 310

Database: GenBank.*

Database sequences: 1797656

Search length: 1873333701

Search time (sec): 1826.930000

score list:

Sequence	Strd Orig	ZScore	EScore	Len	Documentation
gb_pat:AX078373	1609.00	2439.04	1.7e-127	974	AX078373 Sequence 41 from Patent
gb_pat:AX197456	1609.00	2438.73	1.8e-127	1012	AX197456 Sequence 21 from Patent
gb_pat:AC004889	1609.00	2398.40	3.1e-125	130030	AC004889 Homo sapiens clone
gb_pat:AX242191	1584.00	2428.79	6.4e-127	930	AX242191 Sequence 939 from Patent
gb_pat:AX241442	1584.00	2401.45	2.1e-125	930	AX241442 Sequence 150 from Patent
gb_pat:AX241473	1584.00	2401.45	2.1e-125	930	AX241473 Sequence 221 from Patent
gb_pat:AX197438	1584.00	2400.52	2.4e-125	1040	AX197438 Sequence 3 from Patent
gb_pat:AX197469	1584.00	2400.52	2.4e-125	1040	AX197469 Sequence 34 from Patent
gb_pat:AX135904	1584.00	2366.96	1.8e-123	59130	AX135904 Human DNA sequence
gb_pat:AC005587	1584.00	2366.96	1.8e-123	140915	AC005587 Homo sapiens PAC cl
gb_pat:AX197458	1568.00	2376.43	5.3e-124	1014	AX197458 Sequence 23 from Patent
gb_pat:AX073444	1330.00	2025.57	6.6e-104	933	AX073444 Mus musculus olfactory
gb_pat:AC091768	1265.00	1877.60	3.2e-96	104955	AC091768 Homo sapiens olfactory
gb_pat:AX073100	1265.00	1887.96	8.5e-97	933	AX073100 Mus musculus olfactory
gb_pat:AC074386	1138.00	1688.45	1.1e-85	66610	AC074386 Homo sapiens olfactory
gb_pat:AF395958	1129.00	1713.23	4.6e-87	650	AF395958 Homo sapiens clone OR2
gb_pat:AX242188	1126.00	1705.70	1.2e-86	930	AX242188 Sequence 936 from Patent
gb_pat:AX242189	1124.00	1702.11	4.3e-86	933	AX242189 Sequence 938 from Patent
gb_pat:AX078369	1123.00	1695.69	1.2e-86	1792	AX078369 Sequence 37 from Patent
gb_pat:AX073723	1067.00	1615.75	1.2e-81	966	AX073723 Mus musculus olfactory
gb_pat:AR092423	1048.50	1582.89	8.3e-80	1713	AR092423 Sequence 1 from Patent
gb_pat:AX073724	1046.00	1583.85	7.4e-80	966	AX073724 Mus musculus olfactory
gb_pat:AX073443	1002.00	1574.95	2.3e-79	942	AX073443 Mus musculus olfactory
gb_pat:AX073820	1002.00	1517.93	3.8e-76	933	AX073820 Mus musculus olfactory
gb_pat:AX241995	992.00	1502.03	2.7e-75	942	AX241995 Sequence 743 from Patent
gb_pat:AX076959	991.00	1457.74	7.8e-73	162320	AX076959 Homo sapiens chrom
gb_pat:AX073798	990.00	1499.12	3.9e-75	937	AX073798 Mus musculus olfactory
gb_pat:AX073440	975.00	1476.28	7.2e-74	933	AX073440 Mus musculus olfactory
gb_pat:AX073441	974.00	1474.76	8.8e-74	933	AX073441 Mus musculus olfactory
gb_pat:AX073442	973.00	1473.34	1.1e-73	933	AX073442 Mus musculus olfactory
gb_pat:AX073443	965.00	1463.88	3.5e-73	667	AX073443 Mus musculus olfactory
gb_pat:AX076959	947.50	1391.66	3.7e-69	162320	AX076959 Homo sapiens chrom
gb_pat:AX241886	946.00	1431.75	2.2e-71	988	AX241886 Sequence 634 from Patent
gb_pat:AX073797	943.00	1427.70	3.7e-71	933	AX073797 Mus musculus olfactory
gb_pat:AX242170	920.00	1392.77	3.3e-69	937	AX242170 Sequence 918 from Patent
gb_pat:AC004889	920.00	1351.73	6.3e-67	130030	AC004889 Homo sapiens clone
gb_pat:AX241944	881.00	1333.38	6.6e-66	945	AX241944 Sequence 692 from Patent
gb_pat:AX242035	852.50	1296.04	7.5e-64	576	AX242035 Sequence 783 from Patent
gb_pat:AX241845	852.50	1296.04	7.5e-64	950	AX241845 Sequence 593 from Patent
gb_pat:AX073997	851.00	1288.10	2.2e-63	912	AX073997 Mus musculus olfactory

seq_name: gb_pat:AX078373

seq_documentation_block:

LOCUS AX078373 974 bp DNA linear PAT 22-FEB-2001

DEFINITION Sequence 41 from Patent WO0107612.

ACCESSION AX078373

VERSION AX078373.1 GI:13158042

KEYWORDS

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.

REFERENCE 1 (bases 1 to 974)

AUTHORS Au-Yang, J., Bandman, O., Yang, Y.T., Yue, H., Azimzai, Y., Burford, N., Baughn, M.R., Lu, D.A., Hillman, J.L., Patterson, C. and Lal, P.

TITLE Receptors and associated proteins

JOURNAL Patent: WO 0107612-A 41 01-FEB-2001; Incyte Genomics, Inc. (US)

FEATURES

source location/Qualifiers

1..974

/organism="Homo sapiens"

/db_xref="taxon:9606"

/note="Incyte ID No: 2279367CB1"

BASE COUNT 206 a 270 c 214 g 284 t

ORIGIN

alignment_scores:

Quality:	Ratio:	Length:
1609.00	5.190	310
Percent Similarity: 100.000	Percent Identity: 100.000	Gaps: 0

alignment_block:

US-09-898-586-24 x AX078373

Align seg 1/1 to: AX078373 from: 1 to: 974

1	MetGlyAspAsnIlePheSerIlePheGluPheLeuGlyPheP	17
1	ATGGGGACATATTAACATCATACAGAGTCCCTACAGGATTC	50
17	oValGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhe	34
17		
51	CGTTGGCCCAAGATTCACATGCTCTTGGGCTTCCTCCGTTCT	100
34	yValPhePheLeuGlyAsnGlyThrIleGlyLeuIleSerLeu	50
101	ACGCTTCACCCGCGGGGACGACCATCTGGGCTCATCTCACTG	150
51	AspSerArgLeuHisAlaProMetCtyrPhePheLeuSerHisLeuAla	67
151	GACTCCAGATGCACGCCCATGATCTTCTCCCTCACACCTGGCGCT	200
67	IValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuVal	84
201	CGTTCAGATGCTTACGCTGCACACGCGTCCCGGATGCTGGTGAAC	250
84	euleHisProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr	100
251	TCTGTGATCCAGCAGCCCATCTCTTGGCGGCGCATATATACAGACC	300
101	PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValAla	117
301	TTCCTGTTTCCACTTTCCTGCTCACAGAACTCTCTCTCGTGGTGCAT	350
117	tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla	134

```

351 GTCCTATGATCTGTAGCTGGCCATCTGCCACGCCCTCCGATATTTGGCA 400
134 lemetrtrprapvalcysllethrleuvalaValThrSerTrpThr 150
401 TCATGACCTGGAGAGTCTGCATACCTCGCGTACCTTCCGAGACACT 450
151 GlyValleuSerLeuIleHisLeuValleuLeuProLeuProph 167
451 GGAGCTCTTTATTCCTTGATTCATCTTGTTGTTACTTCTTACCTTACCTT 500
167 eCysArgProGlnIlySleTyrrHisPhePheCysGluIleLeuAlaVal 184
501 CTGTAGGCCCCAGAAATTTATCATCTTTTGTGAAATCTTGCTGTTC 550
184 eulysleuAlaCysAlaAspThrHisIleAsnGluAsnMetValleuAla 200
551 TCAAACTGGCTGTGCAGATACCCATCATGAGAACATGAGTCTTGCC 600
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTy 217
601 GGACCAATTTCTGGGCTGGTGGGACCCCTGTCCACATTTGTAATTCTTA 650
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgIleValGlnA 234
651 TATGGCATCTCTGTGCTATCTCTCAGATCCAAATCAAGGAGGTTCCGA 700
234 rGlySAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
701 GGAAAGCTTCTGCACCTGCTCTCCACCTCGTGTGATGTGGACTCTTT 750
251 TyrGlyThrAlaIleIleMetTyrrValGlyProArgTyrrGlyAsnProLy 267
751 TATGGCACAGCCATTCATGATGTTGTGACCCAGATATGGAACCCAA 800
267 sGluGlnIlySleTyrrLeuLeuPheHisSerLeuPheAsnProMetL 284
801 GGAGCAGAGAAATATCTCCTGCTGTTCACAGCCCTTAAATGCCACGC 850
284 euaSnProLeuIleCysSerLeuArgAsnSerGluValIlyAsnProLeu 300
851 TCATTCCTCTTATCTGTAGTCTTAGAACTCAGAAAGTGAAGATATCTTG 900
301 LysArgValleuGlyValGluArgAlaLeu 310
901 AAGAGAGTCCTGGAGTGAAGAGCTTTA 930

seq_name: gb_pat:AX197456
seq_documentation_block:
LOCUS AX197456 1012 bp DNA linear PAT 29-AUG-2001
DEFINITION Sequence 21 from Patent WO0151632.
ACCESSION AX197456
VERSION AX197456.1 GI:15387837
KEYWORDS
SOURCE
ORGANISM human.
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
1 (bases 1 to 1012)
AUTHORS Padigaru,M., Prayaga,S.K., Tauplier,R.J., Mishra,V., Tchenerov,V.T.,
Spytek,K.A. and Li,L.
TITLE Olfactory receptor polypeptides and nucleic acids encoding same
JOURNAL Patent: WO 0151632-A 21 19-JUL-2001;
Curagen Corporation (US)
FEATURES
Source 1..1012
Location/Qualifiers
BASE COUNT 219 a 281 c 215 g 297 t
ORIGIN
alignment_scores:

```

```

Quality: 1609.00 Length: 310
Ratio: 5.190 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000
Alignment block:
US-09-898-586-24 x AX197456 ..
Align seg 1/1 to: AX197456 from: 1 to: 1012
1 MetCysAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
54 ATGGAGAACAAATATACATCATCATCAGAGATCTCTCTACGGGATTTCC 103
17 ovalGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheP 34
104 CGTTGGGCCCAAGATTCAGATGCTCTCTTGGGCTCTTCTCCCTGTTC 153
34 TyrAlaPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
154 ACCTCTTACACCTGCTGGGGAAGGACCATATGAGGGCTCATCTCAGT 203
51 AspSerArgLeuHisAlaProMetTyrrPhePheLeuSerHisLeuAla 67
204 GACTCCAGACTGCAGCCCCCATGACTTCTTCTCTTACACCTGGGGGT 253
67 lValAspIleAlaTyrrAlaCysAsnThrValProArgMetLeuValAsnL 84
254 CGTGCAGATCGCTACGCTGACACAGAGTGCCTCCGGATGCTGGTGAAC 303
84 euleuHisPProAlaLyProIleSerPheAlaGlyArgMetMetGlnThr 100
304 TCCGCGCATCCAGCCCAAGCCCATATCTCTTGGCGGCGGATCATCATCA 353
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValAla 117
354 TTTCTGTTTCCACTTCTTCTGTGCACAGATGTCCTCCCTGGTGGTGA 403
117 tSerTyrrAspLeuTyrrValAlaIleCysHisProLeuArgTyrrLeuAla 134
404 GTCTTAAGATCTGTACGTGGCATCTGCCACCCCTCGAGATTTGGCCA 453
134 lemetrtrprapvalcysllethrleuvalaValThrSerTrpThr 150
454 TCATGACCTGGAGAGTCTGCATACCTCGGAGTACTTCTCGAGACACT 503
151 GlyValleuSerLeuIleHisLeuValleuLeuProLeuProph 167
504 CGAGTCTTTATCTGTGATTCATCTGTGTTACTTCTTACCTTTACCCCT 553
167 eCysArgProGlnIlySleTyrrHisPhePheCysGluIleLeuAlaVal 184
554 CTGTAGGCCCCAGAAATTTATCATCTTTTGTGAAATCTTGCGCTGTTC 603
184 eulysleuAlaCysAlaAspThrHisIleAsnGluAsnMetValleuAla 200
604 TCAAACTGGCTGTGCAGATACCAACATCAATGAGAACATGCTTGCC 653
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTy 217
654 GGACCAATTTCTGGGCTGGTGGGACCTTGTGCACAAATGTAGTTTCA 703
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgIleValGlnA 234
704 TATGTGATCTCTGTGCTATCTCTCAGATCCAAATCAAGGAGGAACTTGA 753
234 rGlySAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
754 GGAAAGCTTCTGCACCTGCTTCTCCACCTCGTGTGATTTGAGACTCTTT 803
251 TyrGlyThrAlaIleIleMetTyrrValGlyProArgTyrrGlyAsnProLy 267
804 TATGGCACAGCCATTTATCATGATATGTGAGCCAGATATGGAACCCCAA 853

```

267 sgluglnlystlyrleuLeuPheHisSerLeuPheAsnPrometL 284
 854 GGAGCGAAGAAATATCTCTGCTGCTTTTACAGCGCTCTTTAAATCCATGC 903
 284 euAsnProleuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
 904 TCATATCCCTTATCTGTAGCTCTAGAACTCAGAACTGAAATGACTTTG 953
 301 LysArgValLeuGlyValGluArgAlaLeu 310
 954 AACAGAGTCCTCGAGTAGAAAGGCGTTTA 983

seq_name: gb_pr:AC004889

seq_documentation_block:
 LOCUS AC004889 130030 bp DNA linear PRI 14-JAN-1999
 DEFINITION Homo sapiens clone D10798C17, complete sequence.
 ACCESSION AC004889
 VERSION AC004889.1 GI:4156187
 KEYWORDS HTG.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.

REFERENCE 1 (bases 1 to 130030)
 AUTHORS Waterston, R.H.
 TITLE The sequence of Homo sapiens clone
 JOURNAL Unpublished
 REFERENCE 2 (bases 1 to 130030)
 AUTHORS Waterston, R.H.
 TITLE Direct Submission
 JOURNAL Submitted (12-JUN-1998) Genome Sequencing Center, Washington
 University School of Medicine, 4444 Forest Park Parkway, St. Louis,
 MO 63108, USA
 REFERENCE 3 (bases 1 to 130030)
 AUTHORS Waterston, R.H.
 TITLE Direct Submission
 JOURNAL Submitted (14-JAN-1999) Genome Sequencing Center, Washington
 University School of Medicine, 4444 Forest Park Parkway, St. Louis,
 MO 63108, USA

COMMENT On Jan 14, 1999 this sequence version replaced gi:3213108.
 FEATUBES Location/Qualifiers
 source 1..130030
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone="D10798C17"

BASE COUNT 38117 a 25410 c 26567 g 39936 t

alignment_scores:

Quality: 1609.00 Length: 310
 Ratio: 5.190 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x AC004889/rev ..

Align seg 1/1 to reverse of: AC004889 from: 1 to: 130030

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
 111243 ATGGGGGACAAATTTACATCCATCCACAGATTCCTCTACTGGGATTTCC 111194
 17 oValGlyProArgIleGluMetLeuLeuPheGlyLeuPheSerLeuPhe 34
 111193 CGTTGGCCCAAGATTCAGATGCTCTCTGGGCTCTCTCCCTGTTCT 111144
 34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
 111143 ACGTCTTCAACCCGCTGGGGAACGAGACATCTGCGGCTCATCTCAG 111094
 51 AspSerArgLeuHisAlaProMetIleThrPheLeuSerHisLeuAlaVal 67

111093 GACTGCAGACAGACAGCCCGCCATGCTACTTCTTCTTCACACCTGGCGST 111044
 67 lValAspIleAlaArgIleAlaCysAsnThrValProArgMetLeuValAsnL 84
 111043 CGTCGACATCGCCCTACCGCTGCAACAGCGTGGCCCGGAGTGGGAAAC 110994
 84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetCysIleThr 100
 110993 TCCTGCATCCAGCCAGCCCATCTCTTTCGGGGCCGAGTGAATGACAGCC 110944
 101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValValMe 117
 110943 TTTCGTTTTCCACTTTGCTGTCGACAAATGTCCTCTCTGCTGATGAT 110894
 117 tSerTyraAspLeuTyraValAlaIleCysHisProLeuAlaArgTyraVal 134
 110893 GTCCATATCTGTACGTCGACATCTGCACCCCTCCGATATTGGCCA 110844
 134 leMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
 110843 TCATGACCTGGAGAGTCTGCATCACCCTCCGCTGACTTCTGACACACT 110794
 151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProph 167
 110793 GAGATCTCTTATCTCTGATTCATCTGTGTTACTTCTACCTTACCTT 110744
 167 eCysArgProGlnLysIleTyraHisPhePheCysGluIleLeuAlaVal 184
 110743 CTGTAGGCCCGCAAGAAATTTATCATCTTTTGTGAATCTTGGCGTTTC 110694
 184 euLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
 110693 TCAAACTTGCCTGTCAGATACCCACATCAATAGAAATGCTTGGCC 110644
 201 GluAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTy 217
 110643 GGAGCAATTTCTGGCGCTGGGACCTTGGCCAAATGTGATTGCATA 110594
 217 PheCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
 110593 TATGTGATCCCTCTGTGCTATCTTCCAGATCCAAATCAGAGGAATTCAG 110544
 234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
 110543 GGAAGCCCTTCTGACACCTGCTCCACCTCTGTGATGAGTGGACTCTTT 110494
 251 TyrGlyThrAlaIleIleMetTyraGlyProArgTyraAsnProly 267
 110493 TATGGACAGCCATTTATCATGTATGTTGGACCCAGATATGGGAAACCCCA 110444
 267 sgluglnlystlyrleuLeuPheHisSerLeuPheAsnPrometL 284
 110443 GGAGCGAAGAAATATCTCTGCTGCTTTTACAGCGCTCTTTAAATCCATGC 110394
 284 euAsnProleuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
 110393 TCATATCCCTTATCTGTAGCTCTAGAACTCAGAACTGAAATGACTTTG 110344
 301 LysArgValLeuGlyValGluArgAlaLeu 310
 110343 AACAGAGTCCTCGAGTAGAAAGGCGTTTA 110314

seq_name: gb_pat:AX242191

seq_documentation_block:
 LOCUS AX242191 930 bp DNA linear PAT 26-SEP-2001
 DEFINITION Sequence 939 from Patent WO0127158.
 ACCESSION AX242191
 VERSION AX242191.1 GI:15799066
 KEYWORDS
 SOURCE synthetic construct.
 ORGANISM synthetic construct.

artificial sequence.
1 (bases 1 to 930)
REFERENCE
Bellenenson, J., Smith, D., Lancet, D., Glusman, G., Fuchs, T. and
Yanai, I.
TITLE
Olfactory receptor sequences
Patent: WO 0127158-A 939 19-APR-2001;
JOURNAL
Discents (US) : YEDA RESEARCH AND DEVELOPMENT COMPANY, LTD. (IL)
FEATURES
Location/Qualifiers
1. 930
Source
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="(H389/89 nucleotide)"
BASE COUNT 192 a 266 c 201 g 271 t
ORIGIN
alignment_scores:
Quality: 1602.00 Length: 310
Ratio: 5.184 Gaps: 0
Percent Similarity: 99.677 Percent Identity: 99.677
alignment_block:
S-09-898-586-24 x AX242191 ..
Align seg 1/1 to: AX242191 from: 1 to: 930
1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPheP 17
1 ATGGGAGACATATTAACATCCACAGAGTCTCTCCCTACAGGATTTCC 50
17 ovaGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
1 CGTGGGCCCCAAGATTACAGATGCTCTTGGGCTTCTTCCCTCTGTTCT 100
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
101 ACGTCTCACCCCTGCTGGGAAAGGAGGACCTACTGGGCTCATCTCACTG 150
51 AsperArgLeuHisAlaPrometIlePhePheLeuSerHisLeuAlaVa 67
151 GACGCCAGACTGACAGCCGCCCATGACTCTCTCTCTACACCTGGGGGT 200
67 yValAspIleAlaIleThrAlaCysAsnThrValProArgMetLeuValAsn 84
201 CGTGCACATGCTGACGCTGACACAGGCTGCGCCGAGTGGTGAACC 250
84 euleuHisProAlaIlePheProIleSerPheAlaGlyArgMetMetGlnThr 100
251 TCCGTCATCCAGCCAGCCCATCTCTTGGCGGCGCATGATGCACAGCC 300
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValAlaMe 117
301 TTCTGTTTCCACTTGTCTGCTGCACAGATGTCTCTCCGCTGGTGGAT 350
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaI 134
351 GTCCATGATCTGTACGTGGCATGTGCCACCCCTCCGATATTGGCCA 400
134 leuMetThrTrpArgValCysIleThrLeuAlaValThrSerTyrPheThr 150
401 TCATGACCTGAGAGTGTGCATCCCTGCGGTGACTTCTCGAGACACT 450
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuProph 167
451 GGAGCTCTTTATCTTGAATCATCTTGTGTACTTCACTTACCTTACCTT 500
167 eCysArgProGlnIleLysIleTyrHisPhePheCysGluIleLeuAlaVal 184
501 CTGTAGGCCCCAGAAAATTATCATCTTTTGTGAATCTTGGCTGTTC 550
184 eulysIleuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
551 TCAAACTTGCCTGTGCAGATACCCACATCAATGAGACATGCTGTGCC 600

201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTyr 217
601 GGAGCAATTTCTGGCTGTGGAGACCTGTGTCACAATTTAGTTTCATCA 650
217 PheCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
651 TATGTCATTCCTCTGTGCTATCTTCAGATCCATCAAGGAAAGTTCAAG 700
234 rGlyValaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
701 GGAACGCTTCTGACACGCTCTTCCACCTCTGTGATGATGACCTCTT 750
251 TyrGlyThrAlaIleIleMetIleValGlyProArgTyrGlyAsnProly 267
751 TATGACACAGCCATTAATCATGATGTGACCCAGATATGGAAACCCAA 800
267 sGluGlnIleLysTyrIleLeuLeuPheHisSerLeuPheAsnPrometL 284
801 GGAGCAGAAAGAAATATCTCCGCTGTTTCACAGCCCTCTTAATCCATGC 850
284 eulAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
851 TCAATCCCTTATCTGTAGTCTTAGAACCTCAGAAATGAAATACCTTGG 900
301 LysArgValLeuGlyValGluArgAlaLeu 310
901 AAGAGATCTGTGGAGATGAAAGGCTTTA 930
seq_name: gp_pat:AX241442
seq_documentation_block:
LOCUS AX241442 930 bp DNA linear PAT 26-SEP-2001
DEFINITION Sequence 190 from Patent W00127158.
ACCESSION AX241442
VERSION AX241442.1 GI:15798317
KEYWORDS
SOURCE
synthetic construct.
ORGANISM
synthetic construct.
REFERENCE
1 (bases 1 to 930)
AUTHORS
Bellenenson, J., Smith, D., Lancet, D., Glusman, G., Fuchs, T. and
Yanai, I.
TITLE
Olfactory receptor sequences
Patent: WO 0127158-A 190 19-APR-2001;
JOURNAL
Discents (US) : YEDA RESEARCH AND DEVELOPMENT COMPANY, LTD. (IL)
FEATURES
Location/Qualifiers
1. 930
Source
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="(H38938 nucleotide)"
BASE COUNT 193 a 265 c 202 g 270 t
ORIGIN
alignment_scores:
Quality: 1584.00 Length: 310
Ratio: 5.160 Gaps: 0
Percent Similarity: 99.032 Percent Identity: 99.032
alignment_block:
US-09-898-586-24 x AX241442 ..
Align seg 1/1 to: AX241442 from: 1 to: 930
1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPheP 17
1 ATGGGAGACATATTAACATCCATCAGAGATCTCTCTACAGGATTTCC 50
17 ovaGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheP 34
51 CGTGGGCCCCAAGATTACAGATGCTCTTGGGCTCTTCCCTGTCTCT 100

```

34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
101 ACCTCTTCAACCTCGGGGAGACGGGACCATCTGGGGCTCATCTCCTG 150
51 AspSerArgLeuHisAlaProMetGlyPhePheLeuSerHisLeuAla 67
|||||
151 GACTCCAGACTGCAGCGCCCATGACTCTCTCTCTCACACTGGGGGT 200
67 lValAspIleAlaTyraIaCysAsnThrValProArgMetLeuValAsn 84
|||||
201 CGTCGACATCGCTTACGGCTGCACACCGGTCGCCGATGGTGTGAACC 250
84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetMetGlyThr 100
|||||
251 TCCGCGCATCCAGCCAGCCCATCTCTTGGCGGCGCATGATGACAGACC 300
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValValMe 117
|||||
301 TTTCTGTTTCCACTTTTGTGTGCACAGAAATGTCCTCCCGGCGGTAT 350
117 tSerTyAspLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
|||||
351 GTCCATGATCTGTACGTGGCATCTGCCACCCCTCGATATTGGCCA 400
134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
|||||
401 TCATGACCTGGAGAGTCTGCATACCCGCGGTACTCTCTGGACCACT 450
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProph 167
|||||
451 GGAGTCTTTTATCCCTTGTATCATCTGTGTACTTCTACCTTACCTT 500
167 eCysArgProGlnLysIleTyHisPhePheCysGlnIleLeuAlaVal 184
|||||
501 CTGTAGCGCCCGAATAATTATCATCTTTTGTGAAATCTTGGCTTTC 550
184 eulysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
|||||
551 TCAAACTGCTGTCGATACCCACATCAATGAGAACTGCTTGGCC 600
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTy 217
|||||
601 GGAGCAATTTCTGGCTGTGGGACCTTGTCCAAATTTGATGTTGATA 650
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
|||||
651 TATGTGATCTCTGTGCTATCTTCAATCAAGGAGATTCAGA 700
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
701 GGAAGGCTTCCGACCTGCTCTCCACACTGTGTGATTTGACCTGTT 750
251 TyrGlyThrAlaIleIleMetTyValGlyProArgTyArgLysProLys 267
|||||
751 TATGGCAGACCATTTATCATGTATGTGACCCAGATATGGAGCCCAA 800
267 sGluGlnLysLysTyLeuLeuLeuPheHisSerLeuPheAsnProMet 284
|||||
801 GGAGCGAAGAAATATCTCTCTCTTCCAGAGCTCTTATTCATTCAT 850
284 eulAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
|||||
851 TCATATCCCTTATCTTACTTACTTAAAGAACTCAGAAAGTGAAGAAAT 900
301 LysArgValLeuGlyValGluArgAlaLeu 310
|||||
901 AAGAGAGTGTGGAGTAGAAGGCGTTTA 930
seq_name: gp_pat:AX241473
seq_documentation_block:
LOCUS AX241473
DEFINITION Sequence 221 from Patent WO0127158.
930 bp DNA linear PAT 26-SEP-2001

```

```

ACCESSION AX241473
VERSION AX241473.1 GI:15798348
KEYWORDS
SOURCE
ORGANISM
synthetic construct.
artificial sequence.
REFERENCE
1 (bases 1 to 930)
AUTHORS
Bellenson,J., Smith,D., Lancel,D., Glusman,G., Fuchs,T. and Yanai,I.
TITLE
Olfactory receptor sequences
JOURNAL
Patent: WO 0127158-A 221 19-APR-2001;
Disigents (US) ; YEDA RESEARCH AND DEVELOPMENT COMPANY, LTD. (IL)
FEATURES
source
1. 930
/organism="synthetic construct"
/db_xref="taxon:32630"
/note="(H8970 nucleotide)"
BASE COUNT 193 a 265 c 202 g 270 t
ORIGIN
alignment_scores:
Quality: 1584.00 Length: 310
Ratio: 5.160 Gaps: 0
Percent Similarity: 99.032 Percent Identity: 99.032
alignment_block:
US-09-898-586-24 x AX241473 ..
Align seg 1/1 to: AX241473 from: 1 to: 930
1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
|||||
1 ATGGGAGACATATATACATCCATCAGAGAGTTCCTCTACTGGGATTTCC 50
17 oValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
|||||
51 CGTTGGCCCGAAGATTGAGATGCTCTCTTGGGCTCTCTCTCTCTCTCT 100
51 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
101 ACCTCTTCAACCTCGTGGGAGAACGGACCATCTGAGGCTCATCTACAG 150
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
101 ACCTCTTCAACCTCGTGGGAGAACGGACCATCTGAGGCTCATCTACAG 150
51 AspSerArgLeuHisAlaProMetGlyPhePheLeuSerHisLeuAla 67
|||||
151 GACTCCAGACTGCAGCCCGCATGTACTTCTCTCTCACACCTGGCGGT 200
67 lValAspIleAlaTyraIaCysAsnThrValProArgMetLeuValAsn 84
|||||
201 CGTCGACATCGGCTTACCGCTGCAACAGGTCGCCGATGCTGTGAGAC 250
84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetMetGlyThr 100
|||||
251 TCTTGATCCAGACCAAGCCCATCTCTTGGGGCCCATGATGACAGACC 300
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValValMe 117
|||||
301 TTTCTGTTTCCACTTTTGTGTGCACAGAAATGTCCTCCCGGCGGTAT 350
117 tSerTyAspLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
|||||
351 GTCCATGATCTGTACGTGGCATCTGCCACCCCTCGATATTGGCCA 400
134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
|||||
401 TCATGACCTGGAGAGTCTGCATACCCCGGCGGTACTCTTGGACCACT 450
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProph 167
|||||
451 GGAGTCTTTTATCCCTTGTATCATCTGTTGTACTTCTTACCTTACCCT 500
167 eCysArgProGlnLysIleTyHisPhePheCysGlnIleLeuAlaVal 184
|||||

```

```

501 CTGTAGGCCCCAGAAATTATCATCTTTTGTGAAAATCTTGGCTGTTC 550
164 eulysleuAlaCysAlaAspThrHisIleAsnGluAsnMetValIleuAla 200
|||||
551 TCAAACTTCCTGTCGAGATACCCACATCAATGAGAACATGCTCTGGCC 600
|||||
201 GYAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleValSerTy 217
|||||
601 GGAGCAATTCTGGGCTGGTGGAGACCTTGTCACAAATTTAGATTTCATA 650
|||||
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValAlaGln 234
|||||
651 TATGTGCATCCTCTGTCTCTATCCTTCAGATCCAAATCAGAGAGATTCAGA 700
|||||
234 rGlySalIaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
701 GGAAAGCCTTCGACCTGCTTCTCCACCTCTGTGTGATGTGGACTGCTT 750
|||||
251 TyrGlyThrAlaIleIleMetTyValGlyProArgTyrGlyAsnProLy 267
|||||
751 TATGCGACAGCCATTATCATGTATGTGGAGCCAGATATGGAGACCCCAA 800
|||||
267 sGIUGlAllyLysLysTyrLeuLeuLeuPheHisSerLeuPheAsnProMetL 284
|||||
801 GGAGCAGAGAAATATCTCCTGCTGTTCACAGCCTCTTAAATCCCATGC 850
|||||
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValIleAsnThrIleu 300
|||||
851 TCATCCCTTATCTGTAGTCTTAGCAACTCAGAAAGTGAAGATACCTTGG 900
|||||
301 LysArgValLeuGlyValGluArgAlaLeu 310
|||||
901 AAGAGAGTGGCTGGAGTGAAGAGGCTTTA 930
|||||

seq_name: gb_pat:AX197438
seq_documentation_block:
LOCUS AX197438 1040 bp DNA linear PAT 29-AUG-2001
DEFINITION Sequence 3 from Patent WO0151632.
ACCESSION AX197438
VERSION AX197438.1 GI:15387828
KEYWORDS
SOURCE
human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
REFERENCE
1 (bases 1 to 1040)
Padigaru,M., Prayaga,S.K., Taupier,R.D., Mishra,V., Tchernev,V.T.,
Spytek,K.A. and Li,L.
Odorant receptor polypeptides and nucleic acids encoding same
JOURNAL Patent: WO 0151632-A 3 19-JUL-2001;
Curagen Corporation (US)
FEATURES
Location/Qualifiers
source 1..1040
/organism="Homo sapiens"
/db_xref="taxon:9606"
BASE COUNT 229 a 285 c 221 g 305 t
ORIGIN

alignment_scores:
Quality: 1584.00 Length: 310
Ratio: 5.160 Gaps: 0
Percent Similarity: 99.032 Percent Identity: 99.032

alignment_block:
US-09-898-586-24 x AX197438 ..
Align seg 1/1 to: AX197438 from: 1 to: 1040

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPhePhe 17
|||||
82 ATGGAGACAAATATAACATCATCAAGAGAGTTCCTTACATGCGGATTTCC 131

```

```

17 OValGlyProAlaIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheT 34
|||||
132 CGTTGGCCCAAGGATTCAGATCTCTCTTTGGGCTGCTTCCCTGCTTTC 181
|||||
34 rValAlPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
182 ACGTCTTCAACCTCGCTGGGGAAGGAGACCATATCTGGGGCTCATCTCAG 231
|||||
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
|||||
232 GACTCCAGACTGACGCCCCCATGTACTTCTCTCTCAGACCTGGGGGT 281
|||||
67 lValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsnL 84
|||||
282 CGTCGACATGCTTACGCTGACACAGCGTCCCGGATGCTGGTAGACC 331
|||||
84 euleuHisProAlaIalysProIleSerPheAlaGlyArgMetMetGlaThr 100
|||||
332 TCCGTGATCCAGCCAAAGCCCATCTCTTGGGGGCGCATGATGCAAGCC 381
|||||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValAlaIle 117
|||||
382 TTTCTGTTTCCACTTTCCTGCTGTCACAGATGTCTCCCTCGGGTGGAT 431
|||||
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuAsnTyrIleuAlaI 134
|||||
432 GTCTATGATCTGTACGTGGCCATCTGCCACCCCTCGATATTGGCCA 481
|||||
134 lMetThrThrPArgValCysIleThrLeuAlaValThrSerThrThrThr 150
|||||
482 TCATGACATGGGAGATGTGTCATACCTCGCGGTGACTTCTTGAGACACT 531
|||||
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuProp 167
|||||
532 GGAATCCTTTATCCCTTGAATCATCTGTGTACTTCTTACCTTAACTT 581
|||||
167 eCysArgProGlnIlysiIleTyrHisPhePheCysGlyIleLeuAlaVal 184
|||||
582 CTGTAGGCCCCAGAAATTATCATCTTTTGTGCAAAATCTTGGCTGTTC 631
|||||
184 eulysleuAlaCysAlaAspThrHisIleAsnGluAsnMetValIleuAla 200
|||||
632 TCAAACTTGGCTGTGACATACCCACATCATGAGAAACATGCTTGGCC 681
|||||
201 GYAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleValSerTy 217
|||||
682 GGAGCAATTTCTGGGCTGGTGGAGACCTTGTCACAAATGTAGATTTCATA 731
|||||
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValAlaGln 234
|||||
732 TATGTGCATCCTCTGTGCTATCTTCAGATCCAAATGAGAAAGTTCAGA 781
|||||
234 rGlySalIaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
782 GGAAAGCCTTCGACCTGCTTCTCCACCTGTGTGTGATGTGGACTGCTT 831
|||||
251 TyrGlyThrAlaIleIleMetTyValGlyProArgTyrGlyAsnProLy 267
|||||
832 TATGCGACAGCCATTATCATGTATGTGGACCCACATATGGAACCCCAA 881
|||||
267 sGIUGlAllyLysLysTyrLeuLeuLeuPheHisSerLeuPheAsnProMetL 284
|||||
882 GGAGCAAGAAATATCTCTCTGTTTCACAGCCTCTTAAATCCCATGTC 931
|||||
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValIlyAsnThrIleu 300
|||||
932 TCAATCCCTTATCTGTACTTATGAGAACTCAGAAAGTGAATACTTTTG 981
|||||
301 LysArgValLeuGlyValGluArgAlaLeu 310
|||||
982 AAGAGAGTGGTGGAGTGAAGAGGCTTTA 1011
|||||

```


seq_name: gb_pat:AX197469

seq_documentation_block:

LOCUS AX197469 1040 bp DNA linear PAT 29-AUG-2001

DEFINITION Sequence 34 from Patent WO0151632.

ACCESSION AX197469

VERSION AX197469.1 GI:15387841

KEYWORDS

SOURCE

ORGANISM

human.

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Homidae; Homo.

REFERENCE

AUTHORS

Padigaru, M., Prayaga, S.K., Taupier, R.J., Mishra, V., Tcherven, V.T.,

Spytek, K.A. and Li, L.

Odorant receptor polypeptides and nucleic acids encoding same

JOURNAL

Patent: WO 0151632-A 34 19-JUL-2001;

Curagen Corporation (US)

FEATURES

source

1. 1040

/organism="Homo sapiens"

/db_xref="taxon:9606"

BASE COUNT 229 a 285 c 221 g 305 t

ORIGIN

alignment_scores:

Quality: 1584.00 Length: 310

Ratio: 5.160 Gaps: 0

Percent Similarity: 99.032 Percent identity: 99.032

alignment_block:

US-09-898-586-24 x AX197469

Align seq 1/1 to: AX197469 from: 1 to: 1040

```

1 MetGlyAspAsnIleTherSerIleThrgIupheLeuLeuGlyIlePhe 17
  |||||
82 ATGGGAGACAAATATACATCCATCAGAGAGATTCTCTACCTGCGATTGCC 131
  |||||
17 ovalGlyProArgIleGlnMerLeuLeuPheGlyLeuPheSerLeuPhe 34
  |||||
132 CGTTGGCCCAAGATTCAGATCTCTCTTTGGGCTCTTCTCCGTTCT 181
  |||||
34 yValAlpheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
  |||||
182 ACGCTCTACCCCTGCTGGGGAACGGGACCATCTGCGGCTCATCTCACTG 231
  |||||
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVa 67
  |||||
232 GAGTCCGAGACTGCAGCCGCCCATGACTCTCTCTCCTACACCTGGCGGT 281
  |||||
67 lValAlpIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsnL 84
  |||||
282 CGTGGACATCGCTACGCTGCAGAACGGGTGCCCGGATGCTGGGAACC 331
  |||||
84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetGlnThr 100
  |||||
332 TCTCGCATCCAGCCAGCCCATCTCTTGGCGGCGCATGTGAGAAC 381
  |||||
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValValMe 117
  |||||
382 TTTCGTGTTTCACCTTGTGCTGCACAGATGCTCTCTGCTGCTGAT 431
  |||||
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaI 134
  |||||
432 GTCTATGATCTGTACGTGGCATCTGCACACCCCTCCGATATTGGCCA 481
  |||||
134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
  |||||
482 TCATGACCTGAGAGACTCTGATACCCCTGCGGCTGATCTCCGGACACT 531
  |||||
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuProPh 167

```

|||||

532 GGAGTCTCTTATCTGATTCATCTGTGTACTCTTACTCTTACCCCTT 581

167 eCysArgProGlnIleTyrHisPhePheCysGlyIleLeuAlaValL 184

582 CTGTGGGCCCCAGAAATTTTATCTACTTTTGTGAAATTTTGGCTGTC 631

184 eulysLeuAlaCysAlaAspThrHisIleasnGlnuAsnMetValLeuAla 200

632 TCAAACTTGCCTGTGCAGATACCCACATCAATGAGAACAGCTTGGCC 681

201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerty 217

682 GGAGCAATTTCTGGGCTGGTGGACCTTGTCCCATTTGATTTCCANA 731

217 lMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGlyValGlnA 234

732 TATGTGCATCTCTGTGTATCTCAGATCCAAATCAAGGAGATTCACA 781

234 rGlyAlaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250

782 GGAAGCCTTCCGACCTGCTTCCACCGCTGTGTGATTTGACATCGTT 831

251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProly 267

832 TATGGCACAGCATATATCATGTATGTGGACCCAGATATGGAAACCCCA 881

267 sGlnGlnIleLysTyrLeuLeuLeuPheHisSerLeuPheAsnProMet 284

882 GGAGCAGAAAGAAATATCTCCCTGCTGTTCACAGCCTCTTAAATCCCATGC 931

284 euAsnProLeuIleCysSerLeuArgAsnSerGlyValLysAsnThrLeu 300

932 TCATATCCCTTATCTGTAGTCTTACAGACTCAGACAGTGAAGAAATACTTTC 981

301 lysArgValIleuGlyValGluArgAlaLeu 310

982 AAGAGAGTGTGCTGGAGTGAAGGCTTTA 1011

seq_name: gb_pat:AL135904

seq_documentation_block:

LOCUS AL135904 59130 bp DNA linear PRI 20-JUL-2000

DEFINITION Human DNA sequence from clone RP5-1005H11 on chromosome 6 Contains

(olfactory receptor like) protein, the gene for WGS:R.DJ0988G15.3

protein, part of the PORN3 (phosphodiesterase I/nucleotide

pyrophosphatase 3) gene, ESTs, STSs and GSSs, complete sequence.

AL135904

AL135904.11 GI:7159399

VERSION

KEYWORDS

SOURCE

human.

ORGANISM

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Homidae; Homo.

REFERENCE

AUTHORS

Lovell, J.

Direct Submission

Submitted (05-JUN-2000) Sanger Centre, Hinxton, Cambridgeshire,

CB10 1SA, UK. E-mail enquiries: humquerry@sanger.ac.uk

requests: clonerequest@sanger.ac.uk

On Mar 6, 2000 this sequence version replaced gi:7105768.

During sequence assembly data is compared from overlapping clones.

Where differences are found these are annotated as variations

together with a note of the overlapping clone name. Note that the

variation annotation may not be found in the sequence submission

corresponding to the overlapping clone, as we submit sequences with

only a small overlap as described above.

This sequence has been finished according to sequence map criteria

as follows. An attempt is made to resolve all sequencing problems,

such as compressions and repeats, but not necessarily within known

annotated human repeat sequence elements (e.g. Alu). Where the

sequence is ambiguous, there is an annotation using the 'unseq'


```

misc_feature      29507..29990      STS: Em:AA931824*
                    /note="match: 29530..29981
misc_feature      29530..29981      GSS: Em:AQ356766*
                    /note="match: 29530..29737
misc_feature      29533..29855      GSS: Em:AQ253729*
                    /note="match: 29533..29855
misc_feature      29538..29943      GSS: Em:AQ319835*
                    /note="match: 29560..29787
misc_feature      29560..29787      STS: Em:AA235111*
                    /note="match: 29779..32112
gene              29779..32112      STS: Em:G27651 Em:T99793*
                    /gene="dJ1005H11.2"
CDS               complement(29779..32112)
                    /gene="dJ1005H11.2"
                    /db_xref="GI:9368992"
                    /note="match: 1
                    /codon_start=1
                    /evidence="not_experimental"
                    /product="dJ1005H11.2 (WUGSC:H_DJ098615.3 PROTEIN)"
                    /protein_id="CA899213.1"
                    /db_xref="GI:9368992"
                    /translation="MEEPGATPPQPLGLVLEELGRVVAALPESMKRDPENPYGFPSELY

alignment_scores:
    quality: 1584.00      length: 310
    ratio: 5.160          gaps: 0
    percent similarity: 99.032      percent identity: 99.032

alignment_block:
us-09-898-586-24 x AL135904/rev ..

Align seg 1/1 to reverse of: AL135904 from: 1 to: 59130

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
|||||
22448 CGTTGGCCCAAGANTCAGATGCTCTTGGGCTCTTCCCTGTTCT 22399
|||||
22498 ATGGAGACAAATATACATCAGAGAGTTCCTCTACTGGGATTTCC 22449
|||||
17 oValGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhe 34
|||||
22448 CGTTGGCCCAAGANTCAGATGCTCTTGGGCTCTTCCCTGTTCT 22399
|||||
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
22398 ACGTTCACCCCTGGTGGGAAAGGAGACCAATCTGGGGCTCATCTG 22349
|||||
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
|||||
22348 GACTCGACAGCTGACAGCCCCCATGACTTCTCTCTCACACCTGGCGT 22299
|||||
67 lValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
|||||
22298 CATTGACATCCCTACGCTGCAACACGCGTCCCGGATGCTGGTGAAC 22249
|||||
84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetLeuGlnThr 100
|||||
22248 TCCATGATCCAGCCCAAGCCCATCTGCTGGGGCCCATGATGACAGCC 22199
|||||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValAlaMe 117
|||||
22198 TTTCGTGTTCCACTTGTGGCTGCACAGAAAGTCTCTCCGCGGGGAT 22149
|||||
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
|||||
22148 GTCTATGATCTGTACGTGGCCATCTGCACCCCTCCGATATTGGCCA 22099
|||||
134 leMetThrTyrArgValCysIleThrLeuAlaValThrSerTyrPheThr 150
|||||
22098 TCATGACCTGGAGACTGTGCATCACCCCTCGGAGACTTCCCTGGACCACT 22049
|||||
151 GlYValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuPhe 167
|||||
22048 GGAGTCCTTTATCCTTGATCATCTGTGTACTCTACCTTACCCCTT 21999

```

```

167 eCysArgProGlnIleTyrHisPhePheCysGluIleLeuAlaVal 184
|||||
21998 CTGTAGGCCCCAGAAATATATCATCTTTTGTGAAATCTTGGCTGTC 21949
|||||
184 euLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
|||||
21948 TCAAACTTGCTGTGCAGATACCCACATCAATGAAACATGCTGGCC 21899
|||||
201 GlYAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTy 217
|||||
21898 GGAGCAATTTCTGGCTGGTGGACCTTGTCACAAATTTGATTTCCATA 21849
|||||
217 tMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
|||||
21848 TATGCGATCTCTGTGCTATCTTCAATCCATCAAGAAAGTTCCAG 21799
|||||
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
21798 GAAAGCCTTCCGACACCTGCTTCCACCTCTGTGATTTGACCTGTT 21749
|||||
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProly 267
|||||
21748 TATGCGACAGCCATTATCATGTATGTTGACCCAGATATGGAAACCCCA 21699
|||||
267 sGluGlnLysIleTyrIleLeuLeuPheHisSerLeuPheAsnProMet 284
|||||
21698 GGAGCAGAAAGAAATATCTCTGCTGTTTCACAGCCTCTTTAAATCCCATGC 21649
|||||
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
|||||
21648 TCAATCCCTTATCTGTATGCTTGTAGAAATCAGAAAGTGAAGTACTTGG 21599
|||||
301 LysArgValIleGlyValGluArgAlaLeu 310
|||||
21598 AAGAGATGCTGGAGATGAGAAAGGCTTTA 21569
|||||

seq_name: gb_pr:AC005587

seq_documentation_block:
LOCUS      AC005587              140915 bp    DNA       linear    PRI 21-DEC-1999
DEFINITION Homo sapiens PAC clone RP5-988615 from 7q33-q35, complete sequence.
ACCESSION      AC005587
VERSION        AC005587.1      GI:4156166
KEYWORDS       HTC.
SOURCE         human.
ORGANISM       Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 140915)
AUTHORS       Hou,S., Woldmann,P. and Le,T.
TITLE         The sequence of Homo sapiens PAC clone RP5-988615
JOURNAL       Unpublished
2 (bases 1 to 140915)
AUTHORS       Waterson,R.H.
TITLE         Direct Submision
JOURNAL       Submitted (01-SEP-1998) Genome Sequencing Center, Washington
University School of Medicine, 4444 Forest Park Parkway, St. Louis,
MO 63108, USA
3 (bases 1 to 140915)
AUTHORS       Waterson,R.
TITLE         Direct Submision
JOURNAL       Submitted (15-JAN-1999) Department of Genetics, Washington
University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
4 (bases 1 to 140915)
AUTHORS       Waterson,R.
TITLE         Direct Submision
JOURNAL       Submitted (15-JAN-1999) Department of Genetics, Washington
University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
5 (bases 1 to 140915)
AUTHORS       Waterson,R.
TITLE         Direct Submision
JOURNAL       Submitted (15-JAN-1999) Department of Genetics, Washington
University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA

```


1	MeG1iYASpAsp1lePhSer1lePhr1inPhSeu1leu1eu1yPheP	17
101599	ATGGAGACAAATAATACATCCATCGAGAGAGTTCCTCCGTAAGGATTTCC	101648
17	oVAlG1yProAag1leG1me1leu1leuPhG1y1euPhSe1euPhet	34
101649	CGTGGCCCAAGGATTCAGATGCTCTCTTTGGGCTCTTCTCCCTGTTCT	101698
34	y1Val1ePhet1r1eu1eu1y1a1nG1y1tr1le1leu1y1leu1leu1Ser1leu	50
101699	ACGTTTCACCCCTGGCGGGGAGCGGACCAATACGAGGCTCATCTGCAC	101748
51	ASpSe1r1e1u1H1a1leProMe1y1r1ePh1e1eu1Ser1H1Seu1a1Va	67
101749	GACTCCAGATGAGGCCGCCCATGACTTCTTCTCTACACCTGGGGGT	101799
67	1Val1a1P1le1a1e1y1r1a1c1y1a1S1n1t1r1Val1Pro1r1gMe1eu1a1n1	84
101799	CGTCGACATCGCCTACGCGCTGCACACAGCGTCCCGGATGCTGTGAAC	101848
84	e1u1eu1S1Pro1a1y1S1Pro1le1Se1r1e1Ph1a1G1y1a1r1gMe1e1n1t1r	100
101849	TCTCGATACGACAGCCCAATCTCTTTGGGGGCGCATATCAACAC	101898
101	Ph1e1u1ePhSe1r1r1Ph1e1a1Val1t1r1G1u1c1y1Se1u1leu1e1a1V1a1Me	117
101899	TTCCTGTTTTCACCTTTCTGTCACAAATGTCTTCCTCGTGGTGAT	101948
117	tSe1r1y1a1P1le1y1y1Val1a1le1c1y1H1S1Pro1e1u1a1r1y1t1e1u1a1	134
101949	GTCCTATGATCTGATGAGGCCATGTGCACCCCTCCGATATTTGGCA	101998
134	leMe1t1r1r1P1r1a1y1a1c1y1le1t1r1leu1a1a1Val1t1Se1r1y1r1P1r1t1r	150
101999	TCAATGACCTGGAGAGCTGTGCATACCCCTCGGGATCTCTCGAGACCT	102048
151	G1Val1leu1leu1Ser1eu1le1H1Seu1a1leu1leu1e1u1Pro1e1u1Pro1	167
102049	GAGATCCTTTATCTCTGATGATGATCTTGTTGTTACTTCTTAACCTTAACTT	102098
167	e1y1a1r1gProG1n1y1a1le1y1r1H1S1Phe1Phe1c1y1le1leu1a1Val1	184

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17

```

seq_name: gb_o:AY073444
seq_documentation block:
LOCUS       AY073444                933 bp    DNA             linear     ROD 04-FEB-2002
DEFINITION  Mus musculus olfactory receptor MOR261-6 gene, complete cds.
ACCESSION   AY073444
VERSION     AY073444.1  GI:18480185
KEYWORDS
SOURCE      house mouse.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 933)
AUTHORS     Zhang, X. and Firestein, S.
TITLE       The olfactory receptor gene superfamily of the mouse
JOURNAL     Nat. Neurosci. 5 (2), 124-133 (2002)
PUBMED      11802173
REFERENCE   2 (bases 1 to 933)
AUTHORS     Adams, M.
TITLE       Direct Submission
JOURNAL     Submitted (11-JAN-2002) Celera Genomics, 45 West Gude Drive,
            Rockville, MD 20850, USA
FEATURES
     source
         1..933
            /organism="Mus musculus"
            /db_xref="taxon:10090"
            /chromosome="6"
            <1..>933
            /product="olfactory receptor MOR261-6"
            1..933
            /codon_start=1
            /evidence=not_experimental
            /product="olfactory receptor MOR261-6"
            /protein_id="AA061107.1"
            /db_xref="GI:18480186"
            /translation="MGNMMLITEFTLLGPPSPRMOMLLFALSLSFYAFTLLGNGTIL
            VOLICIDRLHTPMYFPLSHLADIAVACNTVPQMLVLDLPKPISTACMTPFL
            FLTFPTECLLVNYSYDRYVALCHPLRSLAINMVSCTAATVSMIIGVLSLIIHY
            LILPAPFCVSOKNVHFCETAILILKACATSLINMFTAGASVLYGPFSSIVSYSA
            CILGAILKIOSEGORAFKSPSCSHLCVGLFPGTIVAYVYGPFRGSPKEOKYLLPLF
            HSLFPMNPILPITYSLANSNDKNTLRYLRORAL"
BASE COUNT      199 a      249 c      200 g      285 t
ORIGIN
Alignment scores:
      Quality: 1330.00      Length: 310
      Ratio: 4.634      Gaps: 0
      Percent Similarity: 92.581      Percent Identity: 81.935
Alignment_block:
US-09-898-586-24 x AY073444  ..
Align seg 1/1  to: AY073444  from: 1  to: 933
1  MetGtGAspaanliethrrserliethnginupheteuleuenglyphepr 17
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
1  ATGGGAAACATATGACATTATCATCAGAGACTTCATCTCTCGGATTTCC 50
17  oValGlyPrArGtlleGlnMetLeuLeuAubeglyLeuPheserLeuPhet 34
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
17  TCTCAGCCCGGAGATGCAGATGCTCTTGGCCCTTCCTCCCTCTCTCT 100
34  rValAlpheThLeuLeuGlyAsnGlyThHlleuGlyLeuLleserLeu 50
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
101  ATGCCTTCACCCCTGCTGGGAAATGGAACCATGCTGGGGCTATCTGCCTG 150
51  AspsArGleuHHisAlarPmetGlyrPhelPheLeuSerHisLeuAlaVa 67
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
151  GACTCTCAACATCCACACTCCCATGTACTCTTCCTCTCTCATCTGCGCAT 200
67  lValAspIlealatyralAcysasnThrValProArgMetLeuValasnL 84

```


RP11-703N5 contains a single plasmid region from 4530 to 4616 and 4668 to 4721.

```

FEATURES
    source
        Location/Qualifiers
            1..104955
                /organism="Homo sapiens"
                /db_xref="taxon:9606"
                /chromosome="7"
                /map="7"
                /clone="RP11-703N5"
                /clone_1db="RCIT-11"
                1..162
                    repeat_region
                        /rpt_family="L1"
                    147..169
                        repeat_region
                            /rpt_family="AT-rich"
                    928..1614
                        repeat_region
                            /rpt_family="L2"
                    2091..2204
                        repeat_region
                            /rpt_family="L2"
                    2649..2713
                        repeat_region
                            /rpt_family="ERV1"
                    2651..2710
                        repeat_region
                            /rpt_family="(CA)n"
                    4071..4108
                        repeat_region
                            /rpt_family="(TCCA)n"
                    4472..4511
                        repeat_region
                            /rpt_family="L2"
                    5679..5892
                        misc_feature
                            /note="similar to Homo sapiens EST AA298029 (NID:g1950363)"
                    7802..7825
                        repeat_region
                            /rpt_family="AT-rich"
                    8020..8173
                        repeat_region
                            /rpt_family="MIR"
                    9639..9865
                        repeat_region
                            /rpt_family="CRL"
                    10327..10490
                        repeat_region
                            /rpt_family="Alu"
                    10476..10498
                        repeat_region
                            /rpt_family="(CANA)n"
                    11042..11088
                        repeat_region
                            /rpt_family="GA-rich"
                    11387..11406
                        repeat_region
                            /rpt_family="(T)n"
                    11947..12268
                        repeat_region
                            /rpt_family="L1"
                    12489..13017
                        misc_feature
                            /note="match to EST A1478847 (NID:g4372015) tm24e12.x1"
                    12793..12973
                        repeat_region
                            /rpt_family="L1"
                    12974..13192
                        repeat_region
                            /rpt_family="MELR"
                    13147..13148
                        misc_feature
                            /note="match to EST A1478847 (NID:g4372015) tm24e12.x1"
                    13193..13485
                        repeat_region
                            /rpt_family="Alu"
                    13486..13668
                        repeat_region
                            /rpt_family="MELR"
                    13669..14177
                        repeat_region
                            /rpt_family="MELR"
                    14177..15248
                        repeat_region
                            /rpt_family="MELR"
                    15249..16333
                        repeat_region
                            /rpt_family="ERV1"
                    16334..16622
                        repeat_region
                            /rpt_family="MELR"
                    16628..16988
                        repeat_region
                            /rpt_family="MELR"
                    16989..17116
                        repeat_region
                            /rpt_family="MELR"
                    17119..17273
                        repeat_region
                            /rpt_family="L1"
                    18350..18588
                        repeat_region
                            /rpt_family="ERV1"

```

```

repeat_region
    18658..18733
        /rpt_family="ERV1"
repeat_region
    19319..19982
        /rpt_family="L1"
repeat_region
    20126..20161
        /rpt_family="AT-rich"
repeat_region
    20389..21008
        /rpt_family="L1"
repeat_region
    21009..23092
        /rpt_family="L1"
repeat_region
    22685..22728
        /rpt_family="(TG)n"
repeat_region
    23114..23443
        /rpt_family="L1"
repeat_region
    23523..23592
        /rpt_family="AT-rich"
repeat_region
    25402..26143
        /rpt_family="L1"
repeat_region
    26433..26513
        /rpt_family="CRL"
repeat_region
    27066..27327
        /rpt_family="MELR-type"
repeat_region
    27289..27962
        /rpt_family="L1"
repeat_region
    27954..28022
        /rpt_family="AT-rich"
repeat_region
    28774..29205
        /note="similar to Homo sapiens EST BE179276 (NID:g8658428)"
misc_feature
    28774..29234
        /note="similar to Homo sapiens EST BF116115 (NID:g10985591)"
misc_feature
    28802..29204
        /note="similar to Homo sapiens EST H62441 (NID:g1015273) Y79808.r1"
misc_feature
    28816..29238
        /note="similar to Homo sapiens EST BE856570 (NID:g10369724)"
misc_feature
    28816..29238
        /note="similar to Homo sapiens EST A1079550 (NID:g3415801) c204f08.x1"
misc_feature
    28816..29238
        /note="similar to Homo sapiens EST A1148854 (NID:g3673223)

alignment_scores:
    Quality: 1265.00      Length: 308
    Ratio: 4.600          Gaps: 0
    Percent Similarity: 89.286    Percent Identity: 80.195

alignment_block:
    US-09-898-586-24 x AC091768 ..
    Align seg 1/1 to: AC091768 from: 1 to: 104955

1 MetClyspasnliethrSerliethrGluPhaLeuLeuGlyPhePr 17
||||| 111 |||||
28794 ATGGGGGGAATTCAGACTTCATCAGAGATTCCTCTCGGATTC 28843
17 OvaGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhe 34
||||| 111 |||||
28844 CATGGGCCCAAGATGATGCTGCTTGGGCTCTCTCCCTGCTCT 28893
34 yrvAlpheThrLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
||||| 111 |||||
28894 ACATCTTCATTCCTGTGGGAGCGGACATCTCTGGGCTCATTCAC 28943
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
||||| 111 |||||
28944 GACTCCAGACACACACCCCATGCTTCCTCTCACACCTGGCGGT 28993
67 lvaAspIleAlaTyrAlaCysAnthrValProArgMetLeuValAsnL 84
||||| 111 |||||
28994 CGTCGACATGCCCTGTGCTTGACAGACAGGTCGCCAGATGCTGGA 29043

```


84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetMetClnThr 100
 |||
 29044 TCCTGCATCCAGCAACCCCAATCTCTTGGCTGCATGATGACCCAGATG 29093
 101 PheLeuPheSerThrPheAlaValThrClnCysLeuLeuValValMet 117
 |||
 29094 TTTCGTGTTTTCAGTTTGGCATACACAAATGTCTCTCCGCGGTGGAT 29143
 117 tSerTyArgPheLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
 |||
 29144 GTCCTATGATTCGGTAGCTGGCATCTGCCACCTCTCCGATATCTACCA 29193
 134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThrThr 150
 |||
 29194 TCATGACCTGGAAAGTCTGCATCATCTTGGCATTCACCTCTCGATTTTA 29243
 151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProPh 167
 |||
 29244 GGAGCTTATTTGGCCCTTGTCCATCTACTGTACTGGTACCCAGTGCCTT 29293
 167 ecysArgProGlnIleTyHisPhePheCysGlnIleLeuAlaVal 184
 |||
 29294 CTCTGACCCCAAGAACTTAATCACTTTTCTGTGAATTTATGCTGCTTC 29343
 184 euLysLeuAlaCysAlaAspThrHisIleAsnGlnAsnMetValLeuAla 200
 |||
 29344 TCAAACTTCTGTGCGATACCCACATTAATGAGCTAATGTTTGGCA 29393
 201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTy 217
 |||
 29394 GGGGAGCTGCTGTGCTGTGGAGCCCTTCTTCTGCAATTTATATCTTA 29443
 217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGlnValGlnA 234
 |||
 29444 TGTTCATATTCTATGTGCCATCTTAAGATCCAGTCAAGAGAGGGGTGCC 29493
 234 rGlyAlaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
 |||
 29494 AGAAGCCCTTCCATCTGCTGCCACCTCTGTGCTGTGGATCTCTT 29543
 251 TyGlyIleThrAlaIleIleMetTyValGlyProArgTyGlyAsnProLy 267
 |||
 29544 TATGGCAGCCATCATCATGTATGTATGAGCCCATGATGAGAGCCCA 29593
 267 sGlnGlnIleTyLeuLeuLeuPheHisSerLeuPheAsnProMetL 284
 |||
 29594 GAGGAGAGAAATATCTCTCTTTCACAGCCTCTTCAATCCCATG 29643
 284 euAsnProLeuIleCysSerLeuArgAsnSerGlyValLysAsnThrLeu 300
 |||
 29644 TTAATCCCTTAATTATGCTTACGAACAAGAGAGTCAAGGATCTCTTA 29693
 301 LysArgValLeuGlyValGlnArg 308
 |||
 29694 AAGAGGATGCTTGAAGAAGAGGA 29717
 seq_name: gb_ro:AY073100
 seq_documentation_block:
 LOCUS AY073100 933 bp DNA linear ROD 04-FEB-2002
 DEFINITION Mus musculus olfactory receptor MOR261-1 gene, complete cds.
 ACCESSION AY073100
 VERSION AY073100.1 GI:18479497
 KEYWORDS
 SOURCE house mouse.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 REFERENCE 1 (bases 1 to 933)
 AUTHORS Zhang, X. and Firestein, S.
 TITLE The olfactory receptor gene superfamily of the mouse
 JOURNAL Nat. Neurosci. 5 (2), 124-133 (2002)

PUBMED 11802173
 REFERENCE 2 (bases 1 to 933)
 AUTHORS Adams, M.
 TITLE Direct Submission
 JOURNAL Submitted (11-JAN-2002) Celera Genomics, 45 West Gude Drive, Rockville, MD 20850, USA
 FEATURES
 source location/Qualifiers
 1..933
 /organism="Mus musculus"
 /db_xref="taxon:10090"
 /chromosome="6"
 <1..>933
 /product="olfactory receptor MOR261-1"
 1..933
 /codon_start=1
 /evidence=not_experimental
 /product="olfactory receptor MOR261-1"
 /protein_id="AA160763.1"
 /db_xref="GI:18479498"
 /translation="MGNOFLITPILGFPISPMOMLFLPSFYAFATLLNGTI
 LGLICDSRLHPMYEFLSHLAIVDAVACATVPMOVLNLDPAKPISFAGCMQPL
 FLFPAPECLLVVMSYDRYVAICHPRYTAIMSRVCVILVLSWILGVALVHLV
 LILPLPGSSORVNHPECEILAVILACSDPRINELIAGAVSAVSPSIVSYA
 HTICATIKKSOOGKAPSTCSSHLVCVGFPEYCAIYMTIGPOHGKSNQKYLIF
 HSIFNPLMLPLITSIRNKEVSKALRILKEDTs"
 248 c 195 g 289 t
 BASE COUNT 201 a 248 c 195 g 289 t
 ORIGIN
 alignment_scores:
 Quality: 1246.00 length: 304
 Ratio: 4.482 Gaps: 0
 Percent Similarity: 91.447 Percent Identity: 77.961
 alignment_block:
 us-09-898-586-24 x AY073100 ..
 Align seg 1/1 to: AY073100 from: 1 to: 933
 1 MetGlyAspAsnIleFserIleThrClnPheLeuLeuGlyPheP 17
 |||
 1 ATGGGGGGAATACAGACTTATATCAACAGTTCATCTCTGGGATTTCC 50
 17 oValGlyProArgTyGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
 |||
 51 TCTCAGCCCGAAGATGAGATGCTCCCTTGGCTCTTCCCTGTTCT 100
 34 TyValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
 |||
 101 ATGCTTCACTCCCTGCGGAATGGAGCATCTGGAGCTTATCTGCTG 150
 51 AspSerArgLeuHisAlaProMetTyTrpPhePheLeuSerHisLeuAla 67
 |||
 151 GACTCCAGACTCCACATCTCCATGTACTTCTTGTCTGCTCAGCTG 200
 67 lValAlaIleAlaTyArgAlaCysAsnThrValProArgMetLeuValAsn 84
 |||
 201 CGTTCATTTGCTTATGCTTGCCTGCACACAGTCCCAAGATGCTG 250
 84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetMetClnThr 100
 |||
 251 TCATGATTCACAGCAACCAATCTCTTTCGCTGCTGATGACACAC 300
 101 PheLeuPheSerThrPheAlaValThrClnCysLeuLeuValValMet 117
 |||
 301 TTTCGTGTTTTCAGCTTTGCACACAGCAATGTCTCTACTGCTG 350
 117 tSerTyArgPheLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
 |||
 351 GTCCTATGATCATATGTAGCATCTGCCACCACTCCGATATCTGCTA 400
 134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThrThr 150
 |||

401 TCATGACCTGAGAGTTTGTGTATCTGCTGCTGACTTCTGATTTTA 450
 151 G1YVAlleuLeuSerLeuIleH1e1leuValleuLeuLeuProleuProph 167
 451 GGACTACTCTTGGCCCGGTCATCATAGTATGTTTACCATTCACCTT 500
 167 ecYArpPrOglInLysTleYrH1sPhhecYsgL1leuAlaValL 184
 501 CTGGGGCTCAAAAGTGAATCATCTTTCTGTGTAATTAAGCTGTC 550
 184 eulYsAlaIaCyAlaAspThrH1sIleAsnGluAsnMetValleuAla 200
 551 TCAAACTGCTGTTCAGATACCCGATCAATGAGTTAATGCTTTGGCT 600
 201 G1YVAlleuSerG1YLeuValG1YProleuSerThrIleValIaSerTy 217
 601 GGGGCTGTGCTGTGCTGTGCGACCATTTTCTCAATGTATGCTCTTA 650
 217 rMeCYsIleleuCYsAlaIleleuGlnIleGlnSerArgGluValGlna 234
 651 TGCTCATATTCGTGTGTCCATCTCTGAAGATTAGTCACAGCGGGCGCC 700
 234 rG1YsAlaPhecYrHrCYsPhSerH1sleuCYsValIleG1YLeuPhe 250
 701 AGAAGACCTTCTCCACTGCTCTCATCTCTGTTGTTGACTCTT 750
 251 TyrG1YrHrAlaIleIleMetYrValG1YProArG1YrG1YAsnProLy 267
 751 TATGTGTACACCATGTGCATCATATTGGCCCTCAACAGGGAAGTCCAA 800
 267 sG1GlnH1YsTyrIleuLeuPheH1sSerIleuPheAsnProMetL 284
 801 TGACACAAACAATATCTTGTCTATTCATAGCCCTTTTAACTCTATGC 850
 284 euAsnProleuIleCYsSerIleuArgAsnSerG1YValIYsAsnThrLeu 300
 851 TCAACCCCTGATCATATGATCTGAGGAACAAGAGTCATGCTCTG 900
 301 LysArGValleu 304
 901 AAGAGCACATC 912
 seq_name: gb-pr:AC074386
 seq_documentation_block:
 LOCUS AC074386 66610 bp DNA linear PRI 07-NOV-2001
 DEFINITION Homo sapiens BAC clone RP11-464H1 from 7, complete sequence.
 ACCESSION AC074386
 VERSION AC074386.6 GI:13625507
 KEYWORDS
 HTG.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 REFERENCE
 AUTHORS Sulston, J.E. and Waterston, R.
 TITLE Toward a complete human genome sequence
 JOURNAL Genome Res. 8 (11), 1097-1108 (1998)
 MEDLINE 99063792
 REFERENCE
 AUTHORS Cordum, H. and Cotton, M.
 TITLE The sequence of Homo sapiens BAC clone RP11-464H1
 JOURNAL Unpublished
 REFERENCE
 AUTHORS Waterston, R.H.
 TITLE Direct Submission
 JOURNAL Submitted (30-JUL-2000) Genome Sequencing Center, Washington
 MO 63108, USA
 REFERENCE
 AUTHORS MO 63108, USA
 TITLE 4 (bases 1 to 66610)
 JOURNAL Direct Submission
 Submitted (15-APR-2001) Genome Sequencing Center, Washington

REFERENCE
 AUTHORS University School of Medicine, 4444 Forest Park Parkway, St. Louis,
 MO 63108, USA
 TITLE 5 (bases 1 to 66610)
 JOURNAL Direct Submission
 Submitted (07-NOV-2001) Department of Genetics, Washington
 University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
 REFERENCE
 AUTHORS Waterston, R.
 TITLE Direct Submission
 Submitted (07-MAY-2001) Department of Genetics, Washington
 University, 4444 Forest Park Avenue, St. Louis, Missouri 63108, USA
 COMMENT
 Center: Washington University Genome Sequencing Center
 Center code: WUGSC
 Web site: http://genome.wustl.edu/gsc
 Contact: saplens@wustl.wustl.edu
 ----- Summary Statistics
 Center project name: H_NH0464H01

 NOTICE: This sequence may not represent the entire insert of this
 clone. It may be shorter because we only sequence overlapping
 clone sections once, or longer because we provide a small overlap
 between neighboring data submissions.
 This sequence was finished as follows unless otherwise noted:
 all regions were double stranded, sequenced with an alternate
 chemistry or covered by high quality data (i.e., phred quality >= 30);
 an attempt was made to resolve all sequencing problems, such
 as compressions and repeats; all regions were covered by sequence
 from more than one subclone; and the assembly was confirmed by
 restriction digest.
 MAPPING INFORMATION:
 The sequence of this clone was established as part of a mapping and
 sequencing collaboration between the NHGRI Chromosome 7 Mapping
 Project (Eric D. Green, Director), John D. McPherson in the
 Department of Genetics (Washington University), and the Washington
 University Genome Sequencing Center. For additional information
 about the map position of this sequence, see
 http://www.nhgri.nih.gov/DIR/CTB/CHR7
 mailto:egreen@nhgri.nih.gov , or see http://genome.wustl.edu/gsc
 SOURCE INFORMATION:
 The RP11-11 human BAC library was made from the blood of one male
 donor, as described by Osoegawa, K., Woon, P.Y., Zhao, B., Frengen, E.,
 Tateno, M., Catanese, J.J., and de Jong, P.J. (1998) An improved
 approach for construction of bacterial artificial chromosome
 libraries. Genomics 51:1-8. The clone may be obtained either from
 Research Genetics, Inc. (http://www.resgen.com) or Pieter de Jong
 and coworkers at the Roswell Park Cancer Institute
 (http://bacpac.med.buffalo.edu)
 VECTOR: pSPAC6
 NEIGHBORING SEQUENCE INFORMATION:
 The clone sequenced to the left is RP4-798C17, 200 bp overlap; the
 clone sequenced to the right is RP4-545C24, 200 bp overlap. Actual
 start of this clone is at base position 98638 of RP4-798C17; actual
 end is at base position 76962 of RP4-545C24.
 There are polymorphic base pair differences in the overlap between
 the clone RP11-464H1 and RP4-545C24.
 FEATURES
 source
 1..66610
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /chromosome="7"
 /map="7"
 /clone="RP11-464H1"
 /clone_1lb="RP11-11"
 98..259
 /note="similar to EST AF603950 (NID:94613112) ms16c11.y1"

[illegible]

```
151 GlyValIleuSerIleuIleHisIleuValIleuLeuProIleuProph 167
    ||| |||||:~::~: ||||| |||||
21608 GGCTCCCTCCTGATGTCATGTCAGCTCATCTAAGACATGCCCTT 21657
167 eCysArgProGlnLysIleTyrHisPhePheCysGlnIleLeuAlaValL 184
    ||| |||||:~::~: ||||| |||||
21658 TTGTGGGCGCTCGGAATCAACCACTTCTCTGTGAAATCCTGTCTGCC 21707
184 euLysIleuAlaCysAlaAspThrHisIleAsnGluAsnMetValIleuAla 200
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
21708 TCAGGCGCTGGCTGTGCTGATACCTGGCTCAACCAAGTGTCTATCTTTGCA 21757
201 GlyAlaIleSerGlyLeuValGlyProIleuSerThrIleValIleSerTy 217
    :~::~: ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
21758 GCCTGCATGTTTCATCTCTGTCGAGACCACTCTGCTGTGTGTCTCTCTA 21807
217 fMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
    ||||| |||||:~::~: ||||| ||||| ||||| ||||| ||||| ||||| |||||
21808 CTCACACATCTCTGGCGGCATCTCTGAGATCCAGTCTGGGAGGCGCGCA 21857
234 rGlySalaphCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
21858 GAAAGGCCCTCTCCACCTGCTCTCCACCTCTGCGTAGTGGACTCTTC 21907
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProLy 267
    :~::~: ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
21908 TTTGGCAGCGCCATGTCATGATGAGGCCCTAGTCCCGCATCTCTGA 21957
267 sGluGlnLysTyrIleuLeuIleuPheHisSerLeuPheAsnProMetL 284
    :~::~: ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
21958 GGAACACACAGAGAGTCTTTTCTATTATTCAGTCTTTCAACCGATGC 22007
284 euAsnProIleuIleCysSerLeuArgAsnSerGluValLysAsnThrIleu 300
    ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
22008 TAAACCCCTGATTTACAACTGAGGAATGTAGAGGTCAAGGTGCCCTG 22057
301 LysArgValIleu 304
    :~::~: |||||
22058 AGGAGAGCACTG 22069
```


seq_name: gb_est1:AI148854

```
seq_documentation_block:
```

seq_documentation_block:	619 bp	EST 28-OCT-1998
LOCUS	A1148854	
DEFINITION	qc70a02.x1 Soares placenta_8to9weeks.2NBHP8to9w Homo sapiens CDNA	
	nuccor37aa022.37 similar to SW6107 MOUSE P34984 OLFACTORY	

RECEPTOR-LIKE PROTEIN K7 ; , mRNA sequence.

ACCESSION	A1148854
VERSION	A1148854.1
	GI:3677323

KEYWORDS	ESI.
SOURCE	human.

ORGANISM Homo sapiens
Eukaryota: Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mamma 1
DEPENDENCE 1 (be

AUTHORS NCI-CGAP <http://www.ncbi.nlm.nih.gov/ncicgap>.
EDITOR National Cancer Institute Cancer Genome Anatomy Project (CGAP)

TUMOR

COMMENT Contact: Robert Strausberg, Ph.D.

This clone is available royalty-free through LNL; contact the

Insert Length: 1098 Std Error: 0.00

Seq primer: -40mL3 fwd. EI 110m Antersham
High quality sequence stop: 432.

FEATURES	Location/qualifiers
SOURCE	1 619

```
/clone="IMAGE:1714922"
1714922 8to8weeks 3NhBP8t09W"
```

```
/dev_stage="two placentae: one from 8 weeks and another
```

```
lab_host="DH10B (ampicillin resistant)"
```

```
/note=Origin; presence, vector, primer (1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100)
modified polylinker; site_1: Not I; site_2: Eco RI; 1st
```

strand cDNA was primed with a Not I - oligo(dT) primer (5'-TGTACCAATCTGAGTGGGAGCGGGCGGATTTTTTTTTTTTTT-3'),

double-stranded cDNA was size selected, ligated to Eco RI adapters (Pharmacia), digested with Not I and cloned into

the Not I and Eco RI sites of a modified pT7T3 vector (pharmacia) library constructed by Bento Soares and

M. Fatima Bonaldo."

BASE COUNT	412	3	4	4	3	1	1	1
ORIGIN								

```
alignment_scores:
  quality: 794.00
  length: 198
```

Ratio:	4.511	Gaps:	0
Percent similarity:	88.889	Percent Identity:	76.768

Joseph:

US-09-898-586-24 x A1148854 ..

Align seg 1/1 to: A1148854 from: 1 to: 619

1 MetGlyaspasnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17

26 ATGGTGAATAATCAGACCAATGGTCACAGAGTTCCTCCTACTGGGATTTC 75

17 ovaIglypRArgIleglMetLeuLeupheglyLeupheSerLeuphet 34

```

76  CATTGGCCCAAGATTCAGATGCTTCCTTTGGGCTCTTCTCCCTGTCT 125
      ::::::::::::::::::::::::::::::::::::::::::::::::::::::

```

24. www.burtonlaw.com/vt/au/vt/esort/au 50

175

ES - MAY 1968

02T

```
01 aspselalgnrhnhsaralfomccylrfacrncclucoclnabzozonrr  
|||||:::|||||
```

176 GACTCCAGACITCCACACCCTCAIGTACTTCCTCCCTCATTCCATCCCTGCCCCA 222

```

67 1valaspillealatyralacysasnhrphvalproargmetleuvalasn1 84
|||||.....
226 CGTCAACGTCGCTATGCTGCACACAGTCCCGCAGATGCTGTGAACC 275
84 euleuhsiproalalysprolleserphhealaglarygmetmetcglthr 100
|||||.....
276 TCTGTGATCCAGCAAGCCCATCTCTTGCTGGTGCATGACATGAC 325
101 pheleupheserthrphhealavalthrglucysleuleuvalvalme 117
|||||.....
326 TTCTCTTTTGTGAGTTTGACATGATGATGCCCTCTGTTGGTGTGAT 375
117 tsertryaspheleutyryvalalalecysahisproleuargtryleuval 134
|||||.....
376 GTCTCAAGATCGGTACGTGGCCATCTGACACCTCTCCGATATTCATCA 425
134 lemethrtrpargyalacysilethrleuvalavalthrsertrpthr 150
|||||.....
426 TCATGACCTGMAAGCTGATCATCTGGCCATCATCTCCGTGACATGT 475
151 glyvalleuleuserleuilehisleuvalleuleuvalproleuproph 167
|||||.....
476 GGTCTCCCTCTGCTATGNCATGTGACCTCATCTTAAGACTGCCCTT 525
167 ecysargproglinlysiletryhisphedhecysgluileuvalavall 184
|||||.....
526 TTGTGGGCTCGTGAATCAACACTCTCTGTGTAATCCTGTCTGTCC 575
184 euleuhsiproalalysprolleserphhealaglarygmetmetcglthr 198
|||||.....
576 TCAGGCTGGCTGTGCTGATACCTGCTCAACACAGTGTGTATC 619

seq_name: gb_hlc:AF327904

seq_documentation_block:
LOCUS AF327904 705 bp mRNA linear HTC 13-JUL-2001
DEFINITION Homo sapiens FKSG35 (FKSG35) mRNA, complete cds.
ACCESSION AF327904
VERSION AF327904.1 GI:12276181
KEYWORDS HTC.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
1 (bases 1 to 705)
Wang, Y.-G. and Gong, L.
Cloning of FKSG35, a novel gene located on human chromosome 7
Unpublished
JOURNAL
2 (bases 1 to 705)
Wang, Y.-G.
Direct Submission
Submitted (13-DEC-2000) Beijing Fengkesheng Function Gene
Technology Ltd., 4 You Tiao Lu Chang Street, Xuanwu District,
Beijing 100050, P.R. China
LOCATION/Qualifiers
1..705
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="7"
/map="7q33-q35"
/tissue-type="liver"
1..705
/gene="FKSG35"
133..429
/gene="FKSG35"
/codon_start=1
/product="FKSG35"
/protein_id="AA050283.1"
/db_xref="GI:12276182"
/translation="MVRNQTMTVEFLLGLGFLGPRLOMLFGFLSYVFTLLNGTIL
IGLISLDSRLHTPMYFLLSHLAVANVLAACNTVPQMLVNLHPAKKISFAGCMT"

BASE COUNT 156 a 201 c 132 g 216 t

```

```

ORIGIN
alignment_scores:
Quality: 792.00 Length: 191
Ratio: 4.632 Gaps: 0
Percent Similarity: 89.529 Percent Identity: 79.581

alignment_block:
us-09-898-586-24 x AF327904 ..
Align seg 1/1 to: AF327904 from: 1 to: 705

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
|||||.....
133 ATGGGAAAAAATCAACAGCAATGTCTACAGATTCCTCTTACAGGATTTCT 182
17 oValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
|||||.....
183 CTTGGGCCCAAGAGATTCAGATGCTCTCTTGGGCTCTCTCTCTCTCTCT 232
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||.....
233 ATGCTTTACCTCTGCTGGGAAATGGACATCTGGGGCTCATCTCATCTG 282
51 AspSerArgLeuHisAlaProMetTryrPhePheLeuSerHisLeuAla 67
|||||.....
283 GACTCCAGACTCCACACCCCATCTACTCTCTCTCTCTCTCTCTCTCTCT 332
67 1Valaspillealatyralacysasnhrphvalproargmetleuvalasn1 84
|||||.....
333 CGTCAACATCCGCTATGCTCTCAACACAGTCCCAATATCTGTGTAGCC 382
84 euleuhsiproalalysprolleserphhealaglarygmetmetcglthr 100
|||||.....
383 TCCCTCATCTCAAGCCAGCCATCTCTTGTGCTGCTCATGACATGACACC 432
101 pheleupheserthrphhealavalthrglucysleuleuvalvalme 117
|||||.....
433 TTCTCTTTTGTGAGTTTGCACATGATGAAATGCCCTCTGTGGTGGTGA 482
117 tsertryaspheleutyryvalalalecysahisproleuargtryleuval 134
|||||.....
483 GTTCCTACATCGGTACGTGGCCATCTGCCACCTCTCCGATATTTCATCA 532
134 lemethrtrpargyalacysilethrleuvalavalthrsertrpthr 150
|||||.....
533 TCATGACCTGGAAGATGTGATCATCTTCCCATCACTCTCTGACATGT 582
151 glyvalleuleuserleuilehisleuvalleuleuvalproleuproph 167
|||||.....
583 GGTCTCCCTCTGCTATGTCATGTGAGCTCATCTCAAGACTGCCCTT 632
167 ecysargproglinlysiletryhisphedhecysgluileuvalavall 184
|||||.....
633 TTGTGGGCTCGTGAATCAACACTCTCTGTGAAACCTGTCTGTCC 682
184 euleuhsiproalalysprolleserphhealaglarygmetmetcglthr 198
|||||.....
683 CTCAGCTGGCTGTGCTGATACCTGCTCAACACAGTGTGTATC 705

seq_name: gb_est2:BE856570

seq_documentation_block:
LOCUS BE856570 751 bp mRNA linear EST 29-SEP-2000
DEFINITION BE856570.1 Soares NSF_F8_9W_OT_PA.P.S1 Homo sapiens cDNA clone
IMAGE:3299462.3' similar to TR:095047 095047 WIGSC:H_DJ0988615.2
PROTEIN: ., mRNA sequence.
ACCESSION BE856570
VERSION BE856570.1 GI:10369724
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens

```


ORIGIN

alignment_scores: Length: 151
 Quality: 790.00
 Ratio: 5.232
 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x AI339565/rev ..

Align seg 1/1 to reverse of: AI339565 from: 1 to: 456

```

31 SerLeuPheTyrValPheThrLeuGlyAsnGlyThrIleuGlyLe 47
454 TCCCTGTTTACGCTTTCACCTGCTGGGGAACGGACCATACGAGCT 405
47 uileSerLeuAspSerArgLeuHisAlaProMetTyrPhePheLeuSerH 64
404 CATCTCAGCTGAGACTCCAGACTGACGCCCCCATGACTTCTCTCTC 355
64 lslLeuAlaValAlaSerIleAlaTyrAlaCysAsnThrValProArgMet 80
354 ACCTGGCGGCTCGTCGACATCGCTACGCTGACACACGCTGCCGAGT 305
81 leuValAsnLeuLeuHisProAlaLysProIleSerPheAlaGlyArgMe 97
304 CTGGTGAACCTCTCCATCAGCCAAAGCCATCTCTTGGCGGCGCAT 255
97 tmetGlnThrPheLeuPheSerThrPheAlaValThrGlyCysLeuLeuL 114
254 GATGACAGACCTTCTCTTTCACCTTGGCTGTCTCAGAGAAGTGTCCCTCC 205
114 euValAlaMetSerTyrAspLeuTyrValAlaIleCysHisProLeuArg 130
204 TGGTGGGAGATCTCTATGATCTGTACGTGCCATCTGCCACCCCTCCGA 155
131 TyrIleuAlaIleMetThrTrpArgValCysIleThrIleuAlaValThrSe 147
154 TATTTGGCCATCATGACCTGAGAGAGTCTGATCACCCTCGGGTGACTTC 105
147 TTTPTTThrGlyValLeuLeuSerIleuHisIleuValLeuLeuLeuP 164
104 CTGGACCATGAGTCTTTTATCTGTATCATCTTGTACTTCTTAC 55
164 roleuPProPheCysArgProGlnLysIleTyrHisPhePheCysGluIle 180
54 CTTTACCCCTCTGTAGGCCCAAGAAATTTATCATTCTTTTGTGAATTC 5
181 leu 181
4 TTA 2

```

seq_name: gb_est2:BE543056

seq_documentation_block:

LOCUS BE543056 580 bp mRNA linear EST 09-AUG-2000
 DEFINITION 601068985F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3455324 5',
 mRNA sequence.

ACCESSION BE543056

VERSION BE543056.1 GI:9771701

KEYWORDS EST.

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.

REFERENCE 1 (bases 1 to 580)

NIH-MGC http://mgc.nci.nih.gov/

AUTHORS National Institutes of Health, Mammalian Gene Collection (MGC)

JOURNAL Unpublished (1999)

CONTACT Robert Strausberg, Ph.D.

COMMENT Email: cgaabs-remail.nih.gov

Tissue Procurement: ATCC

FEATURES

source

CDNA Library Preparation: Life Technologies, Inc.
 CDNA Library Arrayed by: Incyte Genomics, Inc.
 DNA Sequencing by: Incyte Genomics, Inc.
 Clone distribution: MGC clone distribution information can be
 found through the I.M.A.G.E. Consortium/ILN at:
 http://image.llnl.gov
 Plate: ILAM8441 row: i column: 21
 High quality sequence start: 3
 High quality sequence stop: 580.
 Location/Qualifiers

```

1..580
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3455324"
/clone_lib="NIH_MGC_12"
/tissue_type="cervical carcinoma cell line"
/lab_host="DH10B"
/note="Organ: cervix; Vector: pCMV-SPORT6; Site_1: NotI;
Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
Average insert size 1.4 kb. Library prepared by Life
Technologies."

```

BASE COUNT 96 a 189 c 125 g 170 t

ORIGIN

alignment_scores: Length: 193
 Quality: 762.00
 Ratio: 4.379
 Gaps: 0
 Percent Similarity: 90.155 Percent Identity: 77.202

alignment_block:

US-09-898-586-24 x BE543056 ..

Align seg 1/1 to: BE543056 from: 1 to: 580

```

22 lIeGlnMetLeuLeuPheGlyLeuPheSerLeuPheTyrValPheThrIle 38
3 ATTCTAGATGCTCTCTTGGGCTCTTCTCCCTGTTCTATGCTTACACCT 52
38 uleuGlyAsnGlyThrIleuGlyLeuIleSerLeuAspSerArgLeuH 55
53 GCTGGGGAATGGGACCATCTGGGGCTCATCTCAGCTGACCTCCAGCTCC 102
55 lslAlaProMetTyrPhePheLeuSerHisIleuAlaValAspIleAla 71
103 ACACCCCATGCTACTTCTCTCTCCACACCTGGCGCGTGTCAACATCCGC 152
72 TyrAlaCysAsnThrValProArgMetLeuValAsnLeuLeuHisProAl 88
153 TATGCTGTGACACAGTGGCCCAAGATGCTGTGAACCTCTCGCATTCAGC 202
88 alySProIleSerPheAlaGlyArgMetMetGlnThrPheLeuPheSerT 105
203 CAAGCCCATCTCTTGGCTGGCTGCATGATAGATAGATCTCTCTCTTTGA 252
105 hrPheAlaValThrGlyCysLeuLeuLeuValAlaMetSerTyrAspLeu 121
253 GTTTTGCATATAGTCAATGCCCTCGTGTGTCGATGCTCTTCAAGATCGG 302
122 TyrValAlaIleCysHisProLeuArgTyrLeuAlaIleMetThrTrpAr 138
303 TACGTGGCCATCTGACCATCTCTCGATATTTATTCATCATGATGCTGGA 352
138 gvalCysIleThrIleuAlaValThrSerTrpThrGlyValLeuLeuS 155
353 AGCTTCATCACTCTGGCCATCATCTCTGTGACATGATGCTCCCTCGTGG 402
155 erLeuIleHisLeuValLeuLeuProLeuProLeuProPheCysArgProGln 171
403 CTATGCTCATGAGCCCATCTTAACACTGCCCCCTTTTGGGCTCGT 452
172 LysIleTyrHisPhePheCysGluIleLeuAlaValLeuLysLeuAlaC 188

```


1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
184 ATGTGAAAATAAGACAATGGTCACAGACTCTCTCTACTGGGATTTCT 233
17 ovalGlyProArgIleGluMetLeuLeuPheGlyLeuPheSerLeuPheT 34
234 CCGGGGGCCAGAGATTACAGATCTCTCTCTTGGGCTTTCCTGGTTCT 283
34 YrYAlPheThrLeuLeuGlyGlyGlyThrIleLeuGlyLeuIleSerLeu 50
284 ATGTCCTACACCTGCTGGGGGAATGGACCATCTTGGGCTATCTCACTG 333
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
334 GACTCCGCACTCCACACCCCATGTACTTCTTCCCTACACCTGGGCGT 383
67 IValAspIleAlaTyrAlaCysAsnThrValAlaProArgMetLeuValAsn 84
384 CGTCACATGCGCTATGCTCTGCACACACATGCCCCAGATGGTGGTAACC 433
84 euLeuHisProAlaIleProIleSerPheAlaGlyArgMetMetGlnThr 100
334 TCTCGATCCAGCAACCCCATCTCTTTCGCGGTGCATACATAGAC 483

101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValValMe 117
 117 TTTCTCTTTGAGTTTGCACATGCAATGAGCTCTGCTGCTGAT 533
 484 TTTCTCTTTGAGTTTGCACATGCAATGAGCTCTGCTGCTGAT 533
 117 TSeTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaI 134
 534 GTCCACGATGCGTACGTCGCGCATCTGCACCTCTCCGATATTTCATCA 583
 134 LeMetThrTrpArgValCysIleThrIleuAlaValThrSerTrpThr 150
 584 TCATGACCTGGAAGTCTGCATCTGCATCTGCATCTGCATCTGCATCT 633
 151 GlyValIleuLeuSerIleuIleHisLeuValIleuLeuProLeuPro 167
 634 GCGTCCCTCCGCGCATGCTGATGCTGATGCTGATGCTGATGCTGAT 683
 167 eCysArgProGlnIleTyrHisIlePheCysGluIleLeuAlaVal 184
 684 TTTGTGGCGCTGTAATCAACACCTTCTGTGAAATCTGTGCTGCTCC 733
 184 eulys 185
 734 TCAAG 738
 seq_name: gb-gss:BH11304
 seq_documentation_block: 788 bp DNA linear GSS 19-JUL-2001
 LOCUS BH11304 RPI-24-367N6.TJ RPI-24 Mus musculus genomic clone RPI-24-367N6,
 DEFINITION DNA sequence.
 ACCESSION BH11304 GI:14946319
 VERSION BH11304.1
 KEYWORDS GSS.
 SOURCE house mouse.
 ORGANISM Mus musculus.
 Mammalia: Eutheria: Rodentia: Sciurognathi: Muridae: Murinae: Mus.
 1 (pass 1 to 788)
 Zhao, S., Nieman, M., Malek, J., Shateman, S., Akintet, B., Levins, M.,
 Tseng, G., Geer, K., Krol, M., Shwartsbeyn, A., Geuregeorgis, E.,
 Russell, D., de Jong, P., and Fraser, C. M.
 Mouse BAC End Sequences from Library RPI-24
 Unpublished (1999)
 Contact: Shanying Zhao
 Department of Eukaryotic Genomics
 The Institute for Genomic Research
 9712 Medical Center Dr., Rockville, MD 20850, USA
 Tel: 301 838 0200
 Fax: 301 838 0208
 Email: szhao@igf.org
 Clones are derived from the mouse BAC library RPI-24. For BAC
 library availability, please contact Pieter de Jong
 (pdejong@igf.org). Clones may be purchased from BACPAC
 Resources (http://www.chori.org/bacpac/orderingframe.htm). BAC end
 page: http://www.tigr.org/tdb/bac-ends/mouse/bac_end_intro.html
 Plate: 367 row: N column: 6
 Seq primer: sp6
 Class: BAC ends.
 FEATURES
 source location/Qualifiers
 1..788
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="RPI-24-367N6"
 /clone_1lb="RPI-24"
 /sex="Male"
 /cell_type="Spleen/Brain"
 /note="Vector: pTRABAC1; Site_1: BamHI; Site_2: BamHI;
 RPI-24 Mouse BAC library produced by Pieter de Jong. The
 library was cloned in the pTRABAC1 cloning vector at the
 BamHI sites using MboI partially digested male C57Bl/6J
 DNA."
 BASE COUNT 168 a 217 c 162 g 241 t

ORIGIN
 alignment_scores:
 Quality: 742.50 Length: 264
 Ratio: 3.486 Gaps: 5
 Percent Similarity: 80.682 Percent Identity: 57.955
 alignment_block:
 us-09-898-586-24 x BH11304 ..
 Align seg 1/1 to: BH11304 from: 1 to: 788
 34 TyrValPheThrIleuLeuGlyAsnGlyThrIleLeuGlyIleuIleSerIle 50
 117 TTTCTCTTTGAGTTTGCACATGCAATGAGCTCTGCTGCTGAT 533
 484 TTTCTCTTTGAGTTTGCACATGCAATGAGCTCTGCTGCTGAT 533
 6 TACATCTTCAGCGCTGCGCAATGCAATGCAATGCAATGCAATGCAATG 55
 50 uAspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
 56 GGACCCCAAGCTGCACACCCCTATGCTATCTTCTTCTTCTATCTGCGCA 105
 67 aValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 83
 106 TTTCTGACATATCTATCTTCCAAATGCTCCCAAGATGTTGCTCAAC 155
 84 LeuLeuHisProAlaIleProIleSerPheAlaGlyArgMetLeuIle 100
 156 GTTATTAACAGAAAGAACCATCTCTGATGCTGATGCTGATGCTGATG 205
 100 rPheLeuPheSerThrPheAlaValThrGluCysLeuLeuValVal 117
 206 ATTCTGTATTTGGCTTTCGCGCTGCGCTGCGCTGCGCTGCGCTGCG 255
 117 eCysArgProGlnIleTyrHisIlePheCysGluIleLeuAlaVal 133
 256 TTTCTGACATATCTATCTTCCAAATGCTCCCAAGATGTTGCTCAAC 305
 133 aLeuMetThrTrpArgValCysIleThrIleuAlaValThrSerTrpThr 150
 306 CATCATGATGTTGAAAGATGTTGAGCGCTGCTGCTGCTGCTGCTGCT 355
 150 hGlyValIleuLeuSerIleuIleHisLeuValIleuLeuProLeu 166
 356 GTGATTTAGCTCTCTGCTGCGCACACAAATCTCTGCTGCTGCTGCTG 405
 167 PheCysArgProGlnIleTyrHisIlePheCysGluIleLeuAlaVal 183
 406 TTTGTGGGCCCCAGAAATTAACCATCTCTGTAATCTGCTGCTGCTG 455
 183 IleuLeuHisIleuLeuAlaIleProIleHisIleAsnGlyAsnMetVal 200
 456 TTTCAAGCTGCGCTGCGCGCACTTTGATGCAACCAATGCTATCTG 505
 200 IaGlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValAla 216
 506 GTCATGTTCTTCTCTTATGTTGACCCCTTCTGCTGCTGCTGCTGCT 555
 216 rTyrMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgIleVal 233
 556 TTACACGCGCATCTCTGACATCTGCAATGCAATGCAATGCAATGCA 605
 233 IlaArgValAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeu 249
 606 GCGAGAGGCGCTTTTCCACCTGTTCTGCTGCTGCTGCTGCTGCTGCT 655
 250 PheTyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsn 265
 656 TTTCTGCTGATAGCCATGTTGTTATGTTGCTGCTGCTGCTGCTGCTG 705
 266 ProTyrGluGlnIleTyrLeuLeuLeuPheHisSerLeuPheAsn 282
 706 CGAGAGAGACAGAGAAATTTTGTGCACTGTTCCACAGCTTTTATTCAC 755

```

282  ometleuasnprouleuilecysSerleuArgAsn 293
      ||| |||||
756  AAGTGATTCCTCATTTAT..AGTCTGAGGAGAC 786
      seq_name: gb_est2:BF974217

seq documentation block:
LOCUS      BF974217          671 bp      mRNA      linear      EST 22-JAN-2001
DEFINITION 602243851.F1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4334965 5',
            mRNA sequence.
ACCESSION  BF974217
VERSION     BF974217.1  GI:12341432
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
REFERENCE   1 (bases 1 to 671)
AUTHORS     NIH-MGC http://mgi.nci.nih.gov/
TITLE       National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL     Unpublished (1999)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgabs-remail.nih.gov
            Tissue Procurement: Louis M. Staudt, M.D., Ph.D.
            cDNA Library Preparation: Ling Hong/Rubin Laboratory
            cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
            DNA sequencing by: Incyte Genomics, Inc.
            Clone distribution: MGC clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            http://image.llnl.gov
            Plate: L1CM1205 row: e column: 14
            High quality sequence stop: 666.
            Location/Qualifiers
                1..671
                /organism="Homo sapiens"
                /db_xref="taxon:9606"
                /clone="IMAGE:4334965"
                /clone_id="NIH_MGC_48"
                /tissue_type="primary B-cells from tonsils (cell line)"
                /note="Organ: B-cells; Vector: pORF; Site:1: XhoI;
                Site:2: EcoRI. cDNA made by oligo-dT priming.
                Directionally cloned into EcoRI/XhoI sites using the
                following 5' adaptor: GGCAAGAG(G). Size-selected >500bp
                for average insert size 1.8kb. Library constructed by Ling
                Hong in the laboratory of Gerald M. Rubin (University of
                California, Berkeley) using ZAP-cDNA synthesis kit
                (Stratagene) and Superscript II RT (Life Technologies).
                Note: this is a NIH_MGC library."
BASE COUNT  184 a      146 c      219 g      122 t
ORIGIN
alignment_scores:
    Quality: 687.00      Length: 226
    Ratio: 3.734          Gaps: 7
Percent Similarity: 81.416 Percent identity: 65.487

alignment block:
US-09-898-586-24 x BF974217/rev ..

Align seg 1/1 to reverse of: BF974217 from: 1 to: 671

58 MetTyrPhePheLeuSerHisLeuAlaValAlaAspIleAlaTyrAlaGly 74
|||||
671 ATGACTTCTCTCTCACACCTGGCCGCGTCACATCGCTAAGCCTG 622

74 SASHTHrValProArgMetLeuValAsnLeuLeuHisProAlaLysProI 91
|||||
621 CAACACAGTGGCCCGACAGATGCTGTGAACCTCTGATCCACCCAGCCCA 572

91 IeSerPheAlaGly...ArgMetMetGlnThrPheLeuPheSerThrPhe 106
|||||

```

```

571 TCTCCTTTGCTGCGATGATGACAGTACACTTCTCTTCTGCTACTTT 522
107 AlaValThrGluCysLeuLeuValValMetSerTyrAspLeuTyrVal 123
||| |||||
521 GCACATACTGAATGCTCTCTGCTGCTGATGCTACGATCCGTCAGT 472
123 AlaTleCysHisProLeuArgTyrLeuAlaIleMetThrTrpArgValC 140
|||||
471 GGCATCTGCGCACCGCTCTCCGATATTTCATCATCATGACCTGGAAATCT 422
140 ySleThrLeuAlaValThrSerTrpThrGlyValLeuLeuSerLeu 156
|||||
421 GCATCACTGCGCATCACTCTCTGACATGATGCTCCCTCGTCGATG 372
157 IleHisLeuValLeuLeuProLeuProPheCysArgProGlnLysI 173
|||||
371 GTCATATGATGAGCTCATCTTAAGACTGCGCTTTGTGGCGCTGTGAAT 322
173 eTyrHisPhePheCysGluIleLeuAlaValLeuLysLeuAlaCysAl 189
| |||||
321 CAACCACTTCTTGTGAATCTGCTGCTCTGCTCAGGCGCTAAGCGCTGTC 272
189 asPThrHisIleAsnGlu...AsnMetValLeuAlaGlyAlaIleSerG 205
|||||
271 TGATACATAGGCTCAACCAAGTAGTCACTTTGACAGCTGCAATGTCAT 222
205 lYleuValGlyProLeuSerThrIleValValSerTyrMetCysIleLe 221
|||||
221 ACCTGTAGGAGACACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 172
221 uCysAlaIleLeuGlnIleGlnSerArgGluValAlaGlnArgLysAlaPhe 237
| |||||
171 AGCGGCGCATCTCTGAGATGATCCAGTCTGGGAGGCGCGAGAAAGCCCTTC 122
238 CysThrCysPheSerHisLeuCysValIleGlyLeuPheTyrGlyThra 254
||| |||
121 TCCACCATGCTCTCTCCACCTCTGCGTAGTGAGGACTCTCTTGTGGACGG 72
254 lAlleMetTyrValGlyProArgTyrGlyAsnProLysGlnLys 270
|||||
71 CCATGCTCATGTACATGGCCCTTAGTCCGCCCATCTCGAGACACAGACAG 22
271 LysTyrLeuLeuLeuPhe 276
||| |||||
21 AAGGTCCTTTCTCATTT 4

seq_name: gb_est2:BF116115

seq documentation block:
LOCUS      BF116115          732 bp      mRNA      linear      EST 24-OCT-2000
DEFINITION 7n77904.x1 NCI-CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3570631 3',
            similar to TR:095047 095047 MUGSC:H_D0986G15.2 PROTEIN. ;, mRNA
            sequence.
ACCESSION  BF116115
VERSION     BF116115.1  GI:10985991
KEYWORDS    EST.
SOURCE      human.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
REFERENCE   1 (bases 1 to 732)
AUTHORS     NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE       National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL     Unpublished (1997)
COMMENT     Contact: Robert Strausberg, Ph.D.
            Email: cgabs-remail.nih.gov
            Tissue Procurement: Christopher A. Moskaluk, M.D., Ph.D., Michael
            R. Emmert-Buck, M.D., Ph.D. cDNA Library Preparation: M. Bento
            Soares, Ph.D. cDNA Library Arrayed by: Christa Prange, The
            I.M.A.G.E. Consortium DNA Sequencing by: Washington University
            Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be

```

found through the I.M.A.G.E. Consortium/LNL, send email to:
 info@image.lnl.gov
 Seq primer: -40UP from Gibco
 High quality sequence stop: 472.

FEATURES

Source

1..732
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone_lib="NCI CGAP_Ov18"
 /issue_type="Fibrobloma"
 /lab_host="DH10B (phage-resistant)"
 /note="Organ: ovary; Vector: pTZ19-Pac (Pharmacia) with a
 modified polylinker; Site 1: Not I; Site 2: Eco RI; 1st
 strand cDNA was primed with a Not I oligo(dT) primer 15'
 TGTTCACATCTGAGAGTGGAGCGGCGCGGACATCTTTTCTTTTCTT
 double-stranded cDNA was ligated to Eco RI adaptors
 (Pharmacia), digested with Not I and cloned into the Not
 I and Eco RI sites of the modified pTZ19 vector. Library
 went through one round of normalization, and was
 constructed by Bento Soares and M. Fatima Bonaldo."

BASE COUNT

152 a 217 c 145 g 218 t

ORIGIN

alignment_scores:

Quality: 678.00 Length: 172
 Ratio: 4.431 Gaps: 1
 Percent Similarity: 88.953 Percent Identity: 79.070

alignment_block:

US-09-898-586-24 x BF116115 ..

Align seg 1/1 to: BF116115 from: 1 to: 732

```

1 MetGTAAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
219 ATGGGGGCCAATCAGACAATGTCACAGATCTCTCTCTCTCTCTCTCT 268
17 oval.GLPProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhe 33
...:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
269 CGTGGGGCCCAAGATTCAGATGCTCTCTCTCTCTCTCTCTCTCTCT 318
34 TyrValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSer 50
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
319 TATATCTTCACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 368
50 uasPserArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
369 GGACTCCAGACTCCACACCCCATGTACTTCTCTCTCTCTCTCTCTCT 418
67 alValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuVala 83
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
419 TGTCTGACATGCGCTACACCGCAACGGTGGCCCGCATGCTGGCGAAC 468
84 LeuLeuHisProAlaLysProIleSerPheAlaGlyArgMetLeuGln 100
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
469 CTCTGTCATCCAGCCCAACCCCATCTCTCTCTCTCTCTCTCTCTCT 518
100 rPheLeuPheSerThrPheAlaValIthrGluCysLeuLeuLeuVala 117
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
519 CTTTCTCTGTTGACTTTTGACACAGCATGTCTCTCTCTCTCTCTCT 568
117 eCSetTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeu 133
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
569 TGTCTGACATGCGTACCTGGCATCTGCGCACCCCTCTCCATCTCTG 618
134 IleMetThrTyrArgValaCysIleThrLeuAlaValIthrSerTyr 150
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
619 ATCATGACCTGGAGAGTCTGCATCACCCGCTCACTTCCCTGACGG 668
150 rGlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuPro 167
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:

```

669 TGCGTCCCTCCTCGGCTCTGGCCCATGTGCTTCATCTCAAGACTGCCCT 718

167 heCysArgProGln 171

|||:|||||

719 TCTCTGGGCTCTCAA 732

seq_name: gb_estl:A1340119

seq_documentation_block:

LOCUS A1340119

DEFINITION GK64F08.x1 NCI CGAP Co8 Homo sapiens cDNA clone IMAGE:1873767.3

similar to SW:OLFP7_MOUSE P34984 OLFACTORY RECEPTOR-LIKE PROTEIN K7

: mRNA sequence.

A1340119

VERSION A1340119.1 GI:4077046

KEYWORDS EST.

SOURCE human.

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 367)

NCI CGAP http://www.ncbi.nlm.nih.gov/ncicgap.

National Cancer Institute, Cancer Genome Anatomy Project (CGAP),

Tumor Gene Index

Unpublished (1997)

CONTACT: Robert Strausberg, Ph.D.

Email: gcapus@email.nih.gov

Tissue Procurement: Christopher Moskalko, M.D., Ph.D., Michael R.

Emerit-Buck, M.D., Ph.D.

cDNA Library Preparation: M. Bento Soares, Ph.D.

DNA Library Arrayed by: Greg Lennon, Ph.D.

DNA Sequencing by: Washington University Genome Sequencing Center

clone distribution: NCI CGAP clone distribution information can be

found through the I.M.A.G.E. Consortium/LNL at:

www.bio.lnl.gov/bdrp/image.html

Seq primer: -40UP from Gibco

High quality sequence stop: 245.

FEATURES

Source

1..367

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone_lib="NCI CGAP_Co8"

/issue_type="adenocarcinoma"

/lab_host="DH10B"

/note="Organ: colon; Vector: pTZ19-Pac (Pharmacia) with a

modified polylinker; 1st strand cDNA was prepared from

colon adenocarcinoma, and was then primed with a Not I

oligo(dT) primer. Double-stranded cDNA was ligated to Eco

RI adaptors (Pharmacia), digested with Not I and cloned

into the Not I and Eco RI sites of the modified pTZ19

vector. Library is normalized. Library was constructed by

Bento Soares and M. Fatima Bonaldo."

BASE COUNT 115 a 73 c 116 g 63 t

ORIGIN

alignment_scores:

Quality: 643.00 Length: 122
 Ratio: 5.270 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x A1340119/rev ..

Align seg 1/1 to reverse of: A1340119 from: 1 to: 367

```

60 PhePheLeuSerHisLeuAlaValAlaAspIleAlaTyrAlaCysAsn 76
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
367 TCTCTCTCTCACACCTGGCGTGTGCGATCTGCGTACCCCTGCAACAC 318
76 rValProArgMetLeuValaAsnLeuHisProAlaLysProIleSerP 93
|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:

```

BASE COUNT 115 a 73 c 110 g 63 t

ORIGIN

Alignment_scores:

Quality: 602.00 Length: 120
Ratio: 5.190 Gaps: 0
Percent Similarity: 96.667 Percent Identity: 95.833

Alignment_block:
US-09-898-586-24 x AI285267/rev ..

Align seg 1/1 to reverse of: AI285267 from: 1 to: 361

60 PhepheuseSerHisLeuAlaValAlaSplleAlaTyrAlaCysAsnTh 76
||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
361 TTTTCCCTCTCACACCTCGGCGGTGGTGACATTGCCCTTCAGCCCAACAC 312
76 rvaIProArGMetLeuValAlaSnLeuLeuHISProAlaLysProIIeserP 93
||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
311 GGTCGCCCGGATGCCTGCTGACCTCGCATCCAGCCCAAGCCCATCTCT 262
93 heAlaGIArgMetMetGlnThrPhLeuPheSerThrPhAlaValAthr 109
261 TTGGGGCCCCGATGATGACAGACTTTCTGTTTTCCACTTTTGCTGTACA 212
110 GluCysLeuLeuValAlaMetSerTyrAspLeuTyrValAlaAlaIcTy 126
211 GAATGTTTCCCTCGCTGGGTGAAGTCCAATGATTTGTACGTGGCCATCTG 162
126 sHisProLeuArgTyrLeuAlaIleMerThrTrpArgValCysIleThrIL 143
161 CCACCCTCCCGATATTGGCCATCATGACCTGGAGAGATCGCATCACCC 112
143 euaIaValAlaThrSerTrpThrThrGlyValLeuLeuSerLeuIleHisLeu 159
||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
111 TCGGGGTGACTTCCTGACCACTGAGCTCTTTATCTTATTCATCACTT 62
160 ValLeuLeuLeuProLeuPropheCysAlaGpproGlnLysIleTyrHisph 176
61 GTGTACTCTACACTTTACCCCTCTGTATAGGCCCAAGAATAATTATCACTT 12
176 ephecysGlu 179
||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
11 TTTTGTGTGA 2

seq_name: gb_est2:h62441

seg_documentation_block:

LOCUS W92408 rl Soares fetal liver spleen INFES Homo sapiens CDNA clone
DEFINITION IMAGE:211503 5' similar to SF:OLFP_MOUSE P34984 OLFACTOR
RECEPTOR-LIKE PROTEIN K7 ; mRNA sequence.
662441
ACCESSION H62441.1 GI:1015273
VERSION EST.
KEYWORDS human.
SOURCE Homo sapiens
ORGANISM Eukaryota; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.
REFERENCE 1 (bases 1 to 426)
AUTHORS Hillier,L., Lennon,G., Becker,M., Bonaldo,M.F., Chiapelli,B.,
Chissoe,S., Dietrich,N., Dubucque,T., Favallo,A., Gish,W., Hawkins
B., Hultman,M., Kucaba,T., Lacy,M., Le,M., le,N., Mandis,E., Moore,
.M., Morris,M., Parsons,J., Prange,C., Rifkin,L., Rohlfing,T.,
Schellenberg,K., Soares,M.B., Tan,F., Thierry-Mieg,D., Trevisan,E.,
Underwood,K., Wohlmann,P., Watson,R., Wilson,R. and Marra,M.,
Generation and analysis of 260 000 human expressed sequence tags
Genome Res. 6 (9), 807-828 (1996)
97044478
COMMENT Contact: Wilison RK
Washington University School of Medicine

Fri Aug 23 16:18:01 2002

us-09-898-586-24.rn1

Page 1

OM of: US-09-898-586-24 to: Issued_Patents_NA.* out_format : pfs

Date: Aug 21, 2002 8:19 PM

About: Results were produced by the GenCore software, version 4.5,
Copyright (c) 1993-2000 CompuGen Ltd.

Command line parameters:

```
-MODEL=frimc2.pn.model -DEV=xlh  
-Q=/cg2_1/USPTO.spool/US09898586/runat.16082002.205735.20570/app_query.fasta.1.373  
-DB=Issued_Patents_NA -QFWT=fastab -SUFFIX=rni -GAPOP=12.000  
-GAPEXT=4.000 -MINMATCH=0.100 -LOOPCL=0.000 -LOOPEXT=0.000  
-OGAPOP=4.500 -OGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500  
-PGAPOP=6.000 -PGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500  
-DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blsnum62  
-TRANS=human0.cdi -LIST=45 -DOCALLIGN=200 -THR_SCORE=pct  
-THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL -OUTTYPE=pfs  
-NOR=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=200000000  
-USER=US09898586.ecgn1.1.48 -NCPD=6 -ICPD=3 -LONGLOG  
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -NO_XLPHY -WAIT_THREADS=1
```

Search information block:

```
Query: US-09-898-586-24  
Query length: 310  
Database: Issued_Patents_NA.*  
Database sequences: 88353  
Database length: 122816752  
Search time (sec): 45.940000
```

```
score list:      Strd Orig      Zscore      Escore len      Documentation  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-467-948A-1 + 1048.50 2174.83 1.9e-113 1713  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-467-948A-1 + 1048.50 2174.83 1.9e-113 1713  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-748-506-5 + 609.00 1254.94 3.9e-62 966  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-827-291A-1 + 606.00 1245.13 1.1e-61 1290  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-748-506-7 + 592.00 1219.09 3.2e-60 966  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-748-506-8 + 578.00 1189.56 1.4e-58 966  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-748-506-6 + 574.00 1181.13 4.2e-58 966  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-09-085-371-5 + 543.00 1116.61 1.7e-54 900  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-748-506-9 + 452.00 923.64 9.3e-44 984  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-09-439-313-526 + 384.00 780.51 8.7e-36 963  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-988-876-2 + 382.50 769.63 3.5e-35 1828  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-465-980-1 + 369.00 743.75 9.7e-34 1474  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-09-053-303-1 + 369.00 743.75 9.7e-34 1474  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-706-281A-17 + 185.50 361.73 1.8e-12 978  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-09-097-231-17 + 185.50 361.73 1.8e-12 978  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-672-109B-9 + 182.50 355.44 4.1e-12 975  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-842-238-9 + 182.50 355.44 4.1e-12 975  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-842-045-9 + 182.50 355.44 4.1e-12 975  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-629-335B-9 + 182.50 355.44 4.1e-12 975  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-599-252-84 + 181.00 348.63 9.9e-12 1320  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-436-074-57 + 181.00 348.63 9.9e-12 1320  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-436-074-57 + 181.00 348.63 9.9e-12 1320  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-436-074-57 + 181.00 348.63 9.9e-12 1320  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-842-045-7 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-842-045-7 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-842-238-7 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-842-238-7 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-870-511-9 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-870-511-9 + 173.00 335.15 5.6e-11 996  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-662-560-1 + 173.00 328.92 1.2e-10 1671  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-662-560-1 + 173.00 328.92 1.2e-10 1671
```

```
seq_name: /cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-467-948A-1  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-08-870-511-5 + 173.00 328.92 1.2e-10 1671  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-07-686-591-3 + 169.00 316.60 6.0e-10 2308  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-07-970-715-3 + 169.00 316.60 6.0e-10 2308  
/cg2_6/ptodata/2/1na/5A.COMB.seq:US-08-706-281A-15 + 165.00 312.05 1.1e-09 1671  
/cg2_6/ptodata/2/1na/5B.COMB.seq:US-09-097-231-15 + 165.00 312.05 1.1e-09 1671
```

```
seq_documentation_block:  
Sequence 1, Application US/08467948A  
Patent No. 5998164  
GENERAL INFORMATION:  
APPLICANT: LI, YI  
APPLICANT: CAO, LIANG  
APPLICANT: NI, JIAN  
APPLICANT: GENTZ, RETNER  
APPLICANT: BUTT, CAROL J.  
APPLICANT: SUTTON III, GRANGER G.  
APPLICANT: ROSEN, CRAIG A.  
TITLE OF INVENTION: Polynucleotides Encoding Human G-Protein  
NUMBER OF SEQUENCES: 30  
CORRESPONDENCE ADDRESS:  
ADDRESSEE: STERN, KESSLER, GOLDSTEIN & FOX P.L.L.C.  
STREET: 1100 NEW YORK AVE., NW, SUITE 600  
CITY: WASHINGTON  
STATE: DC  
COUNTRY: USA  
ZIP: 20005  
COMPUTER READABLE FORM:  
MEDIUM TYPE: floppy disk  
COMPUTER: IBM PC COMPATIBLE  
OPERATING SYSTEM: PC-DOS/MS-DOS  
SOFTWARE: PATENTIN RELEASE #1.0, VERSION #1.30  
CURRENT APPLICATION DATA:  
APPLICATION NUMBER: US/08/467,948A  
FILING DATE: 06-JUN-1995  
CLASSIFICATION: 435  
PRIOR APPLICATION DATA:  
APPLICATION NUMBER: PCT/US95/04079  
FILING DATE: 30-MAR-1995  
ATTORNEY/AGENT INFORMATION:  
NAME: STEFFE, ERIC K.  
REGISTRATION NUMBER: 36,688  
REFERENCE/DOCKET NUMBER: 1488.1140003/EKS/KLM  
TELECOMMUNICATION INFORMATION:  
TELEPHONE: 202-371-2600  
TELEFAX: 202-371-2540  
INFORMATION FOR SEQ ID NO: 1:  
SEQUENCE CHARACTERISTICS:  
LENGTH: 1713 base pairs  
TYPE: nucleic acid  
STRANDEDNESS: both  
TOPOLOGY: both  
MOLECULE TYPE: CDNA  
FEATURE:  
NAME/KEY: CDS  
LOCATION: 116..1003  
US-08-467-948A-1  
  
alignment_scores:  
Quality: 1048.50 Length: 305  
Ratio: 4.017 Gaps: 4  
Percent Similarity: 85.574 Percent Identity: 69.180  
  
alignment_block:  
US-09-898-586-24 x US-08-467-948A-1 ..  
Align seq 1/1 to: US-08-467-948A-1 from: 1 to: 1713  
1 MetGtAaPaAaIleThrSerIleThrGluPheLeuLeuGlyPhePr 17  
|||||
```

```

128 ATGGTGAATAATGACAAATGTCACAGATCTCTACTAGGGATTCT 177
17  oValGlyProArgIleGlnMetLeuLeuPheGlyLeuLeuPheSerLeuPhe 34
178 CTTGGGCCCCAAGAGATTCAGATGCTCTCTTTGGGCTCTTCCCTGTTCT 227
34 yValPheThrLeuLeuGlyLeuGlyThrIleLeuGlyLeuIleSerLeu 50
117 117 117 117 117 117 117 117 117 117 117 117 117 117 117
228 ATGCTTTCACCCCTGGGGAAGGACCATCTTGGGCTCATATCTGACCTG 277
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
117 117 117 117 117 117 117 117 117 117 117 117 117 117
67 1ValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsnI 84
117 117 117 117 117 117 117 117 117 117 117 117 117 117
328 CATTCAACATCGCTATGCGCGAAGACAGTGGCCGAGATCGGTGAMCC 377
84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetMetCylThr 100
117 117 117 117 117 117 117 117 117 117 117 117 117 117
378 TCTGACATCCAGCCAGGCCATCTCTTGGTGGTTGGCTGACACTAGAC 427
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValValMe 117
117 117 117 117 117 117 117 117 117 117 117 117 117 117
428 TTTCTCTTTTGGATTGTCACATGCTGAACTCTCTGTTGGTCTGAT 477
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaI 134
117 117 117 117 117 117 117 117 117 117 117 117 117 117
478 GTCTACAGATCGGAGACGGCCATCTGCCACCCCTCCGATATTTCARCA 527
134 1MetThrTrpArgValCysIleThrLeuAlaValThrSerThrPheThr 150
117 117 117 117 117 117 117 117 117 117 117 117 117 117
528 TCAATGACCTGAAAGTGTGATCTGCTGGGATCATCTCCGGACAGAT 577
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProPh 167
117 117 117 117 117 117 117 117 117 117 117 117 117 117
578 GGCCTCCCTCGGCTATGCTGATGCTGACCCATCTCAAGACCTGCCCTT 627
167 ecysArgProGlnLysIleTyrHisPhePheCysGlnIleLeuAlaVal 184
117 117 117 117 117 117 117 117 117 117 117 117 117 117
628 TTTGGGCGCTCGTGAATCAACCATCTTCTGTGTAATCCCTGCTGCC 677
184 euLysLeuAlaCysAlaAspThrHisIleAsnGlnAsnMetValLeuAla 200
117 117 117 117 117 117 117 117 117 117 117 117 117 117
678 TCAGGCTGGGCTGTGCTGATGATGCTGCTCAGCAGGAGGTGATCTTTGA 727
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTyr 217
117 117 117 117 117 117 117 117 117 117 117 117 117 117
728 GCGTGCATGTTCATCTGCTGGGAGCCATCTGCTGCTGCTGCTCTTA 777
217 tMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
117 117 117 117 117 117 117 117 117 117 117 117 117 117
778 CTCACACATCTCTGGGGGACATCTCGAGATCCAGTCTGGGAGGGCCCA 827
234 tGlyAlaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
117 117 117 117 117 117 117 117 117 117 117 117 117 117
828 GAAAGGCGCTCTCCACCTGCTCTCCACCTCTGCTGCTAGTGGAGCTTTC 877
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProIly 267
117 117 117 117 117 117 117 117 117 117 117 117 117 117
878 TTTGGAGCGCATCGATCATGATGCGCCCTAAATCCCGCATCTCTGGA 927
267 sGluGlnLysTyrLeuLeuLeuPheHisSerLeuPheAsnPro... 282
117 117 117 117 117 117 117 117 117 117 117 117 117 117
928 GGACACACAGAAAGCTCTTTTCTTATTTTACAGTTCTCTTCAACCCCA 977
283 MetLeuAsnProLeuIleCysSerLeuArgAsnSerGluValIysAsn 298
117 117 117 117 117 117 117 117 117 117 117 117 117 117
978 TGCTTAAACCCCTGATTACACCTCTGAGGATGTAGAGGGTCAAGGCT 1027
299 ThrLeuLys 301
117 117 117 117 117 117 117 117 117 117 117 117 117 117
1028 GCCCTCCGA 1036

```

```

seq_name: /cgn2_6/plodata/2/1na/6A_COMB.seq:us-08-467-947A-1
seq_documentation block:
; Sequence 1, Application US/08467947A
; Patent No. 6080575
; GENERAL INFORMATION:
; APPLICANT: LI, YI
; APPLICANT: CAO, LIANG
; APPLICANT: NI, JIAN
; APPLICANT: GENTZ, REINER
; APPLICANT: BULT, CAROL J.
; APPLICANT: SUTTON III, GRANGER G.
; APPLICANT: ROSEN, CRAIG A.
; TITLE OF INVENTION: Polynucleotides Encoding Human G-Protein
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSER: STERN, KESSLER, GOLDSTEIN & FOX P.L.L.C.
; STREET: 1100 NEW YORK AVE., NW, SUITE 600
; CITY: WASHINGTON
; STATE: DC USA
; COUNTRY: USA
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PATENTIN RELEASE #1.0, VERSION #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/467,947A
; FILING DATE: 06-JUN-1995
; CLASSIFICATION: 435
; PRIORITY APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/04079
; FILING DATE: 30-MAR-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: STEFFE, ERIC K.
; REGISTRATION NUMBER: 36,688
; REFERENCE/DOCKET NUMBER: 1488.1140002/EKS/KLM
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-371-2540
; TELEFAX: 202-371-2540
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1713 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: both
; TOPOLOGY: both
; MOLECULE TYPE: cDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 116..1003
; US-08-467-947A-1

alignment_scores:
Quality: 1048.50 Length: 305
Ratio: 4.017 Gaps: 4
Percent Similarity: 85.574 Percent Identity: 69.180

alignment_block:
US-09-898-586-24 x US-08-467-947A-1 ..
Align seg 1/1 to: US-08-467-947A-1 from: 1 to: 1713

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
117 117 117 117 117 117 117 117 117 117 117 117 117 117
128 ATGGTGAATAATGACAAATGTCACAGATCTCTACTAGGGATTCT 177
17  oValGlyProArgIleGlnMetLeuLeuPheGlyLeuLeuPheSerLeuPhe 34
117 117 117 117 117 117 117 117 117 117 117 117 117 117
178 CTTGGGCCCCAAGAGATTCAGATGCTCTCTTTGGGCTCTTCCCTGTTCT 227

```

```

34 yYValPheThrIleuLeuGlyAsnGlyThrIleuGlyIleuIleSerLeu 50
|||||
228 AGTCTTCAACCTGCTGGGAAATGGACACATCGGGGCTCATCTCACTG 277
|||||
51 AASPserArgIleuHISAlaProMetYrPhePheLeuSerHISLeuAla 67
|||||
278 GACTCCAGACTCCACACCCCATGACTTCTCTCTACACCTGGGCGT 327
|||||
67 ValAspIleAlaYrAlaCysAsnThrValProArgMetLeuValAsnL 84
|||||
328 CCGTCAACAATCGCCCTATGCTGCAACACAGTCCCAAGATGCTGTGAACC 377
|||||
84 euLeuHISProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr 100
|||||
378 TCCTGATCCACCCCAAGCCCATCTCTTGGTGGTGCATACACTGAC 427
|||||
101 PheLeuPheSerThrPheAlaValThrGlyCysIleuLeuValValMe 117
|||||
428 TTTCTCTTTTGGATTGTCACATAGTAATGCTCTGTTGGTGGTGTAT 477
|||||
117 tSerTyraSpleuYrValAlaIleCysHISProLeuArgTyrrLeuAlaI 134
|||||
478 GTCCACAGATGGGTACGTCGCCATCTGCCACCTCTCGATATTTCATCA 527
|||||
134 lMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThrThr 150
|||||
528 TCATATACCTGGAAAGTCGATCACTCGGGCATCACCTCTCTGACATGT 577
|||||
151 GlyValIleuLeuSerLeuIleHISLeuValIleuLeuProLeuProPh 167
|||||
578 GGCTCCCTCTGCTATGTCATGTGATGAGCTCATCTCACTCAACACGCTT 627
|||||
167 ecysArgProGlnLysIleTyrrHISphePheCysGluIleuAlaValL 184
|||||
628 TTGTGGGCTCGTGAATCAACACCACTCTTGTGAAATCCTGCTGTCTGC 677
|||||
184 euLysLeuAlaCysAlaAspThrHISLeuAsnGluAsnMetValLeuAla 200
|||||
678 TCAGGCTGGCTGCTGATACCTGCTCAACACAGTGTGATCTTTGAA 727
|||||
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTy 217
|||||
728 GCCTGATGCTTCATCTGCTGGGACCACTGCTGCTGCTGCTGCTCTTA 777
|||||
217 lMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValAla 234
|||||
778 CTCACACATCCGAGGGGAGCATCTGAGATCACTGCGGAGGCGCGCA 827
|||||
234 rGlyAlaPheCysThrCysPheSerHISLeuCysValIleGlyLeuPhe 250
|||||
828 GAAAGGCTTCCTCCACCTGCTCTCCACCTGCTGCTGAGTGGGACTCTTC 877
|||||
251 TTYGlyThrAlaIleIleMetYrValGlyProArgTyrrGlyAsnProLY 267
|||||
878 TTTGGAGGCGCATGCTCATGTACATGAGCCCTTAAGTCCGCCATCTCTGA 927
|||||
267 seGlnGlnLysIleYrLeuLeuLeuPheHISerLeuPheAsnPro... 282
|||||
928 GAGGACGCGAAGGTCCTTTTCTTATTTTACAGTCTCTTCAACCCCGGA 977
|||||
283 MetLeuAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsn 298
|||||
978 TGCTTAAACCCCTGATTTACAAACCTGAGGAATGATAGAGGTCAAGGT 1027
|||||
299 ThrLeuLys 301
|||||
1028 GCCCTTCGA 1036
|||||
seq_name: /cogn_6/prodata/2/ina/6A_COMB.seq:us-08-748-506-5
seq_documentation_block:
; Sequence 5, Application US/08748506

```

```

; Patent No. 6159707
; GENERAL INFORMATION:
; APPLICANT: Ronnett et al.
; TITLE OF INVENTION: NOVEL SPERM RECEPTORS
; NUMBER OF SEQUENCES: 31
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Leydig, Voigt & Mayer, Ltd.
; STREET: Two Prudential Plaza, Suite 4900
; CITY: Chicago
; STATE: IL
; COUNTRY: US
; ZIP: 60601-6780
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patencin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/748,506
; FILING DATE: 08-NOV-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/033,751
; FILING DATE: 09-NOV-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; REFERENCE/DOCKET NUMBER: 74940
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-616-5600
; TELEFAX: 312-616-5700
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 966 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-748-506-5

alignment_scores:
Quality: 609.00 Length: 308
Ratio: 2.819 Gaps: 0
Percent Similarity: 70.130 Percent Identity: 40.909

alignment_block:
US-09-898-586-24 x US-08-748-506-5 ...
Align seg 1/1 to: US-08-748-506-5 from: 1 to: 966

3 AspaSnIleThrSerIleThrGluPheLeuLeuGlyPheProValG1 19
|||||
28 GAGAAATAGTTTGCATGCTCAACACTTTCATTTGCCAAGTTCCTGAGGT 77
|||||
19 yProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheThrValP 36
|||||
78 CCTTGAGAAATGCTTCTCTCTCTTCAACCTCATCTCTCTCATGTCTTAC 127
|||||
36 heThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeuAspSer 52
|||||
128 TATCACTTCAACAGAAATACCTCATAGTCTGCTGATTTGTACACAGTCA 177
|||||
53 ArgLeuHISAlaProMetYrPhePheLeuSerHISLeuAlaValAla 69
|||||
178 TCTCTACACACCCCATGACTTCTTCTGCGCAACTGCTCTCTCCGGA 227
|||||
69 pIleAlaTyraLacysAsnThrValProArgMetLeuValAsnLeuH 86
|||||
228 GATGTGCTATACTGCTCTGTCATATACCAAGATCTCTCAGAGCTTGTGA 277
|||||
86 lProAlaLysProIleSerPheAlaGlyArgMetMetGlnThrPheLeu 102
|||||
278 GTAGAGCCACAGAGATCTCTCGGAGGAGATGTGCCACACAGATGTTTTT 327
|||||

```

```

103 pHeSerThrPheAlaValThrGluCysLeuLeuValValMetSerTy 119
||||| ||||||| ||||||| ||||||| ||||||| |||||||
328 TTCGATTTTGGTATTAAGTGTGCTGCTATTTGGCAGCATGGCCTT 377
119 rAsPLeuTyValAlaIleCysHisProLeuArgTyIleuAlaIleMet 136
||||| ||||||| ||||||| ||||||| ||||||| |||||||
378 TGACCGCTGCATGGCCATATGCTCCCTACTCCATGACACCGCAATGA 427
136 hTrpAlaValCysIleThrLeuAlaValThrSerTrpThrGlyAla 152
||||| ||||||| ||||||| ||||||| ||||||| |||||||
428 GTCGAGGAGATGTGTGCCATTGTGCAATGTTCAGGGGGAATGGAGCC 477
153 LeuLeuSerLeuIleHisLeuValLeuLeuProLeuProPheCysAr 169
||||| ||||||| ||||||| ||||||| ||||||| |||||||
478 ATAGTAGTCTGGGACCAACCAATTTTATTTCTCTGCACTGCTGGG 527
169 gProGlnLysIleTyHisPhePheCysGluIleAlaValLeuLysL 186
||||| ||||||| ||||||| ||||||| ||||||| |||||||
528 ACCCTGGAATAGACCATCTTCTGTGACCTTCACCTCCTCGTGAC 577
186 euAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAlaGlyAla 202
||||| ||||||| ||||||| ||||||| ||||||| |||||||
578 TTGCTGTGGAGATACATCCCAAGAGAGGCTGCCATCTTTGTGAGCA 627
203 IleSerGlyLeuValGlyProLeuSerThrIleValValSerTyMetCy 219
||||| ||||||| ||||||| ||||||| ||||||| |||||||
628 GTCCCTGCAATCTAGCCCATTTTGTGATCATTTATTTATGTCA 677
219 sIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnArgLysA 236
||||| ||||||| ||||||| ||||||| ||||||| |||||||
678 AATTCTGATGTAGTGTCTGCTGCTGATGCTGCTGAGGGGCCCATTAAG 727
236 lApheCysThrCysPheSerHisLeuCysValIleGlyLeuPheGlyGly 252
||||| ||||||| ||||||| ||||||| ||||||| |||||||
728 CTCTTCCACCTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 777
253 ThrAlaIleIleMetTyValGlyProArgTyGlyAsnProLysGlnG 269
||||| ||||||| ||||||| ||||||| ||||||| |||||||
778 TCACCATGATTAATCTATTTGAGGCCCAAGTCTAGCCACTCACCGAGAT 827
269 nLysLysIleLeuLeuLeuPheHisSerLeuPheAsnProMetLeuAsn 286
||||| ||||||| ||||||| ||||||| ||||||| |||||||
828 GGAACAAATTTCTTGGCCCTCTTCTACACAGTAGACATCTCATCGAACC 877
286 rOlLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeuLysArg 302
||||| ||||||| ||||||| ||||||| ||||||| |||||||
878 CTATCATCTATAGTTTAAGAGACAGAGATCAAGCAGCAGCTGAGAGA 927
303 ValLeuGlyValGluArgAlaLeu 310
||||| ||||||| ||||||| ||||||| ||||||| |||||||
928 ACTCTGGGCTGAAAATAATCTTG 951

```

seq_name: /cgn2_6/ptodata/2/ina/5B_COMB.seq:us-08-827-291A-1

```

seq_documentation_block:
; Sequence 1, Application US/08827291A
; Patent No. 5874243
; GENERAL INFORMATION:
; APPLICANT: Macina, Roberto
; APPLICANT: Sathe, Ganesh
; TITLE OF INVENTION: NOVEL OLKOC15 RECEPTOR
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY:
; ZIP: 19406
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible

```

```

; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/827,291A
; FILING DATE: 28-MAR-1997
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: King, William T
; REGISTRATION NUMBER: 30,954
; TELEPHONE/DOCKET NUMBER: GP90001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-5015
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1290 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; US-08-827-291A-1

```

```

alignment_scores:
Quality: 606.00 Length: 304
Ratio: 2.742 Gaps: 2
Percent similarity: 72.697 Percent identity: 40.132

```

alignment block:
us-09-898-586-24 x us-08-827-291A-1 ..

Align seg 1/1 to: us-08-827-291A-1 from: 1 to: 1290

```

3 AspaNleThrSerIleThrGlnPheLeuLeuGly...PheProVa 18
||||| ||||||| ||||||| ||||||| ||||||| |||||||
305 GAGAAATGACCTTCACATCGAGACTTCATCTCTGAGGCTGAGATCTTAC 354
18 lGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPheTy 35
||||| ||||||| ||||||| ||||||| ||||||| |||||||
355 CAGCCGCCACCCACACTCTCTCTCTTCTTCTGAGGCTGAGCATCTTTAC 404
405 TS...GCCTTCATGGAAGACCTGTCATGCTCTCTCATCTACCTGAGC 451
52 SerArgLeuHisAlaProMetTyThrPhePheLeuSerHisLeuAlaVal 68
||||| ||||||| ||||||| ||||||| ||||||| |||||||
452 ACCGAGCTCCACACCCCATGTACCTGCTGCTGCTGCTGCTGCTGCTGCT 501
68 lAspIleAlaTyraIleCysAsnThrValProArgMetLeuValAsnLeu 85
||||| ||||||| ||||||| ||||||| ||||||| |||||||
502 GGACCTCATGCTCATCTGACACCGGATGACCAAGATGGCCCTTCACACTGA 551
85 euHisProAlaLysProIleSerPheAlaGlyArgMetGlnThrPhe 101
||||| ||||||| ||||||| ||||||| ||||||| |||||||
552 TCTCTGGAGCAAGATCATCTTCTATGCTGCTGCTGCTGCTGCTGCTGCT 601
102 LeuPheSerThrPheAlaValThrGluCysLeuLeuValValMetSe 118
||||| ||||||| ||||||| ||||||| ||||||| |||||||
602 TTCTATATCATCATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 651
118 rTyAspLeuTyValAlaIleCysHisProLeuArgTyIleuAlaIleM 135
||||| ||||||| ||||||| ||||||| ||||||| |||||||
652 TTATGACCGCTACATGCAATTTGCAACCTGCTGAGATGACCAATCTCA 701
135 eCThrTrpArgValCysIleThrLeuAlaValThrSerTrpThrGly 151
||||| ||||||| ||||||| ||||||| ||||||| |||||||
702 TGAGCCCTAAATTTGGAGACTTATGACTGCTTCTGAGATCTGAGGC 751

```



```

219 sileuCySaLaIleuGlnIleGlnSerArgIuValGlnArgLYSA 236
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
678 AATTCCTGTCAGCTGCTGGTGGTACCTGAGGGGGCCCTTAAG 727
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
236 IapheCyThrCysPheSerHisLeuCyValIleGlyLeuPheTyGly 252
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
728 CTCCTGCTACCTGTCATCTACCTGCTAGTGCATCTCTTATGTC 777
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
253 ThrAlaIleIleMetTyValGlyProArgTyGlyAsnProLYSGlu 269
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
778 TCACATCTGCCACCTATTTGGAGTCCAGTCCAGCTACCGAGAGT 827
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
269 nlyslsTyTrleuLeuLeuPheHisSerLeuPheAsnProMetLeuAsp 286
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
828 GGACAAACTCTTGGCCCTCTTATACATCAGTGCATCCATGCTGAATC 877
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
286 roleuIleCySerLeuArgAsnSerGlyValIlyAsnThrLeuLYsArg 302
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
878 CCATCATCTACAGCTTAAGSACACAGGAAGTAAGGTCACCTGAGAGA 927
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
303 ValLeuGlyValGluArgAlaLeu 310
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
928 ACTCTGGCCCTGAGAAAGTTCTG 951
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

seq_name: /cgn2_6/prodata/2/Lna/6A_COMB.seq:us-08-748-506-8

seq_documentation_block:
: Sequence 8, Application US/08748506
: Patent No. 6159707
: GENERAL INFORMATION:
: APPLICANT: Ronnelt et al.
: TITLE OR INVENTION: NOVEL SPERM RECEPTORS
: NUMBER OF SEQUENCES: 31
: CORRESPONDENCE ADDRESS:
: ADDRESSEE: Leydig, Voit & Mayer, Ltd.
: STREET: Two Prudential Plaza, Suite 4900
: CITY: Chicago
: STATE: IL
: COUNTRY: US
: ZIP: 60601-6780
: COMPUTER READABLE FORM:
: MEDIUM TYPE: Floppy disk
: OPERATING SYSTEM: PC-DOS/MS-DOS
: SOFTWARE: Patent Release #1.0, Version #1.25
: CURRENT APPLICATION DATA:
: APPLICATION NUMBER: US/08/748,506
: FILING DATE: 08-NOV-1996
: CLASSIFICATION: 435
: PRIOR APPLICATION DATA:
: APPLICATION NUMBER: US 60/033,751
: FILING DATE: 09-NOV-1995
: CLASSIFICATION: 435
: ATTORNEY/AGENT INFORMATION:
: REFERENCE/DOCKET NUMBER: 74940
: TELECOMMUNICATION INFORMATION:
: TELEPHONE: 312-616-5600
: TELEFAX: 312-616-5700
: INFORMATION FOR SEQ ID NO: 8:
: SEQUENCE CHARACTERISTICS:
: LENGTH: 966 base pairs
: TYPE: nucleic acid
: STRANDEDNESS: double
: TOPOLOGY: linear
: MOLECULE TYPE: DNA (genomic)
: US-08-748-506-8

alignment_scores:
: Quality: 578.00 Length: 308
: Ratio: 2.714 Gaps: 0
: Percent Similarity: 69.156 Percent Identity: 38.961

```

```

alignment_block:
US-09-898-586-24 x US-08-748-506-8
Align seq 1/L to: US-08-748-506-8 from: 1 to: 966

3 AspAsnIleThrSerIleThrGlnPheLeuLeuGlyPheProValG 19
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
28 GAGAAATAGTTTGTCTGCAACGTTTGGCATTTGCCAAGTTCTGTAGG 77
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
19 yProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheTyValP 36
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
78 CCCGAGAAATGCTTCTCTGTCACCTCATCCCTTCATGTTCTTAG 127
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
36 heThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeuAspSer 52
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
128 TATCACTAACGSAAGATGCTCATATAGCCCTTGCTATTTGTACCAATCA 177
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
53 ArgLeuHisAlaProMetTyThrPhePheLeuSerHisLeuAlaValAs 69
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
178 TCTCTACACACCCCATCTACTTCTTCTGGCCACTGTCCTCTCTGGA 227
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
69 pIleAlaTyTrAlaCysAsnThrValProArgMetLeuValAsnLeuThr 86
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
228 GATGGCTATACTTGTCTGTCTATACCCAGATGCTGCAGAGTCTGTGA 277
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
86 IspProAlaLYsProIleSerPheAlaGlyArgArgMetLeuThrPheLeu 102
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
278 GTGAGGCCCGCAGAGATCTTTCAGTGGGATGCGCACACAGATGTTTC 327
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
103 PheSerThrPheAlaValThrGlyCysLeuLeuValAlaMetSerTy 119
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
328 TTCATATCTTGTGTATACGTAGTCTCCATATGGACGACGACGCTT 377
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
119 RasPleuTyTrValAlaIleCysHisProLeuArgTyTrLeuAlaIleMet 136
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
378 TGACCGGTATATGCTATATGTTCCACCTCCATCTCAACCCAGATGA 427
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
136 hTrpParValCysIleThrIleAlaValThrSerTyTrThrGlyVal 152
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
428 GTCGTGAGTATGTGGCCACTTGGCAATGTTTCATGGTGATGGATGC 477
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
153 LeuLeuSerLeuIleHisLeuValIleLeuLeuProLeuProPheCysAs 169
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
478 ATAGTAGTCTGGGACAGACCAATTTATTTCTCTTGAACCTCTGTGG 527
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
169 gProGlnLYsIleTyTrHisPhePheCysGlnIleAlaValLeuLYsL 186
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
528 ACCCTTGAGATAGACCACTTCTCTGTATCTTCCACTCTCTGGACAC 577
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
186 euAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAlaGlyAla 202
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
578 TTGCTGTGTGTATACATCCAAATTAAGGCTGCCATCTTGTGTGTGT 627
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
203 IleSerGlyLeuValGlyProLeuSerThrIleValAlaSerTyTrMetCy 219
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
628 GTCTCTGCATATCTAGCCCTTTTGTGTAATTTATTTATTTGTTCAG 677
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
219 sileuCySaLaIleuGlnIleGlnSerArgIuValGlnArgLYSA 236
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
678 AATTCCTGTCAGCTGCTGGTGGTACCTGAGGGGGCCCTTAAG 727
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
236 IapheCyThrCysPheSerHisLeuCyValIleGlyLeuPheTyGly 252
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
728 CCTTTTAACTTGTCTCCACCTATCTTGATGTCACCTTTTATAGGC 777
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
253 ThrAlaIleIleMetTyValGlyProArgTyGlyAsnProLYSGlu 269
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
778 TCAGGATCTGTACTATTTAGAGGCTTAAGTCAACCACTACCGAGAGT 827
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
269 nlyslsTyTrleuLeuLeuPheHisSerLeuPheAsnProMetLeuAsp 286
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
828 GGACAAACTCTTGGCCCTCTTACACAGCAGATGCATCCATGTTGAAC 877
||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||

```


;; TITLE OF INVENTION: Functional Expression of, and Assay for, Functional Cellular Receptor
;; FILE OF INVENTION: Vivo
;; FILE REFERENCE: P0151US2 / 09805059
;; CURRENT APPLICATION NUMBER: US/09/085,371
;; PRIOR FILING DATE: 1996-05-19
;; PRIOR APPLICATION NUMBER: US 08/891,243
;; PRIOR FILING DATE: 1997-07-10
;; PRIOR APPLICATION NUMBER: US 60/045,961
;; PRIOR FILING DATE: 1997-05-07
;; NUMBER OF SEQ ID NOS: 6
;; SOFTWARE: PatentIn version 3.0
;; SEQ ID NO: 5
;; LENGTH: 900
;; TYPE: DNA
;; ORGANISM: Rat
US-09-085-371-5

Alignment scores:
Quality: 543.00 Length: 290
Ratio: 2.675 Gaps: 1
Percent Similarity: 70.000 Percent Identity: 39.310

Alignment block:
US-09-898-586-24 x US-09-085-371-5 ..

Align seg 1/1 to: US-09-085-371-5 from: 1 to: 900

```
8 11ethrGluPheLeuLeuGlyPheProValGlyProAlaGlyLeu 24
      |||
28 GTGAGTAAATTGTGTGCTGGTCCGACGCTCCGCCACCTGCGAGT 77
      |||
24 tLeuLeuPheGlyLeuPheSerLeuPheValPheThrLeuGly 41
      |||
78 ACTGCTATTTCCTCTCTCTGACATGTTGTTGTTGACGTGAAA 127
      |||
41 snGlyThrLeuGlyLeuSerLeuAspSerLeuIleAlaPro 57
      |||
128 ACATGCTCATCATATATAGCAATAGACACCAACCTCCACAAACC 177
      |||
58 MetThrPheLeuSerLeuAlaValAlaPheAlaTyrAlaC 74
      |||
178 ATGTATTTCCTGCTAAATATGTCATTCGTGAGATTGTAATAC 227
      |||
74 sasnThrValProArgMetLeuValAsnLeu.....HisP 87
      |||
228 TGTACCATTCCTAAGATGCTCGCTTCATGTTCCAGAGAAC 277
      |||
87 roAlaLysProIleSerPheAlaGlyArgMetGlnThrPheLeu 103
      |||
278 ATGACACGTCATCTCTTGGAGCATGACACACACTACCTTTTC 327
      |||
104 SerThrPheAlaValThrGlyCysLeuLeuValValMetSerTyr 120
      |||
328 CTGGGCTTGGTGCACAGAGTGTCTTCTGCTGATGAGCTATG 377
      |||
120 pLeuTyrAlaAlaLeuCysHisProLeuArgTyrLeuAlaIleMetThr 137
      |||
378 CCGCTATGTCGTCATCTGTCATCCACCTACCCGTCATGTCAGTA 427
      |||
137 TrpValLysIleThrLeuAlaValThrSerThrThrThrIleValLeu 153
      |||
428 GCGGCTATGTCGTCATGTCAGTCGATCCGCTGCTGAGAGTTTGGT 477
      |||
154 LeuSerLeuIleHisLeuValLeuLeuProLeuProPheCysArgP 170
      |||
478 ATCTCCAGGTAAAGTTTCCTATTTCCTGCTGCTTACTGAGGCC 527
      |||
170 oGlnLysIleThrHisPheCysGlyLeuAlaValLeuLysLeu 187
      |||
528 CAACACATCAACATTTTCTGTGATGTCATGTCATGTCATGTCAT 577
      |||
187 lacysAlaAspThrHisIleAsnGluAsnMetValLeuAlaLysLeu 203
```

```
578 CATCATGACATGTCATCCACAGACGCTTACAGACTTGTCTGCGCAT 627
      |||
204 SerGlyLeuAlaGlyProLeuSerThrIleValAlaSerTyrMetCysAl 220
      |||
628 TTTATTCCTGCGGACCGCTCTCTGTCATGCGGCGCATCTACATGCGCAT 677
      |||
220 eLeuCysAlaIleLeuGlnIleGlnSerArgIleValAlaArgLysAlaP 237
      |||
678 CACAGGTCGTCGTGATGCGCATCCCTACGCTGCTGCGCCCTAAAGCT 727
      |||
237 heCysThrCysPheSerHisLeuCysValIleGlyLeuPheTyrGlyThr 253
      |||
728 TTTCACTGTCGCTCCACCTCATGTCATGTCATGTCATGTCATGTCATG 777
      |||
254 AlaIleIleMetThrValGlyProArgTyrGlyAsnProLysGlnGly 270
      |||
778 AGTATTTTCATCTATGCGAGCGCTAAGCAGCTGTCAGCTTTTGACACCA 827
      |||
270 sLysTyrLeuLeuLeuPheHisSerLeuPheAsnProMetLeuAsnProL 287
      |||
828 CACAGTGTGCTGTCATCTACGCTGTCATGTCATGTCATGTCATGTCAT 877
      |||
287 euIleCysSerLeuArgAsn 293
      |||
878 TCATCTACTGCTGCGCAC 897
```

seq_name: /cgn2_6/prodata/2/lna/6A_COMB.seq:us-08-748-506-9

```
seq_documentation_block:
; Sequence 9, Application US/08748506
; Patent No. 6159707
; GENERAL INFORMATION:
; APPLICANT: Romnelt et al.
; TITLE OF INVENTION: NOVEL SPERM RECEPTORS
; NUMBER OF SEQUENCES: 31
; CORRESPONDENCE ADDRESS:
; ADDRESSER: Leydig, Volt & Mayer, Ltd.
; STREET: Two Prudential Plaza, Suite 4900
; CITY: Chicago
; STATE: IL
; COUNTRY: US
; ZIP: 60601-6780
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/748,506
; FILING DATE: 08-NOV-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/033,751
; FILING DATE: 09-NOV-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION: 74940
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-616-5600
; TELEFAX: 312-616-5700
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 984 base pairs
; type: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-748-506-9
```

Alignment scores: Quality: 452.00 Length: 301


```

236 AGATCCCTTGGCCCTTCTCTGTTGATTCGCCGAGACATTAAGCTTTCAGAGCC 285
236 ArgMetMetGlnThrPheLeuPheSerThrPheAlaValThrGluCysLe 112
286 TGTCTTACCCAGATGTTCTTATTCATGCCCTTCAGCCATTGATTCAC 335
112 uLeuLeuAlaValMetSerTyrAspLeuTyrValAlaIleCysHisProl 129
336 CATCTCTGTCGATGCGCTTTCAGCGTATGATGCGCATTCGCCACCCAC 385
129 euATGTYrLeuAlaIleMetThrThrPArgValCysIleThrLeuAlaVal 145
386 TGGCCATGCTGCAGTCTCAACAATACAGTAAACAGCCACAGATTGGCATC 435
146 ThrSerThrThrThrGlyValLeuLeuSerLeuIleHisLeuValLeuLe 162
436 GTGGCTGTGGCCGCGAGATCCCTTTTTCCTCCACTGCGCCCTGCTGAT 485
162 uLeuProlLeuPheCysArgProGlnLysIleTyrHisPhePheCysG 179
486 CAAGCGGCTGCGCTTGGCCATCCAAATGCTCCGCGACGCTCATGTG 535
179 IuIleLeuAlaValLeuLysLeuAlaCysAlaAspThrHisIleAsnGlu 195
536 TCCACCGAGATGTAATGAGTGGCTATGCAAGACACT..... 573
196 AsnMetValLeuAlaGlyAlaIleSerGlyLeuValGlyProlLeuSerTh 212
574 .....TTGCCAATGTGTATGCTTACTGCACTTCCTGCTGCTG 614
212 r.....lleValAlaSerTyrMetCysIleLeuC 222
615 CATGGCGGTGAGCTAAATGTTCAATCTCTGTCATATTTCGATTAATAC 664
222 ysaIaIleLeuGlnIleGlnSerArgGlyValGlnArgLysAlaPheCys 238
665 GAAGGTTCTGCACACTGCTCCAAAGTCAGAGCGGCGCCAGGCGCTTTGA 714
239 ThrCysPheSerHisLeuCysValIleGlyLeuPheTyrGlyThrAlaI 255
715 ACCTGTGTGCACACATGTTGTGTGTCACGCGCTTCTAATGTCACCTAT 764
255 eileMetTyrValGlyProArgTyrGlyAsnProLysGlnGlnLysT 272
765 TGGCTCTCAGTTGTACACCGCTTGGAAACAGCCCTCATCCCATTTGTC 814
272 yrLeuLeuLeu.....PheHisSerLeuPheAsnProMetLeuAsnPro 286
815 GTGTGTGCATGGGTGACATCTACCTGCTGCTGCTGCTGCTGCTGCTGCT 864
287 LeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeuLysArgVa 303
865 ATCATCTATGTCGCCAAACCAACCAAGATCAGAACAC.....CGGGT 905
303 lleuGlyVal 306
906 GCTGCTATG 915
seq_name: /cgp2_6/ptodata/2/lna/6A.COMB.seq:us-08-988-876-2
seq_documentation_block:
; Sequence 2, Application US/08988876
; Patent No. 6063596
; GENERAL INFORMATION:
; APPLICANT: Lal, Preeti
; APPLICANT: Bandman, Olga
; APPLICANT: Hillman, Jennifer L.
; APPLICANT: Yue, Henry
; TITLE OF INVENTION: G PROTEIN COUPLED RECEPTORS ASSOCIATED
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:

```

```

; ADDRESSEE: Incyte Pharmaceuticals, Inc.
; STREET: 3174 Porter Drive
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; FILING DATE: US/08/988,876
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Billings, Lucy J.
; REGISTRATION NUMBER: 36,749
; REFERENCE/DOCKET NUMBER: PF-0441 US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-855-0555
; TELEFAX: 650-845-4166
; TELEX:
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1828 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; IMMEDIATE SOURCE:
; LIBRARY: PROSNOT01
; CLONE: 364702
; US-08-988-876-2

alignment_scores:
Quality: 382.50 Length: 307
Ratio: 1.922 Gaps: 8
Percent Similarity: 64.821 Percent Identity: 37.785

alignment_block:
US-09-898-586-24 x US-08-988-876-2 ..
Align seg 1/1 to: US-08-988-876-2 from: 1 to: 1828

4 AsnIleThrSerIleThrGluPheLeuLeuGlyThrPheProValGlyr 20
|||||
793 AATCTAACAGATGCTCTATATATCTCTGCTGCTGCTGCTGCTGCTGCTGCT 842
20 cArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheTyrValPheT 37
|||||
843 AGAAGTCGAGCCAGTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 892
37 hrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeuAspSerArg 53
|||||
893 CGGTGCTGGGGAACCTGCTCATCATCTGCGCATCTGAGGCTGAGCTGAGCTG 942
54 leuHisAlaProMetTyrThrPheLeuSerHisLeuAlaValAlaAspI 70
|||||
943 CTCGACACCCCAAGTACTTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 992
70 eAlaTyrAlaCysAsnThrValProArgMetLeuValAsnLeuLeuHisP 87
|||||
993 CGGTTCACCTCCACACAGGCTCCCAAGATGATTTGGACATCCAGTCTC 1042
87 roAlaLysProIleSerPheAlaGlyArgMetMetGlnThrPheLeuPhe 103
|||||
1043 ACAGCAGAGTATCTCTATGACAGGCTGCTGCTGCTGCTGCTGCTGCTGCT 1092
104 SerThrPhe...AlaValThrGlu.CysLeuLeuLeuValValMetSer 119

```

```

1093 GGCATTTTGGAGGATGAGAGACATCTCTGATGATGAGCTT 1142
119 yTAsPLeuTyTValAlAlIleCysHISProLeuArgTyTLeuAlAlIleMet 135
1143 ATGACTGCTTTGTAGCCATCTGTGACCCGCAATATCATTC.ACCATCATG 1191
136 ThrTTPArgValAlCysIleThrLeuAlAlValThrSer...TTPThrTgln 151
1192 AACCGGTGCTTCTGTGCTTCTGTAGTTTGTGTCTTTTGTCTTCTTCAG 1241
151 yValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProPhoc 168
1242 TCTTTTAACTCCAGCTGACACCACTGATGCTTACAAAGTACAGCTGCT 1291
168 yAArgProGlnLysIleTyTArgHisPhePheCysGlnIleLeuAlAlValLeu 184
1293 TCAGAGATGTGAAATTCCTAATTCCTTCTGTGACCTTCTCAACTCTCC 1341
185 LysLeuAlAlCysAlAlAspThrHis...IleAsnGlnAsnMetValLeuAl 200
1342 CATCTTGATGTGTGACACCTTCACCATTAATCAATGATATTCCTCC 1391
200 acIValAlIleSerGlyLeuValGlyProLeuSerThrIleValAlAlSerT 217
1392 TGCCTGCATATTTGCTTTCTT...CCCATCTCAGGACCTTCTCTCTTA 1438
217 yTMetCysIleLeuCysAlAlIleLeuGlnIleGlnSerArgGlnValGln 233
1439 CTGTAAATAATCTTCTCTCATCTGAGGCTTCATCATCAGTGGGAGG 1488
234 ArgLysAlAlPheCysThrCysPheSerHisLeuCysValIleGlyLeuP 250
1489 TATAAACCTTCTGCACCTGTGGGTCTACCTG...TCAGTTGT 1528
250 heTyTgLyThAlAlIleIleMetTyTValGlyProArgTyTgLyAsnPro 266
1529 TGGCGGGAGG...TACCCGCTGAGATGTGTCTATCTTCC 1566
267 LysGlnGlnLysTyTLeuLeuPheHisSerLeuPheAsnPro 283
1567 CCGAAGAAAGATGCGAGTGGCTCAGATGATGACGGGTGACACCCCAT 1616
283 tLeuAsnProLeuIleCysSerLeuArgAsnSerGlnValAlLysAsnThrL 300
1617 GCTGAACCCCTTCATGATACAGCTGAGAAACAGGATATGAAAGTCTCC 1666
300 euLysArgValLeuGly 305
1667 TCGCGGCGCCGACGCGC 1683

```

seq_name: /cgn2_6/prodata/2/lna/3h_COMB.seq:US-08-465-980-1

seq_documentation_block:

Sequence 1, Application US/08465980

Patent No. 5756309

GENERAL INFORMATION:

APPLICANT: Soppet, Daniel R.

APPLICANT: Li, Yi

APPLICANT: Rosen, Craig A.

APPLICANT: Ruden, Steven M.

TITLE OF INVENTION: HUMAN G-PROTEIN RECEPTOR HPR470

NUMBER OF SEQUENCES: 8

CORRESPONDENCE ADDRESS:

ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN, CECCHI,

STREET: 6 Becker Farm Road

CITY: Roseland

STATE: New Jersey

COUNTRY: USA

ZIP: 07068

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

```

COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/465,980
FILING DATE: 06-JUN-1995
CLASSIFICATION: 536
ATTORNEY/AGENT INFORMATION:
NAME: Ferrari, Gregory D.
REGISTRATION NUMBER: 36,134
REFERENCE/DOCKET NUMBER: 325800-446
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744
INFORMATION FOR SEQ. ID NO. 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 1474 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
FEATURE:
NAME/KEY: CDS
LOCATION: 274..1233
US-08-465-980-1

alignment_scores:
Quality: 369.00 Length: 320
Ratio: 1.883 Gaps: 8
Percent Similarity: 61.250 Percent Identity: 30.625

alignment_block:
US-09-898-586-24 x US-08-465-980-1 ..

Align seg 1/1 to: US-08-465-980-1 from: 1 to: 1474

4 AsnIleThrSerIleThrGluPheLeuLeuGlyPhePro..... 17
266 AACTGCACACATGCGCACC...TGTGTCTTATGTGTATCCACAGATTAGA 332
18 .....ValGlyProArgIleGlnMetLeuLeuPheCyl 29
333 GAAGCCCATTTCTGGGTGGC.....TTCCCCC 361
29 euPheSerLeuPheTyTValPheThrLeuLeuGlyAsnGlyThrIleLeu 45
362 TCTTTTCATG...TATGTAGTGCATATGTGTGSAACATCATCGTGGTC 408
46 GlyLeuIleSerLeuAspSerArgLeuHisAlAlPrometTyTgPhePhe 62
409 TTCATCGTAAAGACGAGGACGAGCTGCACGCTCCGATGACCTCTTCT 458
62 uSerHisLeuAlAlValAlAlAspIleAlAlTyTAlAlCysAsnThrValPro 79
459 CTGCATGCTTGACGATGACATGACGTGGCTTATCCACATCCACATGACGTA 508
79 rGlnMetLeuValAsnLeuLeuHisProAlAlAspProIleSerPheAlAlGly 95
509 AGATCTTGCCCTTCTTCTGTTGATTCGAGAGATATACCATTTGAGGCC 558
96 ArgMetGlnThrPheLeuPheSerThrPheAlAlValThrGlnCysIle 112
559 TGTCTTACCAGANGTCTTATTATTCAGCCCTTCACACCATTTGATTCAC 608
112 uLeuLeuValAlAlMetSerTyTAspLeuTyTValAlAlIleCysHisProL 129
609 CATCTGCTGGCAGAGGCTTGTGACCGTTAGTGGCCATGTGACCCACGAC 658
129 euArgTyTLeuAlAlIleMetThrTTPArgValAlCysIleThrLeuAlAlVal 145
659 TCGCCATGCTGACAGTGTCTCAACATACAGTAACAGCCAGATTGGATC 708

```

Page 12

```

PRIOR APPLICATION DATA: US 08/465,980
APPLICATION NUMBER: 06-JUN-1995
FILING DATE: 06-JUN-1995
ATTORNEY/AGENT INFORMATION:
NAME: Ferraro, Gregory D.
REGISTRATION NUMBER: 36,134
REFERENCE/DOCKET NUMBER: 325800-446
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744
INFORMATION FOR SEQ. ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 1474 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA
FEATURE:
NAME/KEY: CDS
LOCATION: 274..1233
US-09-053-303-1

alignment_scores:
Quality: 369.00 Length: 320
Ratio: 1.885 Gaps: 8
Percent Similarity: 61.250 Percent Identity: 30.625

alignment_block:
US-09-698-586-24 x US-09-053-303-1 ..

Align seg 1/1 to: US-09-053-303-1 from: 1 to: 1474

4 AsnIethrrSerIethThgluPhelLeuLeuLglyPhePro.....17
|||||:||||| ||| :|||:|||||:|||||
286 AACTTCACACATGCGCAC...TGtGTGtTATGTGTATCCAGAGATTAGA 3322
18 .....ValGlyPheProAagIleGlmLeuLeuPheLyl 29
333 GAAAGCCCATTTTCGGTTGGC.....TTCCCC 361
29 euphSerLeuPheThrValAlpheThrLeuLglyAsnGlyThrIleLeu 45
|||||:||||| ||||| :|||:|||||
362 TCCCTTTCATG...TATGTAGTGGCAATGTGTGGAAACTCGATCGTGTGC 408
46 GlyLeuIleSerLeuAspSerArgLeuHisAlaProMetTyrPhePhe 62
|||||:||||| :|||:|||||
409 TTCATCGTGAAGAGCGAAGCAGCCGCTGACGCTCGATGTACCTCTTCT 458
62 userHisLeuAlaValAlaSPIleAlaTyrAlaCysAsnThrValPro 79
| :|||||:||||| :|||:|||||
459 CTGCACTGCTTCGACGCATGTGACCTGGCTTATCCACATCCACATGCTTA 508
79 rgmLeuLeuValAsnLeuLeuHisProAlaLysProIleSerPheAlaGly 95
|||||:||||| :|||:|||||
509 AATATCTTGCCCTTTTCGTGTTGTGATTCCGAGAGATTAGCATTTAGAGCC 558
96 ArgMetMetGlnThrPheLeuPheSerThrPheAlaValThrGlyCysIe 112
|||:||||| :|||:|||||
559 TGCTTACCGAGAGTGTCTTATTATCAGCCCTCTCAGCCCATGTGAATCCAC 608
112 uLeuLeuValAlaMetSerTyrAspLeuTyrValAlaIleCysHisProL 129
|||||:||||| :|||:|||||
609 CAVCTGTGGCGCATGGCTTTCATGACCGTTATGTAGTGGCATTCGACACCCAC 658
129 euArgTyrLeuAlaIleLeuThrTrpArgValGlyCysIleThrLeuAlaVal 145
|||||:||||| :|||:|||||
659 TGGCGCATGCTGCACTGCTCAACATACAGTAAGAACGCCAGATTGGCATC 708
146 ThrSerTrpThrGlyValLeuLeuSerLeuIleHisLeuValLeu 162
|||||:||||| :|||:|||||
709 GTGGGTGTGGTCCGGGATCCCTTTTATTTTCCCATGCTCCCTGTGGTAT 758

```

[illegible]

```

809  TCCACGAGATGTAATGAAGTGGCTGATGCGACACT..... 846
196  AsmMetValLeuAlaGlyAlaIleSerGlyLeuValGlyProLeuSerTh 212
847  .....TTGCCAATGCTGTAATATGCTTACTGCAATTCGCTGCT 887
212  r.....IleValValSerTyrMetCysIleLeu 222
888  CATGGCGGTGACGTAATGTTCTCTCTGCTATTTCTGATATATAC 937
222  ysaIaIleLeuGlnIleGlnSerArgIuValGlnArgIyalaPheCys 238
938  GAACGGTTCTGCAACTGCTTCCAAAGTCAGAGCGGCGCAAGCCTTTGA 987
239  ThCysPheSerHisLeuCysValIleGlyLeuPheTyrGlyThraIaI 255
988  ACCTGTGTGCACACATGTGTGTGACTCGCCTTCTATGTCACCTTAT 1037
255  eIleMetTyrValGlyProArgTyrGlyAsnProIyGlnIuIyIysT 272
1038  TGGCCTCTCAGTTGTACACCGCTTTGGAACACGCTTATCCCATTTGTC 1087
272  yrlleuLeu.....PheHisSerLeuPheAsnProMetLeuAsnPro 286
1088  GTGTGTGATGCGGTGACATCATCGTCGTGCTGCTGCTGCTGATCAATCC 1137
287  leuIleCysSerLeuArgAsnSerGlyValIyAsnThrLeuIyAsnArg 303
1138  ATCATCATGCTGCCAAACCAACAGATGACAGACA.....CGGCT 1178
303  lleuGlyVal 306
1179  GCTGCTATG 1188

seq.name: /cgn2.6/ptodata/2/ina/6A_COMB.seq:US-08-706-281A-17

seq.docmentation_block:
; Sequence 17, Application US/08706281A
; Patent No. 6100048
; GENERAL INFORMATION:
; APPLICANT: Cone, Roger D
; APPLICANT: Fan, Wei
; APPLICANT: Boston, Bruce A
; APPLICANT: Kesterton, Robert A
; APPLICANT: Lu, Dongxi
; APPLICANT: Chen, Wenbiao
; TITLE OF INVENTION: Methods and Reagents for Discovering and
; TITLE OF INVENTION: Using Mammalian Melanocortin Receptor Agonists and Antagonists
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: McDonnell Boehnen Hulbert & Berghoff
; STREET: 300 South Wacker Drive
; CITY: Chicago
; STATE: IL
; COUNTRY: USA
; ZIP: 60606
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/706,281A
; FILING DATE: 04-SEP-1996
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: No. 6100048han, Kevin E
; REGISTRATION NUMBER: 35,303
; REFERENCE/DOCKET NUMBER: 96,886
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-913-0001

```

```

; TELEFAX: 312-913-0002
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 978 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 1..975
; US-08-706-281A-17

alignment_scores:
      quality: 185.50      length: 305
      ratio: 1.124      gaps: 13
Percent Similarity: 54.098      Percent Identity: 24.918

alignment_block:
US-09-898-586-24 x US-08-706-281A-17 ..

Align seg 1/1 to: US-08-706-281A-17 from: 1 to: 978

25  leuLeuPheGlyLeuPheSerLeuPheTyrValPheThrLeuIyAs 41
130  CTACACCTGGCTGTCTGTCAC.....CTTTAGAGA 161
41  nGlyThrIleGlnGlyLeuIleSerLeuAspSerArgIuLeuHisAla 58
162  CATCGTGTATGTGGCCATGTAAGAGAAAGAAAGTCACTGACACCA 211
58  eCtyrPhePheLeuSerHisLeuAlaValAlaAsp.....Ile 70
212  TGTACTCTTGTGGGACAGCTTAGCGGCGGACATGCTGTCGACAGCA 261
71  AlaTyrAlaCysAsnThrValProArgMetLeuValAsnLeuHisPr 87
262  TCCAAATGCTGGAGAGCTGCACCATATACTGTGTAATAATGAACACT 311
87  alaIyAspProIleSerPheAlaGlyArgMetGlnThrPhe.....L 102
312  GGTGATAGCGGACACCTTGTGTGCGACATGACAGACAGATGTCGACTG 361
102  eupHeserThrPheAlaValThrGlyCysLeuLeuValValMetSer 118
362  TGTATGCACTCTGTGTGGCTGCGATGTCAGTGTGCTGGCCATTTGG 411
119  TyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaIle 135
412  GTGGATAGGTATCATACCATCTTCTATGCCCTGACACACCATCTCAT 461
135  eThrTrpArgValCysIleThrIleAlaValIleSerTrpThrGlyIy 152
462  GACCGGAGCGGCTGGGGGTGATCATGCCCTGATTTGACCTCTGCA 511
152  alLeuSerLeuIleHisLeuVal..... 160
512  TAAGTCGGGCAATGTTTCATCATCTAGTATGATGTCAGATGATGATG 561
161  .....LeuLeuLeuProLeuProPheCysArgProIleIy 172
562  ATTGCTCATCTCCATGCTCTTACCATGCTGTCTTACGTGTGTCTCT 611
172  sIleTyrHisPhePheCysGlyIleLeuAla.....ValLeuIyL 186
612  GTATATACACATGTC.....CTCTGGCGCGGGAACCATGTCACGGA 655
186  euAlaIyAsnIAspThrHis.....IleAsnGlyAsnMetValLeuAla 200
656  TACACCTTCCCGCAGATCAACACTCCGTGAAGCAAGACACACATGAG 705

```

```

201 GVALVILLESGLVLEVALVILGYRGLPGLSEGRHIIIVLVALVASERT 217
    |||||::: ||::: ||::: ||::: ||::: ||::: ||::: ||:::
706 GGGGGCTTTTACC...CTCCACCTGCTACTGGGGATTTTCATGTCCTGT 752
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
217 rmet..CysIleuGysAlaIleuGlnIleGlnIserArgGluValG 233
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
753 GTCTCCCTTTCTTCTACCTTATCTTATGATC.....TCCGGCC 793
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
233 IlnArgLalaPheCysThrCysPheSerHisLeuGysValIleGlyLeu 249
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
794 CTCCGAACGCTACCTGCTCTGCTTATG... 822
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
250 PheArgCylrThrAlaIleIleMetArgValGlyProArgArgLeuAsp 266
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
823 .....TCTTACTTCAAC... 834
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
266 OlySGluGlnLysLysTyrLeuLeuPheHisSerLeuPheAsnProM 283
    |||||::: ||::: ||::: ||::: ||::: ||::: ||::: ||:::
835 .....ATGTACTTATCTACTATC.....ATGGCAACCTCG 865
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
283 etIleuAsnProLeuIleCysSerLeuArgAsnSerGlnValLysAsnThr 299
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
866 TGAATCACTCTCTCATCTACGCCCTCCGACGCAAGAGATCGGAGGCC 915
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
300 LeuLysArgValLeu 304
    ::::: ||||| ||||| ||||| ||||| ||||| ||||| |||||
216 TTTTAAAGAGATTCGT 930

```

11-11-11

1

2

3




```

84 euleuHISProAlaIySProlIeSerPheAlaGlyArgMetMetInthr 100
|||||
680 TCCTGCTTCAGCCAGCCCAACCCCATCTCTTGTGTCGAGCAGCA 631
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValValMe 117
|||||
630 TTCTCTGTTTGAAGTTTGGACACAGCAATGCTCTCTCTGCTGCTGAT 581
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuAlaGlyrLeuAlaI 134
|||||
580 GTCTGACGATCGTTACGTGGCATTGCGCACCCCTCCGATACCTCGCTCA 531
134 leMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThrTr 150
|||||
530 TCATGACCTGGAGAGTCTGCATCACCCTGGCCCTGCTCAGACGTGT 481
151 G1yAlaIleuSerLeuIleHisLeuValIleuLeuLeuProLeuProh 167
|||||
480 GGTCTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 431
167 eCysArgProGlnIleLysIleTyrHisPhePheCysGluIleLeuAlaVal 184
|||||
430 CTCTGCGCCCTCATGAATCAACCATCTTCTGTGTAATCTGCTGCTGCC 381
184 eulysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValIleuAla 200
|||||
380 TCAGAGCTGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 331
201 G1yAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTyr 217
|||||
330 GCGTGGCTGTTCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 281
217 rMeCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
|||||
280 CTCCGACATCTCTGCGGCCATCTCTGAGATCGATCTGAGGAGGCGCGCA 231
234 rGlyAlaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
230 GAAAGGCTTCTCTCCACCTCTCTCCCTGCTGCTGCTGCTGCTGCTGCT 181
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProly 267
|||||
180 TTGGCAGTGCATCATCATGTATGAGGCCCAAGTCCCGCATCTCTA 131
267 sGluGlnLysTyrLeuLeuLeuPheHisSerLeuPheAsnProMetL 284
|||||
130 GGAGCAGCAAAAGGCTTTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 81
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
|||||
80 TTAAACCCCTGATTTTACAGCCTGAGAGAGAGATCAAGGTGCTGCTG 31
301 LysArgValLeuGlyValGlu 307
|||||
30 AGGAGAGCAGCTGGGCAAGAA 10

```

```

XX 09-AUG-2001.
PD
XX 30-JAN-2001; 2001WO-US00670.
PF
XX 04-FEB-2000; 2000US-0180312.
PR 26-MAY-2000; 2000US-0207456.
PR 30-JUN-2000; 2000US-0608408.
PR 03-AUG-2000; 2000US-0632386.
PR 21-SEP-2000; 2000US-0234687.
PR 27-SEP-2000; 2000US-0236359.
PR 04-OCT-2000; 2000GB-0024263.
XX
XX (MOLE-) MOLECULAR DYNAMICS INC.
PA
PI Penn SG, Hanzel DK, Chen W, Rank DR.
XX WPI; 2001-488901/53.
XX
XX Human genome-derived single exon nucleic acid probes useful for
PT analyzing gene expression in human cervical epithelial cells -
XX
XX Claim 25; SEQ ID No 13118; 487pp; English.
XX
XX The present invention relates to human single exon nucleic acid probes
CC (SENP). The present sequence is one such probe. The SENPs are derived
CC from human HeLa cells. The SENPs can be used to produce a single exon
CC microarray, which can be used for measuring human gene expression in a
CC sample derived from human cervical epithelial cells. By measuring gene
CC expression, the probes are therefore useful in grading and/or staging
CC of diseases of the cervix, notably cervical cancer.
CC Note: The sequence data for this patent did not form part of the printed
CC specification, but was obtained in electronic format directly from WIPO
CC at ftp.wipo.int/pub/published_pct_sequences.
XX
XX Sequence 933 BP; 243 A; 220 C; 303 G; 167 T; 0 other:
SQ

```

```

alignment_scores:
    Quality: 1126.00      Length: 307
    Ratio: 4.155          Gaps: 0
    Percent Similarity: 88.274    Percent Identity: 71.336

```

alignment_block:

US-09-898-586-24 x AA123185/rev ..

Align seg 1/1 to reverse of: AA123185 from: 1 to: 933

```

1 MetG1yAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
|||||
930 ATGCGGGAATAATCAGCATGTGTACAGAGTTCCTCCATCGGATTTCT 881
17 oValGlyProAlaGlyIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheT 34
|||||
880 CTTGGGCCCAAGATTTCAGATCTCTCTCTTGGGCTCTTCTCCCTGCTCT 831
34 yrValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
830 ATATCTTACCCCTGCTGGGGAACGGGCCATCTCTGGGCTCATCTCACTG 781
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
|||||
780 GACTCCAGACTCCACACCCCATGTAATCTTCTCTCTACACCTGCTGT 731
67 lValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsnL 84
|||||
730 CGTGACATCGCTTACACCCGCAACAGGCTGCCCATGATGCTGGCAACC 681
84 euleuHISProAlaIySProlIeSerPheAlaGlyArgMetMetInthr 100
|||||
680 TCCTGCTTCAGCCAGCCCAACCCCATCTCTTGTGTCGAGCAGCA 631
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValValMe 117

```

```

|||||
780 GACTCCAGACTCCACACCCCATGACTCTCTCTCTCCACACCTGGCTGT 731
67 lvalaspilalaatyracysasnthrvalproargmetleuvalasnL 84
|||||
730 CATTGACATCCGCTACACCCGCAACAGGTGCCAGATCTCTGGCAACC 681
84 euleuHISproalalysproileserphealagIargmetmetGlnthr 100
|||||
680 TCCTGATCCACCAAGCCCATCTCTTGTGCTGCTGATGAGCAGCAGACC 631
101 pheleupheserthrphalavalthrglucysteuleuleuvalvalne 117
|||||
630 TTTCTCTGTTTGAATTTGACACAGCAAGTCTCTCTGCTGCTGCTGAT 581
117 tsertryaspheleuYrvalalaliecysHISproleuargtryleuAlaI 134
580 GTCTTACGATCGTTACGTGGCCATCTGCCACCTCTCCGATCTCCGTCA 531
134 lemerthrtryargvalcysilthrleuAlaValThrsertrythr 150
530 TCATGACCTGGAGAGTGTGACATCACTGGCCCTCACTCTCTGGACGTGT 481
151 glYvalleuleuserleuHISleuValleuleuleuProleuproph 167
480 GGTCTCTCTGCTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 431
167 eCysArgProgluInlyIetyrHISpheheCysgluIleleuAlaVal 184
430 CTCTGGCTCATGAAATCAACCCATCTCTCTGAAATCTCTGCTGCTCC 381
184 eulysleuAlaCysAlaAspThrHISleasnGluAsnmetValleuAla 200
380 TCAGGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 331
201 glYAlaIleaserGlyleuValglYproleuserthrIlevalvalserY 217
330 GCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 281
217 rMetCysIleleuCysAlaIleleuGlnIleGlnSerArgIuValGlnA 234
280 CTTCGACATCCCTGGGCCATCTGAGAGTCTGAGGAGGCCGCGCA 231
234 rglYAlaPheCysThrCysPheSerHISleuCysValIleGlyleuPhe 250
230 GAAAGGCTTCTTCACACTGCTCTCTCCACCTCTGCTGGGAGACTCTTC 181
251 TYRGLYThrAlaIleIleMetYrValglYProArgtryGlyAsnProly 267
180 TTTGGCAGTGCATCATGATGATGAGCCCAAGTCCCGCATCTCTGA 131
267 sgluGlnlyIyIythrleuLeuPheHISserleuPheAsnProMetL 284
130 GAGGAGCAAAAGTCTTTTCTATATTTTACAGTTTTTTCACCCCAAC 81
284 eulAsnProleuIleCysSerleuArgAsnserGluValIyAsnThrleu 300
80 TTTACCCCTGATTTACAGCTGAGGAAGGAGAGAGTCAAGGCTGCCCTG 31
301 LYSArgValleuGlyValGlu 307
30 AGGAGAGCACTGGCCAGGAA 10
seq_name: /SIDSI/9cgcdata/hold-geneseq/geneseqn-emb1/MA2001A.DAT:ABA68294
seq_documentation_block:
ID ABA68294 standard; DNA: 933 BP.
XX
AC ABA68294;
XX
XX 01-FEB-2002 (first entry)
XX
XX Human foetal liver single exon nucleic acid probe #16599.

```

```

KW Human: foetal liver: gene expression; single exon nucleic acid probe; ss.
XX
OS Homo sapiens.
XX
PN WO200157277-A2.
XX
XX
PD 09-AUG-2001.
XX
PF 30-JAN-2001; 2001MO-US00669.
XX
PR 04-FEB-2000; 2000US-0180312.
PR 26-MAY-2000; 2000US-0207456.
PR 30-JUN-2000; 2000US-0608408.
PR 03-AUG-2000; 2000US-0632386.
PR 21-SEP-2000; 2000US-0234687.
PR 27-SEP-2000; 2000US-0236359.
PR 04-OCT-2000; 2000GB-0024263.
XX
PA (MOLE-) MOLECULAR DYNAMICS INC.
XX
PI Penn SG, Hanzel DK, Chen W, Rank DR.
XX
DR WPI: 2001-483447/52.
XX
PT Human genome-derived single exon nucleic acid probes useful for
PT analyzing gene expression in human fetal liver.
XX
PS Claim 4; SEQ ID NO 16599; 639pp + sequence listing; English.
XX
CC The invention relates to a single exon nucleic acid probe for
CC measuring human gene expression in a sample derived from human foetal
CC liver. The single exon nucleic acid probes may be used for predicting,
CC measuring and displaying gene expression in samples derived from human
CC fetal liver. The present sequence is a single exon nucleic acid
CC probe of the invention.
CC Note: The sequence data for this patent did not form part of the
CC printed specification, but was obtained in electronic format directly
CC from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ Sequence 933 BP; 243 A; 220 C; 303 G; 167 T; 0 other:
XX
alignment_scores:
Quality: 1126.00 Length: 307
Ratio: 4.155 Gaps: 0
Percent Similarity: 88.274 Percent Identity: 71.336
alignment_block:
US-09-898-586-24 x ABA68294/rev ..
Align seg 1/1 to reverse of: ABA68294 from: 1 to: 933
1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
|||||
930 ATGGGGGAAATACAGCAATGGTTCACAGAGTTCCTCTACCTGGGATTTCT 881
17 ovalGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheR 34
880 CTTGGGCCCAAGATTCAAGATCTCTCTTGGGCTCTCTCCCTGTTCT 831
34 YrAlaPheThrleuLeuGlyAsnGlyThrIleleuGlyIleuIleSerleu 50
|||||
830 ATATCTTCACTGCTGCTGGGAGAGGGGCCATCTGGGGCTCATTTCACTG 781
780 GACTCCAGACTCCACACCCCATGTACTTCTTCTCTCACACCTGGCTGT 731
51 AspSerArgleuHISAlaPheMetYrPhePheleuserHISleuAlaIa 67
|||||
67 lvalaspilalaatyracysasnThrValProArgmetleuvalasnL 84
|||||
730 CATTGACATCCGCTACACCCGCAACAGGTGCCAGATCTCTGGCAACC 681

```

```

|||||
201 CGTGCAGATGCGCTACACCGCAACAGGTCGCCCGCAAGTGGGGAAC 250
84 eulauHISProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr 100
|||||
251 TCGTGCATTCAGCAAGCCATCTCTTGGCTGGCTGCATGACGCAAGACC 300
101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValValMet 117
|||||
301 TTCTCTGTTGATGTTTGGACACAGCAATGCTCTCTGCTGCTGCTGAT 350
117 tSerTyrAspLeuTyrValAlaIleCysHISProLeuArgTyrLeuAlaI 134
|||||
351 GTCTACAGATGTTAGCTGGCAATGCGCACCTCTCCGATCTCGCTCA 400
134 leMetThrTPArgValCysIleThrLeuAlaValThrSerThrPheThr 150
|||||
401 TCAATGACCTGGAGTCTGATCAACCTGGCTCCTCACTTCTGGACGTGT 450
151 GlyValLeuLeuSerLeuIleHISLeuValLeuLeuLeuProLeuPro 167
|||||
451 GGCTCCCTCTGGCTGGCCATGAGTGTCTCATCTCAAGACTGGCCCT 500
167 eCyArgProGlnLysIleTyrHISPhePheCysGlnIleLeuAlaVal 184
|||||
501 CTCTGGGCTCATGAAATCAACCACTTCTCTGTGAATCTGTCTGTCTC 550
184 eulysLeuAlaCysAlaAspThrHISLeuAsnGlnAsnMetValLeuAla 200
|||||
551 TCAGGCTCGCTGTGCTGACACCTGCTCAACAGCTGCTCATCTTTGCA 600
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTyr 217
|||||
601 GCTGGCGGTCTCTCCGTGGGGCCACCGAGCTGGTGGTGTCTCCGA 650
217 tMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
|||||
651 CTGCACATCTCTGGGCGCATCTCCAGAGATCCAGTCTGGAGGCGCGA 700
234 tGlyValAlaPheCysThrCysPheSerHISLeuValIleGlyLeuPhe 250
|||||
701 GAAAGGCTTCTCCACTGCTCCACCTGCTGGTGGGAGACGCTTTC 750
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnPro 267
|||||
751 TTGGCAGTGCATCATCATGATGATGCCCCCAAGTCCCGCATCTGTA 800
267 sGluGlnLysLysTyrLeuLeuLeuPheHISerLeuPheAsnProMet 284
|||||
801 GGAGCAGCAAAAGCTCTTTTATTTTACAGTTTTCACCCCAACAC 850
284 euaAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnProLeu 300
|||||
851 TTACCCCTTATTTACAGCTTGAGACGAGACGAGAGGTCAAGGTCCTG 900
301 LysArgValLeuGlyValGln 307
|||||
901 AGGAGAGCAGCTGGGCAAGGAA 921
seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:ABA50343
seq_documentation_block:
ID ABA50343 standard; DNA; 933 BP.
XX
XX ABA50343:
XX AC
XX DT
XX 01-FEB-2002 (first entry)
XX
XX Human breast cell single exon nucleic acid probe #9038.
XX
XX Human: microarray: single exon probe; gene expression: breast;
KW disease: cancer; ss.
XX

```

```

OS Homo sapiens.
XX
XX WO200157271-A2.
XX
XX 09-AUG-2001.
XX
XX 30-JAN-2001; 2001WO-US00662.
XX
XX 04-FEB-2000; 2000US-0180312.
XX
XX 26-MAY-2000; 2000US-0207456.
XX
XX 30-JUN-2000; 2000US-0608408.
XX
XX 03-AUG-2000; 2000US-0632366.
XX
XX 21-SEP-2000; 2000US-0234687.
XX
XX 27-SEP-2000; 2000US-0236359.
XX
XX 04-OCT-2000; 2000GB-0024263.
XX
XX (MOLE-) MOLECULAR DYNAMICS INC.
XX
XX Penn SG, Hanzel DK, Chen W, Rank DR;
XX
XX WPI; 2001-496933/54.
XX
XX New spatially-addressable set of single exon nucleic acid probes,
XX useful for measuring gene expression in sample derived from human
XX breast, comprises number of single exon nucleic acid probes -
XX
XX Claim 4; SEQ ID NO 9038; 327bp + sequence listing; English.
XX
XX The invention relates to a spatially-addressable set of single exon
XX nucleic acid probes for measuring gene expression in a sample derived
XX from human breast and BT 474 cells. The method involves contacting
XX the probes with a collection of detectably labelled nucleic acids
XX derived from mRNA of human breast, and then measuring the label
XX bound to each probe of the microarray. The probes are useful for
XX verifying the expression of regions of genomic DNA predicted to
XX encode proteins. They are useful for gene discovery, and for
XX determining predisposition and/or prognosing breast disease. Gene
XX expression analysis is useful for assessing the toxicity of chemical
XX agents on cells. The microarray of this invention presents a far greater
XX diversity of probes for measuring gene expression, with far less bias
XX than expressed sequence tag microarrays. The method is suitable for
XX rapid production of functional information from genomic sequence. The
XX present production is a single exon nucleic acid probe of the invention.
XX Note: The sequence data for this patent did not form part of the
XX printed specification, but was obtained in electronic format directly
XX from WIPO at ftc.wipo.int/pub/published_pcl_sequences.
XX
XX Sequence 933 BP; 243 A; 220 C; 303 G; 167 T; 0 other;
XX
XX alignment_scores:
XX Quality: 1126.00 Length: 307
XX Ratio: 4.155 Gaps: 0
XX Percent Similarity: 88.274 Percent Identity: 71.336
XX
XX alignment_block:
XX US-09-898-586-24 x ABA50343/rev ..
XX
XX Align seg 1/1 to reverse of: ABA50343 from: 1 to: 933
XX
XX 1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
XX |||||
XX 930 ATGGGGGAAATCAGACAAATGCTGCACAGAGTCTCTCTCACTGGAATTCT 881
XX
XX 17 oValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheT 34
XX ::|||
XX 880 CTGGGGCCCAAGGATTCAGATGCTCTCTTGGGCTCTTCTCCCTGTTCT 831
XX
XX 34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
XX |||||
XX 830 ATATCTTCAACCCTGCTGGGAAAGGCGGCATCTCTGGGCTCATCTCAATG 781
XX
XX 51 AspSerArgLeuHISAlaProMetTyrPhePheLeuSerHISLeuAlaVal 67
XX

```

seq_id: 1485
seq_name: /STDS1/yugdata/hold-geneseq/geneseg-emb1/NA2001A.DAT:AAH32363
seq_documentation_block:
ID AAH32363 standard; DNA; 930 BP.
AC AAH32363;
XX
XX 30-JUL-2001 (first entry)
XX
XX Human olfactory receptor polynucleotide, SEQ ID NO: 936.

```

134 leMetThrTrrpArgValCysIleThrLeuAlaValHisSerThrThr 150
|||||
885 TCATGACCTGGAAAGTCTGCATCAGTGGCCATCTTCCGACATGT 934
151 gLyValLeuSerLeuIleHisLeuValLeuLeuProLeuProph 167
||| |||||
935 GGCCTCCTCTGGCTATGATGCATGAGGCTCATCTTAAGATGCGCTT 984
167 eCysArgProGlnLysIleThrHisPhePheCysGlnIleLeuAlaVal 184
|||||
985 TTTGGGGCTTCGTGAAATCAACACTTCTTGTGAATCCGTGTCTCC 1034
184 eulysLeuAlaCysAlaAspThrHisIleasnGlnIleAsnMetValLeuAla 200
|||||
1035 TCAGGCTGGCTGTGCTGATACCTGGCTCAACAGGTGATCATCTTTGCA 1084
201 gLyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTy 217
|||||
1085 GCGTCGATGTTCATCTGTGGTGGACCACTCTGCTGTCTGTCTCTTA 1134
217 MeCysIleLeuCysAlaIleLeuGlnIleGlnSerArgIleValGlnA 234
|||||
1135 CTCACACATCTCTGGCGCCATCTCGAGATCCAGCTCGGAGGCGCCGA 1184
234 rGlyAlaIlePheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
|||||
1185 GAAAGGCTTCTCCACTCTCTCCCTCCCTCTCTCTCTCTCTCTCTCT 1234
251 TyGIlyThrAlaIleIleMetTyValGlyProArgTyGlyAsnProly 267
|||||
1235 TTTGGACGCGCGATCGTGCATGATAGGCCCTTAAGTCCCGCATCTGA 1284
267 sGlnGlnLysIleTyThrLeuLeuPheHisSerLeuPheAsnProMetL 284
|||||
1285 GGACACGACAGAGGCTCTTTTCTATTTCATCTTCTTTCACCCGATGC 1334
284 euAsnProLeuIleCysSerLeuArgAsnSerGlnValLysAsnThrLeu 300
|||||
1335 TAAACCCCTCGATTTCACACCTGAGGATGTAGAGGTCAAGGCTGCCCTG 1384
301 LysArgValLeu 304
1385 AGGAGGACACTG 1396

seq_name: /STDS1/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT.AAS08654
seq_documentation_block:
ID AAS08654 standard; cDNA: 2735 BP.
XX
AAS08654;
XX
DT 17-DEC-2001 (first entry)
XX
DE Human cDNA encoding partial GPCR-like protein, GPCR #9.
XX
KW Human: G-protein coupled receptor like protein; GPCR; immunogen;
KW ophthalmic disease; neurological disease; Alzheimer's disease;
KW Parkinson's disease; neurological disorder; HIV; candidiasis;
KW human immunodeficiency virus; autoimmune disorder; multiple sclerosis;
KW systemic lupus erythematosus; rheumatoid arthritis; platelet disorder;
KW thrombocytopaenia; aplastic anaemia; inflammatory disorder;
KW septic shock; systemic inflammatory response syndrome; SIRS;
KW hormonal dysfunction; cancer; atherosclerosis; wound;
KW tissue regeneration; haemophilia; leukaemia; reperfusion injury;
KW psoriasis; diabetes; ss.
XX
OS Homo sapiens.
XX
XX key Location/Qualifiers
FH 1206..2267
FT CDS
FT /tag="a" "GPCR #9"
FT /product="GPCR #9"

```

```

FT /partial
FT note="No start codon"
XX
XX WO200153454-A2.
XX
XX 26-JUL-2001.
XX
XX 22-DEC-2000; 2000MO-US34983.
XX
XX 21-JAN-2000; 2000US-0488725.
XX
XX 25-APR-2000; 2000US-0552317.
XX
XX 20-JUN-2000; 2000US-0598042.
XX
XX 19-JUL-2000; 2000US-0620312.
XX
XX 31-AUG-2000; 2000US-0653450.
XX
XX 04-DEC-2000; 2000US-0729739.
XX
XX (HYSE-) HYSEQ INC.
XX
XX Yamazaki V, Tang YT, Liu C, Zhou P, Wang D, Zhang J, Ren F;
XX Asundi V, Dmanac RT;
XX WPI; 2001-442255/47.
XX P-PSDB; AAU04580.
XX
XX New G-protein-coupled receptor-like polypeptides and polynucleotides,
XX useful for treating diseases of ophthalmic, neurological, immunological
XX and nephritic systems and hormonal dysfunction, cancer, atherosclerosis
XX and diabetes -
XX
XX Claim 1; Page 212-214; 259pp; English.
XX
XX The sequence encodes a human G-protein coupled receptor (GPCR)-like
XX protein. The GPCR-like polypeptides and polynucleotides are useful for
XX the treatment of diseases of ophthalmic, neurological (e.g Alzheimer's
XX disease and Parkinson's disease, immunological (e.g HIV infection and
XX candidiasis), autoimmune disorders (e.g multiple sclerosis, systemic
XX lupus erythematosus and rheumatoid arthritis), platelet disorders (e.g
XX thrombocytopaenia and aplastic anaemia), inflammatory disorders (e.g
XX septic shock and systemic inflammatory response syndrome, SIRS) and
XX nephritic systems. They may also be used to treat hormonal dysfunction,
XX cancer, atherosclerosis, wounds, tissue regeneration, haemophilia,
XX leukaemia, reperfusion injury, psoriasis and diabetes. Numerous examples
XX of each type of disorder are given in the specification. Anti-GPCR-like
XX protein antibodies are useful for detecting or quantitating the
XX polypeptide in tissue. The polypeptides can also be used as molecular
XX weight markers and as a food supplement.
XX
XX Sequence 2735 BP; 695 A; 671 C; 520 G; 849 T; 0 other;
XX
XX alignment_scores:
XX Quality: 1138.00 Length: 304
XX Ratio: 4.245 Gaps: 0
XX Percent Similarity: 88.158 Percent Identity: 72.039
XX
XX alignment_block:
XX US-09-898-586-24 x AAS08654 ..
XX
XX Align seg 1/1 to: AAS08654 from: 1 to: 2735
XX
XX 1 MeGlyAspAsnIlePheSerIleThrGlnPheLeuLeuGlyPhePr 17
XX ||| ||| |||
XX 1335 ATGTGTAATAATCAACAAATGGTCACAGAGTCTCTCTACTGAGGCAATTCT 1384
XX :
XX 17 oValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
XX :
XX 1385 CCTGGGCCCAAGGATTCAGATGCTCTCTTGGCTCTCTCTCTCTCTCTCT 1434
XX
XX 34 yrValIlePheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
XX |||||
XX 1435 ATGTCTTCACTCCCTGTGGGAAATGGACCAATCTCTGGGCTCATCTCACTG 1484
XX
XX 51 AspSerArgLeuHisAlaProMetTyrrPhePheLeuSerHisLeuAlaVal 67

```


|||||
 85 GCTCAATCCCTATCTGTAGTTCAGAACTCAGAGCAACTACTT 36
 300 eulysarValLeuGlyValGluArgAlaLeu 310
 35 TGAAGAGAGTGTCTGGAGTAGAAGAGGCTTTA 4

seq_name: /stddsl/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AA508660

seq_documentation_block:

ID AA508660 standard: cDNA: 2282 BP.

AA508660:

17-DEC-2001 (first entry)

Human cDNA encoding G-protein coupled receptor like protein, GPCR #13.

Human; G-protein coupled receptor like protein; GPCR; immunogen;
 ophthalmic disease; neurological disease; Alzheimer's disease;
 Parkinson's disease; immunological disorder; HIV; candidiasis;
 human immunodeficiency virus; autoimmune disorder; multiple sclerosis;
 systemic lupus erythematosus; rheumatoid arthritis; platelet disorder;
 thrombocytopenia; aplastic anaemia; inflammatory disorder;
 septic shock; systemic inflammatory response syndrome; SIRS;
 hormonal dysfunction; cancer; atherosclerosis; wound;
 tissue regeneration; haemophilia; leukaemia; reperfusion injury;
 psoriasis; diabetes; ss.

Homo sapiens.

Key Location/Qualifiers
 CDS 1257..2189
 /tag= a
 /product= "GPCR #13"

WO200153454-A2.

26-JUL-2001.

22-DEC-2000; 2000MO-US34983.

21-JAN-2000; 2000US-0488725.

25-APR-2000; 2000US-0552317.

20-JUN-2000; 2000US-0536042.

19-JUL-2000; 2000US-0620312.

31-AUG-2000; 2000US-0653450.

04-DEC-2000; 2000US-0729739.

(HYSE-) HYSEQ INC.

Yamazaki V, Tang YT, Liu C, Zhou P, Wang D, Zhang J, Ren F;

Asundi V, Dmanac RT;

WPI; 2001-442255/47.

P-PSDB: AA004582.

New G-protein-coupled receptor-like polypeptides and polynucleotides,
 useful for treating diseases of ophthalmic, neurological, immunological
 and nephritic systems and hormonal dysfunction, cancer, atherosclerosis
 and diabetes -

Claim 1: Page 256-258; 259pp; English.

The sequence encodes a human G-protein coupled receptor (GPCR)-like
 protein. The GPCR-like polypeptides and polynucleotides are useful for
 the treatment of diseases of ophthalmic, neurological (e.g. Alzheimer's
 disease and Parkinson's disease, immunological (e.g. HIV infection and
 candidiasis), autoimmune disorders (e.g. multiple sclerosis, systemic
 lupus erythematosus and rheumatoid arthritis), platelet disorders (e.g.
 thrombocytopenia and aplastic anaemia), inflammatory disorders (e.g.
 septic shock and systemic inflammatory response syndrome, SIRS) and
 nephritic systems. They may also be used to treat hormonal dysfunction,

CC cancer, atherosclerosis, wounds, tissue regeneration, haemophilia,
 CC leukemias, reperfusion injury, psoriasis and diabetes. Numerous examples
 CC of each type of disorder are given in the specification. Anti-GPCR-like
 CC protein antibodies are useful for detecting or quantitating the
 CC polypeptide in tissue. The polypeptides can also be used as molecular
 CC weight markers and as a food supplement.

Sequence 2282 BP; 583 A; 573 C; 428 G; 698 T; 0 other;

alignment_scores:

Quality: 1147.00 Length: 304
 Ratio: 4.264 Gaps: 0
 Percent Similarity: 88.487 Percent Identity: 72.368

alignment_block:

US-09-898-586-24 x AA508660 ..

Align seg 1/1 to: AA508660 from: 1 to: 2282

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
 1257 ATGGTGAAAAATACAGAAATGTCACAGAGTTCCTCCTACGGGATTTC 1306
 17 oValGlyProArgIleGluMetLeuPheGlyLeuPheSerLeuPhe 34
 1307 CCGGGCCCAAGAGATTCAAGATGCTCTTGGGCTCTTCCCTGTTCT 1356
 34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
 1357 ATGCTTTCACCTGCTGGGGAATGGACATCTGGGGCTCATCTCATCTG 1406
 51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
 1407 GACTCCAGACTCCACACCCCATGTTACTTCTCTTCACACTGGGCGCT 1456
 67 lValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
 1457 GGTCAACATCGCCCTATGGCTGCACACAGTCCCAACATGCTGTGAACC 1506
 84 euleuHisProAlaLysProIleSerPheAlaGlyMetMetGlnThr 100
 1507 TCCTGATTCACACCAAGCCATCTCTTGGCTGCTGATCAGACAGACC 1556
 101 PheLeuPheSerThrPheAlaValThrGlyCysLeuLeuValAlaMe 117
 1557 TTTCCTTTTGAATTCACATGATGATGATGATGATGATGATGATGAT 1606
 117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
 1607 GTCTTCAGATCGGTAGTGGCCATCTGCCACCTCGATATTTATCA 1656
 134 leMetThrTrpArgValCysIleThrIleAlaValThrSerTrpThr 150
 1657 TCATGACTGGAAAGTCTGCATCACTCTGGCCATCACTCTGGACATGT 1706
 151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuProLeuProP 167
 1707 GGCTTCCTCGTGGTATGTCATGTAGTGGCTCATCTCAAGACGCCCTT 1756
 167 eCysArgProGlnLysIleTyrHisPhePheCysGlnIleLeuAlaVal 184
 1757 TTGTGGGCTCGTGAATCAACCACTTCTGTGAATCTGTCTGTCTCC 1806
 184 eulysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
 1807 TCAGCTGTCGCTGCTGCTGATCTGCTGCTGCTGCTGCTGCTGCTGCT 1856
 201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSer 217
 1857 GCTTGATTTTCATCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1906
 217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234

KW antifungal; vulnerary; antilicer; ss.

OS Homo sapiens.

FN W0200157188-A2.

PD 09-AUG-2001.

XX 05-FEB-2001; 2001WO-US03800.

XX 03-FEB-2000; 2000US-0496914.

PR 27-APR-2000; 2000US-0560875.

XX (HXS-E) HYSFO INC.

PI Tang YT, Liu C, Drmanac RT;

XX WPI; 2001-457740/49.

XX P-PSDB; ABB11829.

Human proteins and DNA encoding sequences useful for preventing, treating or ameliorating a medical condition in a mammalian subject e.g. arthritis and cancer -

XX Claim 1; Page 753; 1963pp; English.

CC Sequences ABB10981-ABB12330 represent 1350 novel human polypeptides, and CC sequences ABA08225-ABA09574 represent nucleic acids encoding them. The CC invention also relates to vectors and recombinant host cells comprising a nucleotide of the invention, methods of producing the novel polypeptides, antibodies against the polypeptides, methods of detecting the nucleotides, or polypeptides in a sample, and methods of identifying compounds which bind to polypeptides of the invention. Although novel, many of the CC polypeptides of the invention have homology to known proteins, thereby giving an insight into their probable biological activities, and hence potential therapeutic applications. The polypeptides of the invention may CC have various activities, including cytokine, cell proliferation or cell CC differentiation activities; stem cell growth factor activity; CC haematopoietic regulatory activity; tissue growth factor activity; CC immunomodulatory activity; activin- or inhibin-related activities; CC chemokine or chemokine-like activities; haemostatic, thrombotic or CC thrombolytic activities; receptor or ligand activities; or may be CC involved in oncogenesis, cancer cell proliferation or metastasis. CC Depending on their biological activities, polypeptides and nucleotides of the invention are useful for preventing, treating or ameliorating medical conditions, e.g., by protein or gene therapy. Such conditions include CC cancers, haematopoietic disorders (e.g., myeloid or lymphoid cell disorders), chronic inflammatory conditions (e.g., asthma or arthritis), CC proliferative retinopathy, atherosclerosis, coronary heart disease, CC arterial ischaemia, bone disorders (e.g., osteoporosis), and abnormal CC vascular growth. Polypeptides involved with tissue regeneration and CC repair (or nucleic acids encoding them) may be used to promote wound CC healing (e.g., of burns, incisions and ulcers), while those with CC immunomodulatory activities may be used in the treatment of viral, CC bacterial and fungal infections in addition to immune disorders. CC Polypeptides with growth factor activity may be used in cell cultures to CC promote cell growth. For example, such polypeptides may be used to CC manipulate stem cells in culture to give rise to neuroepithelial cells that can be used to augment or replace cells damaged by illness, CC autoimmune disease or accidental damage. The polypeptides and nucleotides CC may also be used in the diagnosis of the above conditions, and in drug CC screening techniques. The present sequence represents a cDNA encoding a novel human polypeptide of the invention.

XX Sequence 1315 BP; 380 A; 281 C; 360 G; 294 T; 0 other:

alignment_scores:

Quality:	1583.00	Length:	312
Ratio:	3.106	Gaps:	2
Percent Similarity:	99.359	Percent Identity:	99.359

alignment_block:

US-09-898-586-24 x ABA09073/rev ..

Align seg 1/1 to reverse of: ABA09073 from: 1 to: 1315

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPheThr 17
|||||
935 ATGGGAGACATATATACATCCATCCACAGAGTTCCTCTCTACGTGGATTCCG 886
17 OValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheThr 34
|||||
885 CGTTGGCCCAAGCATATGATGCTCCCTTGGGCTCTCTCTCTCTCTCTCTCT 836
34 YrValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
|||||
835 ACGTCTTACCCCTCTCTGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 786
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
|||||
785 GACTCCAGACTGACGCCGCCATGCTCTCTCTCTCTCTCTCTCTCTCTCTCT 736
67 AlValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 83
|||||
735 TGTCTGACATGCTCTACGCTGCAACAGGAGGAGGAGGAGGAGGAGGAGGAG 686
84 LeuLeuHisProAlaLysProIleSerPheAlaGlyArgMetLeuIleHis 100
|||||
685 CTCCTGACATCCAGCCAGCCCATCTCTTGGCGGCGGAGATGATGAGACAG 636
100 PheLeuPheSerThrPheAlaValThrGlyLeuLeuLeuValValM 117
|||||
635 CTTCCTGTTTCCCTTTGCTGTCACAGATGCTCTCTCTCTCTCTCTCTCT 586
117 eTserTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAl 133
|||||
585 TGTCTTATGATCTATGAGTGGGATCTGACCCCTCTGCAATTTTGGG 536
133 AlIleMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
|||||
535 CATCATGACCTGAGAGTGTGCATCCATCCCTGCGGTACTTCTCGAGACA 486
150 HngIValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuPro 166
|||||
485 CTGAGAGTCTTTTATCTTATCTTATCTTATCTTATCTTATCTTATCTTAT 436
167 PheCysArgProGlnLysIleTyrHisPhePheCysGluIleLeuAlaVal 183
|||||
435 TTCTGTAGCCCGAGAAATTTATCTTCTTTTGTGAAATCTTGGCTGT 386
183 IleuLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAl 200
|||||
385 TCTCAATCTGCTGTCGATACCCATCATGAGAACATGATGCTTGG 336
200 IagIValIleSerGlyLeuValGlyProLeuSerThrIleValAlaIser 216
|||||
335 CCGAGACATTTCTGGGCTGTGGAGCCCTTGTCCACAAATTTAGATTTC 286
217 TyrMetCysIleLeuCysAlaIleLeuGlnIleGlnSerTrpGlnValAla 233
|||||
285 TATATGTCATCTCTGTCATCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 236
233 nArgLysAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuP 250
|||||
235 GAGGAACCTTCTGACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 186
250 HeTyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnPro 266
|||||
185 TTTATGGCAGAGCCATTTATCATGTATGTGGAGCCAGATATGGGAACCC 136
267 LysGlnGlnLysTyrLeuLeuLeuPheHisSerLeuPheAsnProPhe 283
|||||
135 AAGGAGCAGAAATATCTCTCTGCTGTTCACAGCCCTTTTATATCCAT 86
283 tLeuAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrL 300

PR 24-JUL-2000: 2000US-0220253.
PR 25-JUL-2000: 2000US-0220590.

XX (CURA-) CUBAGEN CORP.

XX Padigar M, Prayaga SK, Taupler RJ, Mishra V, Tchernev VT;

PI Spletter KA, Li L;

XX WPI: 2001-451859/48.

DR P-PSDB: AAN05132.

PT New NOVX polypeptides and polynucleotides, useful for treating or
PT preventing disorders of the neuro-olfactory system, cancer and multiple
PT sclerosis -

PS Claim 9: Page 15; 141pp: English.

CC The sequence represents the coding sequence of human odorant receptor
CC (OR)-like protein, NOV2. The NOV2 polypeptide, nucleic acid and antibody
CC are useful as therapeutics, particularly in the manufacture of a
CC medicament for treating a syndrome associated with a human disease, which
CC includes a pathology associated with NOV2 polypeptide. The NOVX nucleic
CC acid and polypeptide are especially useful in therapeutic or
CC prophylactic applications for disorders of the neuro-olfactory system,
CC e.g. those induced by trauma, surgery and/or neoplastic disorders. The
CC DNA encoding the protein is useful in gene therapy for treating the
CC above conditions. Furthermore, the nucleic acids and polypeptides are
CC useful in treating adenocarcinoma, lymphoma, prostate cancer, uterus
CC cancer, immune response, acquired immunodeficiency syndrome (AIDS),
CC asthma, Crohn's disease, multiple sclerosis or Albright hereditary
CC osteodys trophy. These are also useful in developing powerful assay
CC system for functional analysis of various human disorders, as well as
CC in diagnostic applications.

XX Sequence 1040 BP; 229 A; 285 C; 221 G; 305 T; 0 other;

alignment_scores:

Quality: 1584.00 Length: 310

Ratio: 5.160 Gaps: 0

Percent Similarity: 99.032 Percent Identity: 99.032

alignment_block:

US-09-898-586-24 x AAS09946 ..

Align seg 1/1 to: AAS09946 from: 1 to: 1040

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPhePr 17
  |||||
82 ATGGGAGACATATATACATCCATCAGAGAGTCTCTCTACTGCGATTCC 131
  |||||
17 GValGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhePr 34
  |||||
132 CGTTGGCCCAAGATTTCAGATGCTCTCTTTGGGCTCTCTCTCTCTCT 181
  |||||
34 YrValPheThrLeuLeuGlyAsnGlyPheThrLeuLeuLeuLeuSerLeu 50
  |||||
182 ACCTCTACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 231
  |||||
51 AspSerArgLeuHisAlaIleProMetTyrPhePheLeuSerHisLeuAla 67
  |||||
232 GACTCAGACAGTGCACGCCCATGTAATCTCTCTCTCTCTCTCTCTCTCT 281
  |||||
67 ValAspIleLeuAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
  |||||
282 CGTCACATTCGCTACGCTCTCAACAGCGTGCCCGGATGCTGTGACCC 331
  |||||
84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetGlnThr 100
  |||||
332 TCCTGCATCCAGCCAGCCCATCTCTCTCTCTCTCTCTCTCTCTCTCTCT 381
  |||||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValAla 117
  |||||

```

```

382 TTTCTGTTTCCACTTTTGTCTGCTACAGAAATGTCCTCTCTGTGTGAT 431
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
  |||||
432 GTTCATGATCTGTAGCGCATCTGCGACCCCTCGATATTTGGCCA 481
  |||||
134 leuThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
  |||||
482 TCATGACCTGGAGAGTTCATACACCTCGCGTGACTCTCTGACCACT 531
  |||||
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuPro 167
  |||||
532 GGAGTCTTTTATCTCTGATTCATCTGTGTACTCTCTACCTTTACCTT 581
  |||||
167 eCysArgProGlnLysIleTyrHisPhePheCysGluLeuAlaVal 184
  |||||
582 CTGTAGCCGCCAGAAATTTATCATTCTTTTGTGAAATCTGTGCTGTTC 631
  |||||
184 eulysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
  |||||
632 TCAAACTTCTGCTGAGATACCCATCAATGAGAACATGCTGTGGCC 681
  |||||
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTyr 217
  |||||
682 GGAGCAATTTCTGGGCTGTGGGACCTTGTCCACAAATTTAGTTTCATA 731
  |||||
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
  |||||
732 TATGTCAATCTCTGTGCTATCTTCAGATCCAAATGAGGAACTTCAGA 781
  |||||
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
  |||||
782 GGAACCTTCCGACCTCTCTCCACCTCTGTGATTGAGCTGTT 831
  |||||
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProly 267
  |||||
832 TATGACACAGCCATTATCATGTATGTGACCCACAGATGTGGAACCCCA 881
  |||||
267 sGluGlnLysTyrTyrLeuLeuLeuPheHisSerLeuPheAsnProMet 284
  |||||
882 GGAGCAGAGAAATATCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 931
  |||||
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValIleAsnThrLeu 300
  |||||
932 TCATCTCCCTTACTCTACTCTTAGAAGCTCAGAACTGAAATATCTTGG 981
  |||||
301 LysArgValLeuGlyValGluArgAlaLeu 310
  |||||
982 AAGAGAGTCTGAGAGTAAAGAGGCTCTTAA 1011
  |||||
seq_name: /SIDS1/gcgdata/hold-geneseg/geneseqn-emb1/NA2001A.DAT:ABA09073
seq_documentation_block:
ID ABA09073 standard; cdna: 1315 BP.
XX
XX ABA09073;
XX
XX 11-JAN-2002 (first entry)
XX
DE Human olfactory receptor homologue-encoding cDNA, SEQ ID NO:849.
XX
XX Human; cytokine; cell proliferation; cell differentiation; growth factor;
XX haematopoiesis regulation; tissue growth; immunomodulator; activin;
XX inhibiting; chemotaxis; chemokinesis; thrombolytic; oncogenesis;
XX proliferation; metastasis; cancer; tumour; haematopoietic disorder;
XX myeloid cell disorder; lymphoid cell disorder; osteoarthritis;
XX chronic inflammatory condition; proliferative retinopathy;
XX bone disorder; osteoporosis; vascular growth disorder;
XX tissue regeneration; wound healing; infection; immune disorder;
XX cell culture; drug screening; gene therapy; antiinflammatory;
XX antischmatic; antirheumatic; haemostatic; antileukoclerotic;
XX cyostatic; osteopathic; vasotropic; cardiant; virocidic; antibacterial;

```

PS Claim 8; Page 264-265; 1857bp; English.
 XX The present sequence is one of a number of isolated polynucleotides
 CC which encode polypeptides involved in olfactory sensation. The
 CC polynucleotides can be used in screening for olfactory agonists and
 CC antagonists. The methods allow for the determination of primary
 CC scents and the identification of the odor receptors used to detect
 CC these primary scents. The methods also enable determination of
 CC secondary scents and the identification of combinations of odor
 CC receptors that are involved in detecting such secondary scents.
 CC This enables the construction of a scent representation (also called
 CC a scent fingerprint or scent profile), which may be used to re-create
 CC and edit scents. Libraries of olfactory receptors are useful for
 CC determining the interaction pattern of a composition with the receptors,
 CC and can be used for determining differences in the olfactory faculties
 CC of different individuals.
 XX

Sequence 930 BP; 193 A; 265 C; 202 G; 270 T; 0 other;

alignment_scores:

Quality: 1584.00 Length: 310
 Ratio: 5.160 Gaps: 0
 Percent Similarity: 99.032 Percent Identity: 99.032

alignment_block:

US-09-898-586-24 x AAH31648 ..

Align seg 1/1 to: AAH31648 from: 1 to: 930

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheBr 17
1 ATGGGAGACAAATATACATCCATCAGAGAGTCTCTCTACTGGAGATTTC 50
17 GValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPheT 34
51 CCTTGCCCAAGATTCAGATGCTCCTCTTGGGCTCTCTCCCTGTCT 100
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
101 AGCTTCAACCTGCTGGGGAAACGGACACACTGAGGCTCATCTACTG 150
51 AspSerArgLeuHisAlaProMetCtyrPhePheLeuSerHisLeuAla 67
151 GACTCCAGACTGCACGCCCCCATGTACTCTCTCTCTCACTGGCGGT 200
67 yValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
201 CCGTCACATCGGCTTACGCTGCACACAGGTGCCCGGATGCTGTAACC 250
84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr 100
251 TCCCTCATCCAGCCCAAGGCCATCTCTTGGGGCCGCGATGATGCAGCC 300
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValAlaMet 117
301 TTTTCGTTTCCACTTTTGGCTGTGCAGAAATGTCCTCTCTGGTGGTAT 350
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
351 GTCGATGATGCTGATCGTGCATCTGCACGCCCTCCGATATTGGCCA 400
134 leMetThrTyrArgValCysIleThrIleuAlaValThrSerTyrPhe 150
401 TCGATGACCTGGAGAGTGTGCATCCCTCGGGGAGCTTCTCGACCACT 450
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuPro 167
451 GGAGCCCTTTATCTCTGATTCATCTGTGTACTTCTACTCTTACCTT 500
167 eCysArgProGlnLysIleTyrHisPhePheCysGluIleLeuAlaVal 184
501 CGTGAGGCCCCAGAAATTTATCACTTTTGTGAAATTTGTGGCTGTT 550
  
```

```

184 euLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
551 TCAAACTTCCTGCTGCATRCCACATCCATAGAAACATGGCTTGGGCC 600
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValAlaSerTy 217
601 GGAGCAAAATTTCTGGGCTGGTGGACCTTCTCCCAATGTAGTGCATTA 650
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgIuValGlna 234
651 TATGTGCATCCCTGCTGTATCTCTGATGCATCAATCAAGCAAGTTCA 700
234 rLysAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
701 GGAAGACCTTCGCACTGCTTCCCACTCTGTGTGATGATGCACGCTT 750
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnPro 267
751 TATGGCACAGCCATATCATGTATGTGGACCCAGATATGGCAACCCCA 800
267 sGluGlnLysIleTyrLeuLeuLeuPheHisSerLeuPheAsnProMet 284
801 GGAGCAGAAAGAAATATCTCTGCTGTTCACAGCCTCTTTAATCCATC 850
284 euAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
851 TCATATCCCTTATCTGTATGTTTGTAGAACTCAGAACTGAAAGAAAT 900
301 LysArgValLeuGlyValGluArgAlaLeu 310
901 AAGAGAGTCTGGAGTGAAGAGGCTTTTA 930
seq_name: /SIDS1/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AA509946
seq_documentation_block:
ID AA509946 standard; DNA; 1040 BP.
XX
AC AA509946;
XX
DT 24-OCT-2001 (first entry)
XX
DE DNA encoding human odorant receptor (OR)-like protein, NOV2.
XX
KW Odorant receptor; human; OR; NOV2; therapeutic; neuro-olfactory system;
KW trauma; surgery; neoplastic disorder; gene therapy; adenocarcinoma;
KW lymphoma; prostate cancer; uterus cancer; immune response; asthma; AIDS;
KW acquired immunodeficiency syndrome; Crohn's disease; multiple sclerosis;
KW Alzright hereditary osteodystrophy; diagnostic; ds.
XX
OS Homo sapiens.
XX
Key Location/Qualifiers
FH 1..81
FT 5'UTR
FT CDS
FT 82..1014
FT /*tag= a
FT /*tag= b
FT /*product= "Odorant receptor-like protein, NOV2"
FT 1015..1040
FT /*tag= c
FT 3'UTR
PN
PN MO200151632-A2.
PD
PD 19-JUL-2001.
PF 16-JAN-2001; 2001WO-US01513.
PR 13-JAN-2000; 2000US-0175989.
PR 14-JAN-2000; 2000US-0176134.
PR 25-JAN-2000; 2000US-0177839.
PR 26-JAN-2000; 2000US-0178191.
PR 26-JAN-2000; 2000US-0178227.
PR 14-JUL-2000; 2000US-0218324.
  
```

XX New polynucleotides which encode polypeptides involved in olfactory
PT sensation for identifying olfactory agonists and antagonists -
XX
PS Claim 8; Page 251; 1857pp; English.

XX The present sequence is one of a number of isolated polynucleotides
CC which encode polypeptides involved in olfactory sensation. The
CC polynucleotides can be used in screening for olfactory agonists and
CC antagonists. The methods allow for the determination of primary
CC scents and the identification of the odour receptors used to detect
CC these primary scents. The methods also enable determination of
CC secondary scents and the identification of combinations of odour
CC receptors that are involved in detecting such secondary scents.
CC This enables the construction of a scent representation (also called
CC a scent fingerprint or scent profile), which may be used to re-create
CC and edit scents. Libraries of olfactory receptors are useful for
CC determining the interaction pattern of a composition with the receptors,
CC and can be used for determining differences in the olfactory faculties
CC of different individuals.

XX Sequence 930 BP; 193 A; 265 C; 202 G; 270 T; 0 other;

alignment_scores:
Quality: 1584.00 Length: 310
Ratio: 5.160 Gaps: 0
Percent Similarity: 99.032 Percent Identity: 99.032

alignment_block:
US-09-898-586-24 x AAH31617 ..

Align seg 1/1 to: AAH31617 from: 1 to: 930

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPhePr 17
1 ATGGAGACAAATATACATTCATCAGAGAGTCTCTCTCTCTCTCTCTCTCT 50
17 OValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
51 CGTTGGCCCAAGATTCAGATCGCTCTTGGCTCTCTCTCTCTCTCTCTCT 100
34 YValAlaPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuLeuSerLeu 50
101 ACGTCTTACCCCTGCTGGGAGACGACATCTGAGGCTCATCTCAGCAG 150
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVal 67
151 GACTCCACACATGACAGCCGCCATCTACTCTCTCTCTCTCTCTCTCTCT 200
67 lValAlaPheLeuAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
201 CGTGCACATGCGCTACGCTGCACACAGCGTCCCGGATCTCTGTGTAACC 250
84 eLeuHisProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr 100
251 TCCCTGATCCAGCCAGCCCATCTCTTTCGGGCGCCAGATGAGACGACC 300
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValAlaVal 117
301 TTTCTGTTTCCACTTGTGCTGTCACAGAAATGTCCTCTCTGTGGTGAAT 350
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAlaVal 134
351 GTCTCATATCTGTACGGCCATGCGACCCCTCCGCTCATATTTGGCCA 400
134 lMetThrTyrArgValAlaCysIleThrLeuAlaValThrSerTyrThrThr 150
401 TCATGACCTGGAGAGTGTGATCACCTCGCGGATCTCTGTGACACACT 450
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProPhePro 167
451 GGAGTCTTTATCTGATTCATCTTGTGTACTTCTTACCTTACCCCTT 500

```

```

167 eCysArgProGlnLysIleTyrHisPhePheCysGluIleLeuAlaVal 184
501 CTCTAGCCCCCAGAAAATTTATCATTCTTTTGTGTAATCTTGGCTGTTC 550
184 eLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
551 TCAAATCTGCGCTGTGCAGTATACCACATCATGACATGATGCTGTGGCC 600
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSerTyr 217
601 GGAGCAATTTCTGGCTGTGGAGCCCTTGTCCACAAATTTAGATTTCATA 650
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
651 TATGTGATCTCTGTGCTATCTCTTCAATCCATCAACAGGAGTTCAGA 700
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
701 GGAAGCTTTCGCGACCTCTCTCTCCACCTCTGTGTGATTTGGACTGCTT 750
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnProly 267
751 TATGGCAGACCATTTATCATGTATGTGGACCCAGATATGGGAACCCCAA 800
267 sGluGlnLysIleTyrLeuLeuPheHisSerLeuPheAsnProMetL 284
801 GGAGCAGAAAGAAATATCTCTGCTGTTCACAGCCCTTTAATTCATGAC 850
284 eLysAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
851 TCAATCCCTTATCTGTAGCTTATGAGAACTCAGAGTAGAGTAACATCTTGG 900
301 LysArgValLeuGlyValGluArgAlaLeu 310
901 AACAGAGTCTGSGAGATCAAAAGGCTTTA 930

```

seqname: /STDS1/gcgsdata/hold-geneseq/geneseq-emb1/NA2001A.DAT:AAH31648

seqdocumentation_block:

ID AAH31648 standard; DNA; 930 BP.

XX AAH31648;

XX 30-JUL-2001 (first entry)

XX Human olfactory receptor polynucleotide, SEQ ID NO: 221.

XX Human; olfactory receptor; OR; primary scent determination;

XX secondary scent determination; polypeptide library; odour receptor;

XX scent profile; scent fingerprint; scent representation; ds.

XX Homo sapiens.

XX WO200127158-A2.

XX 19-APR-2001.

XX 06-OCT-2000; 2000WO-US27582.

XX 08-OCT-1999; 99US-0158615.

XX 24-FEB-2000; 2000US-0184809.

XX (DIGI-) DIGISCENTS.

XX (YEDA) YEDA RES & DEV CO LTD.

XX Bellenson J, Smith D, Lancet D, Glusman G, Fuchs T, Yanai I;

XX WPI; 2001-290713/30.

XX New polynucleotides which encode polypeptides involved in olfactory

XX sensation for identifying olfactory agonists and antagonists -

XX Bellenson J, Smith D, Lancet D, Glusman G, Fuchs T, Yanai I;
PI
XX WPI: 2001-290713/30.
DR

XX New polynucleotides which encode polypeptides involved in olfactory
PT sensation for identifying olfactory agonists and antagonists -
XX
PS Claim 8; Page 554; 1857pp: English.

XX The present sequence is one of a number of isolated polynucleotides
CC which encode polypeptides involved in olfactory sensation. The
CC polynucleotides can be used in screening for olfactory agonists and
CC antagonists. The methods allow for the determination of primary
CC scents and the identification of the odour receptors used to detect
CC these primary scents. The methods also enable determination of
CC secondary scents and the identification of combinations of odour
CC receptors that are involved in detecting such secondary scents.
CC This enables the construction of a scent representation (also called
CC a scent fingerprint or scent profile), which may be used to re-create
CC and edit scents. Libraries of olfactory receptors are useful for
CC determining the interaction pattern of a composition with the receptors,
CC and can be used for determining differences in the olfactory faculties
CC of different individuals.
XX
SQ

Sequence 930 BP; 192 A; 266 C; 201 G; 271 T; 0 other;

alignment_scores:

Quality: 1602.00 Length: 310
Ratio: 5.184 Gaps: 0
Percent Similarity: 99.677 Percent Identity: 99.677

alignment_block:

US-09-898-586-24 x AAH32366 ..

Align seg 1/1 to: AAH32366 from: 1 to: 930

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPhePr 17
  |||||
1 ATGGGGGACAAATATATACATCATCACAGAGTCTCTACTGCGATTCC 50
  |||||
17 oValGlyProArgIleGlnMetLeuLeuPheGlyLeuPheSerLeuPhe 34
  |||||
51 CGTTGGCCCAAGATTCAAGATCGTCTCTTTGGGCTCTTCCCTGTCT 100
  |||||
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
  |||||
101 ACGTCTTCACCTGCTGGGGAACGGGACCAATCGGGGCTCATCTCACTG 150
  |||||
51 AspSerArgLeuHisAlaPrometLysPhePheLeuSerHisLeuAla 67
  |||||
151 GACTCCAGACTGCACGCCCATGTACTTCTCTCTCACACCTGGCGGT 200
  |||||
67 yValAspIleAlaTyralAcysAsnThrValProArgMetLeuValAsn 84
  |||||
201 CGTCGACATCGGCTACGGCTGCACACGAGTCCCGGATCGTGTAGACC 250
  |||||
84 euleuHisProAlaLysProIleSerPheAlaGlyArgMetMetGlnThr 100
  |||||
251 TCTTGATCGACGACCAAGCCCATCTCTCTTGGGCGCCAGAGAGACACC 300
  |||||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuLeuValValMe 117
  |||||
301 TTTCTCTTTCCACTTTTGTGCTGTACAGAAATGTCTCTCTGGTGTGAT 350
  |||||
117 tSerTyAspLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
  |||||
351 GTCCATGTATCTGTACGTGGCATCTGCACCCCTCGAATATTGGCCA 400
  |||||
134 IeMetThrTrpArgValCysIleThrLeuAlaValThrSerTpphThr 150
  |||||
401 TCTGACCTGGAGAGTCTGCATCACCTCGGGTGACTCTCTGACCACT 450

```

```

151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuProPh 167
  |||||
451 GGAGTCTCTTTATCTTATCATCATCTGTGTACTTCTACTCTTACCCTT 500
  |||||
167 eCysArgProGlnLysIleTyrlHisPhePheCysGluIleLeuAlaVal 184
  |||||
501 CTTGAGGCCCGAGAAATTTATCACTTTTGTGGAAATTTGCTGTCTTC 550
  |||||
184 eulysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
  |||||
551 TCMAACTTGCCCTGTCCAGATACCCACATCAATGAGAACAGCTGTGGCC 600
  |||||
201 GlyValAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSer 217
  |||||
601 GGAGCAATTTCTGGGCTGTGGAGACCTTGTCCCAATTTGACTTCATTA 650
  |||||
217 tMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
  |||||
651 TATGTGCATCTCTGTGCTATCTTCAGATTCATCAAGGAAAGTTCCACA 700
  |||||
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
  |||||
701 GGAAAGCCTTCTGCACCTGCTTCCACCTCTGTGTGATTGACCTCTTT 750
  |||||
251 TyrGlyThrAlaIleIleMetLysValGlyProArgTyrlGlyAsnPro 267
  |||||
751 TATGGCAGAGCCATATCATGATGTGTGGACCCAGATATGGAAACCCAA 800
  |||||
267 sGluGlnLysTyrlLeuLeuLeuPheHisSerLeuPheAsnPromet 284
  |||||
801 GGAGCAGAAAGAAATATCTCCCGCTTTTCACAGCCTCTTTAATCCATG 850
  |||||
284 eUAsnProLeuIleCysSerLeuArgAsnSerGluValLysAsnThrLeu 300
  |||||
851 TCATRCCTTATCTGTAGTGTAGAACATCAAGATGAAGAAATACTTGT 900
  |||||
301 LysArgValLeuGlyValGluArgAlaLeu 310
  |||||
901 AAGAGAGTCTGAGTAGAAGAGGCTTTTA 930
  |||||
seq_name: /sind1/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH31617
seq_documentation_block:
ID AAH31617 standard; DNA; 930 BP.
XX
XX AAH31617;
XX
XX 30-JUL-2001 (first entry)
XX
XX Human olfactory receptor polynucleotide, SEQ ID NO: 190.
XX
XX DE Human: olfactory receptor; OR: primary scent determination;
XX KW secondary scent determination; polypeptide library; odour receptor;
XX KW scent profile; scent fingerprint; scent representation; ds.
XX
XX OS Homo sapiens.
XX
XX PN WO200127158-A2.
XX
XX PD 19-APR-2001.
XX
XX PF 06-OCT-2000; 2000WO-US27582.
XX
XX PR 08-OCT-1999; 99US-0158615.
XX PR 24-FEB-2000; 2000US-0184809.
XX
XX PA (DIGIT-) DIGISCENTS.
XX PA (YEDA) YEDA RES & DEV CO LTD.
XX
XX PI Bellenson J, Smith D, Lancet D, Glusman G, Fuchs T, Yanai I;
XX WPI: 2001-290713/30.
DR

```

PI Padigaru M, Prayaga SK, Taupier RJ, Mishra V, Tchernev VT;
 PI Spytek KA, Li L;
 XX WPI: 2001-451859/48.
 DR P-PSDB: AAU05142.
 XX New NOVX polypeptides and polynucleotides, useful for treating or
 PT preventing disorders of the neuro-olfactory system, cancer and multiple
 PT sclerosis -

Claim 9; Page 55; 141p; English.

The sequence represents the coding sequence of human odorant receptor (OR)-like protein, NOV12. The NOV12 polypeptide, nucleic acid and antibody are useful as therapeutics, particularly in the manufacture of a medicament for treating a syndrome associated with a human disease, which includes a pathology associated with NOV12 polypeptide. The NOV12 nucleic acid and polypeptide are especially useful in therapeutic or prophylactic applications for disorders of the neuro-olfactory system, e.g. those induced by trauma, surgery and/or neoplastic disorders. The DNA encoding the protein is useful in gene therapy for treating the above conditions. Furthermore, the nucleic acids and polypeptides are useful in treating adenocarcinoma, lymphoma, prostate cancer, uterus cancer, immune response, acquired immunodeficiency syndrome (AIDS), asthma, Crohn's disease, multiple sclerosis or Alzheim hereditary osteodystrophy. These are also useful in developing powerful assay system for functional analysis of various human disorders, as well as in diagnostic applications.

Sequence 1014 BP; 219 A; 281 C; 216 G; 298 T; 0 other:

alignment_scores:
 Quality: 1609.00 Length: 310
 Ratio: 5.190 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x AAS09956 ..

Align seg 1/1 to: AAS09956 from: 1 to: 1014

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuLeuGlyPheP 17
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
55 ATGGGGGACAAATATACATCCATCCACAGATCTCTCTACTGGGATTTC 104
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
17 oValGlyProArgGlyIleGlnMetIleuPheGlyLeuPheSerLeuPhe 34
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
105 COTGGCCCAAGATCAGATGCTCTCTTGGGCTTCTCTCCCTCTTCT 154
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
34 yValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuIleSerLeu 50
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
155 ACGTCTTCACCTGCTGGGAAACGGACCATCTGGGGCTCATCTCAGT 204
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
51 AAPSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAla 67
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
205 GACTCCAGACTGCAGCGCCCATCTACTTCTCTCTCACACCTGGCGGT 254
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
67 lValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsn 84
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
255 COTGCACATCGCTTACGCTCTGACACAGGTGCCCGCATCTGGTGAAC 304
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
84 euleuHisProAlaIalysProIleSerPheAlaGlyArgMetMetGln 100
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
305 TCCTGCATCCAGCCCAAGCCCATCTCTTGGGGCCGACATGATGACAG 354
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValValMet 117
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
355 TTTCGTGTTTCCACTTGTGCTGCACAGAAAGTCTCTCTGGTGGTGA 404
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
117 lSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
405 GTCTATGATGTGTACGTGGCATCTGCACACCCCTCGCATATTGGCCA 454
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |

```

```

134 lemetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
455 TCATGACCTGGAGATCTGCATCACCTCGCGGTGACTTCCGACCACT 504
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
151 GlyValLeuLeuSerLeuIleHisLeuValIleLeuLeuProLeuPro 167
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
505 GGATGCTTATTCCTTGCATCTCTTGTGTACTTACTTACCTTACCTT 554
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
167 eCysArgProGlnIleValIleTyrHisPhePheCysGluIleLeuAla 184
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
555 CTGTAGGCCCCAGAAAATTAATCACTTTTGTGAAATCTGGCTGTT 604
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
184 euleuLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
605 TCAACTTGCTCTGTGCAGATACCCACATCAATGAAACATGTCTTGCC 654
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSer 217
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
655 GGAGCAATTTCTGGCTGTGGAGCCCTGTCCACAAATGTGATTCATA 704
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
705 TATGTGATCTCTGTGTATCTCTTCAATCCAAATGAGGAGTTCAGA 754
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
234 rGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
755 GGAAAGCTTCTGCACCTCTCTCCACCTCTGTGTGTGGATGACTCTT 804
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnPro 267
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
805 TATGGCACACCATATATCATGTATGTGGACCAATGAGAACCCCA 854
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
267 sGluGlnIleValTyrLeuLeuPheHisSerLeuPheAsnProMetI 284
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
855 GGAACAGAAAGAAATATCTCTCTGCTGTTTACAGCCTCTTTAATCC 904
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
284 euAsnProIleuIleCysSerLeuArgAsnSerGluValIleAsnThr 300
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
905 TCATCCCTTATCTGTAGTCTTACGAACTCAGAAAGTCAAGAAATCT 954
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
301 LysArgValLeuGlyValGluArgAlaIle 310
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |
955 AAGAGTCTGGAGTAGAAGAGGCTTTA 984
  | | | | | | | | | | | | | | | | | | | | | | | | | | | |

```

seq_name: /SDSL/gcgsdata/hold-geneseq/gene-seq-emb1/NA2001A.DAT:AAH32366

seq_documentation_block:
 ID AAH32366 standard; DNA; 930 BP.
 XX AAH32366;
 XX
 DT 30-JUL-2001 (first entry)
 XX
 DE Human olfactory receptor polynucleotide, SEQ ID NO: 939.
 XX
 KW Human; olfactory receptor; OR; primary scent determination;
 KW secondary scent determination; polypeptide library; odour receptor;
 KW scent profile; scent fingerprint; scent representation; ds.
 XX
 OS Homo sapiens.
 XX
 PN WO200127158-A2.
 XX
 PD 19-APR-2001.
 XX
 XX 06-OCT-2000; 2000WO-US27582.
 PF
 XX 08-OCT-1999; 99US-0158615.
 PR 24-FEB-2000; 2000US-0184809.
 XX
 PA (DIGI-) DIGISCENTS.
 PA (YEDA) YEDA RES & DEV CO LTD.

CC acid and polypeptide are especially useful in therapeutic or
 CC prophylactic applications for disorders of the neuro-olfactory system,
 CC e.g. those induced by trauma, surgery and/or neoplastic disorders. The
 CC DNA encoding the protein is useful in gene therapy for treating the
 CC above conditions. Furthermore, the nucleic acids and polypeptides are
 CC useful in treating adenocarcinoma, lymphoma, prostate cancer, uterus
 CC cancer, immune response, acquired immunodeficiency syndrome (AIDS),
 CC asthma, Crohn's disease, multiple sclerosis or Albright hereditary
 CC osteodystrophy. These are also useful in developing powerful assay
 CC system for functional analysis of various human disorders, as well as
 CC in diagnostic applications.

XX Sequence 1012 BP: 219 A; 281 C; 215 G; 297 T; 0 other;

alignment_scores:

Quality: 1609.00 Length: 310
 Ratio: 5.190 Gaps: 0
 Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x AAS09955 ..

Align seg 1/1 to: AAS09955 from: 1 to: 1012

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
  |||
54 ATGGGAGCAATATACATCCATCAGAGCTTCCTCTCTGAGATTCC 103
  |||
17 oValGlyProArgIleGlnMetLeuPheGlyLeuPheSerLeuPhe 34
  |||
104 CGTTGGCCCAAGATTGAGATGCTCCCTTGGGCTCTTCTCCCTGTT 153
  |||
34 yrValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuLeuSer 50
  |||
154 ACCTCTTACCTGCTGCTGGGAAAGGACCATCTGAGGCTCATCTACT 203
  |||
51 AspSerArgLeuHisAlaProMetCysPhePheLeuSerHisLeuAla 67
  |||
204 GATCTCAGACGTGACGCCCCCATGTACTCTCTCTCAGACCTGGCGGT 253
  |||
67 lValAspIleAlaIleAlaIleCysAsnThrValProArgMetLeuValAsn 84
  |||
254 CGTCGACATCGCCTACGCTGCAACGCGTGCCTCCGATCTGTGAAC 303
  |||
84 eulLeuHisProAlaIleProIleSerPheAlaGlyArgMetGlnThr 100
  |||
304 TCCTGCATCCAGCCCAAGCCCATCTCTTGGGGCCGCGATGATGAGACC 353
  |||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValAlaMet 117
  |||
354 TTTCGTCTTTCACCTTTTGCTGTCAAGAAATGCTCTCTGCTGCTGAT 403
  |||
117 tSerTyArgAspLeuTyValAlaIleCysHisProLeuArgTyLeuAlaI 134
  |||
404 GTCTGTGATGCTGTACGTGGCCATCTGCCACCTCCGATTAATTTGACA 453
  |||
134 leuMetThrTrpArgValCysIleThrLeuAlaValThrSerTrpThr 150
  |||
454 TCATGACCTGGAGAGTGTGATCACTCCGCGGTGACTTCTGAGACCAT 503
  |||
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuProh 167
  |||
504 GAGAGTCTTTATCTCTGATTCATCTGTGTACTTCTTACTTTACCTT 553
  |||
167 eCysArgProGlnIleCysIleTyHisPhePheCysGluIleLeuAlaVal 184
  |||
554 CTTAGAGGCCCAAGAAATTTATCACTTTTGTGAAATCTTGCGCTGTC 603
  |||
184 eulysLeuAlaCysAlaAspThrHisIleAsnGlnAsnMetValLeuAla 200
  |||
604 TCAAACTTGCTGTGAGATACCCACATCAATGAGAAACATGCTTGACC 653
  |||
XX

```

```

201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValIleSerTy 217
  |||
654 GGAGCAATTTCTGGGCTGGGAGCCCTTGCCACAAATGTGATTTCAATA 703
  |||
217 rMetTyIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGlnA 234
  |||
704 TATGTGATCCCTGTGTGTATCTCTGATCAGATCAATCAAGGAGTTCCAA 753
  |||
234 tGlyAlaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
  |||
754 GGAAAGCCTTCTGCACTGCTCTCCACCTCTGTGTGATGACTCTTTP 803
  |||
251 TyrGlyThrAlaIleIleMetTyValGlyProArgTyGlyAsnProLy 267
  |||
804 TATGGCACAGCCATTAATCATGTATGTGACCCAGATATGCAACCCCAA 853
  |||
267 sGluGlnIleLysIleTyLeuLeuPheHisSerLeuPheAsnProMetL 284
  |||
854 GGAGCAGAAAGAAATATCTCCCTGCTGTTCACAGCCTCTTAATCCCATGC 903
  |||
284 eulAsnProLeuIleCysSerLeuArgAsnSerGluValIleAsnThrLeu 300
  |||
904 TCAATCCCTTATCTGTGTCTTGTAGACTCAGAGATGAGAAATCTTGG 953
  |||
301 LysArgValLeuGlyValGluArgAlaLeu 310
  |||
954 AAGAGAGTGTGCGGAGTAGAAAGGCTTTA 983
  |||
seq_name: /SIDS1/gcgdata/hold-geneseq/geneseg-emb1/NA2001A.DAT:AAS09955

```

seq_documentation_block:

ID AAS09956 standard; DNA; 1014 BP.

AC AAS09956;

DT 24-OCT-2001 (first entry)

DE DNA encoding human odorant receptor (OR)-like protein, NOV12.

XX Odorant receptor; human; OR; NOV12; therapeutic; neuro-olfactory system;

XX trauma; surgery; neoplastic disorder; gene therapy; adenocarcinoma;

XX lymphoma; prostate cancer; uterus cancer; immune response; asthma; AIDS;

XX acquired immunodeficiency syndrome; Crohn's disease; multiple sclerosis;

XX Albrit hereditary osteodystrophy; diagnostic; ds.

OS Homo sapiens.

XX Key location/Qualifiers

XX 5'UTR 1..54

XX CDS /*tag= a

XX 3'UTR /*tag= b

XX WO200151632-A2.

XX 19-JUL-2001.

XX 16-JAN-2001; 2001WO-US01513.

XX 13-JAN-2000; 2000US-0175989.

XX 14-JAN-2000; 2000US-0176134.

XX 25-JAN-2000; 2000US-0178191.

XX 26-JAN-2000; 2000US-0178227.

XX 14-JUL-2000; 2000US-0218524.

XX 24-JUL-2000; 2000US-0220253.

XX 25-JUL-2000; 2000US-0220590.

XX (CURA-) CURAGEN CORP.

Ratio: 5.190 Gaps: 0
Percent Similarity: 100.000 Percent Identity: 100.000

alignment_block:

US-09-898-586-24 x AAF58613 ..

Align seg 1/1 to: AAF58613 from: 1 to: 974

```

1 MetGlyAspAsnIleThrSerIleThrGluPheLeuLeuGlyPheP 17
  |||||
1 AAGGGGAGCAATATATACATCCATCAGAGATCTCTCTACTGGGATTTCC 50
  |||||
17 oValGlyProArgIleGluMetLeuLeuPheGlyLeuPheSerLeuPhe 34
  |||||
51 CGTGGCCCAAGGATTACAGATGCTCTCTGGGCTCTCTCTCTCTCTCT 100
  |||||
34 yTValPheThrLeuLeuGlyAsnGlyThrIleLeuGlyLeuLeuSerLeu 50
  |||||
101 AGCTCTCCACCTCTGGGGAACGGGACCAATACAGGCGCTCATCTCACTG 150
  |||||
51 AspSerArgLeuHisAlaProMetTyrPhePheLeuSerHisLeuAlaVa 67
  |||||
151 GACTCCAGACTGCAGCCCCCATGACTTCTCTCTCTCTCTCTCTCTCTCT 200
  |||||
67 ValAspIleAlaTyrAlaCysAsnThrValProArgMetLeuValAsnL 84
  |||||
201 CGTCGACATCGCTCAGCCCTGCACACGCGTCCCGGATGCTGTGAACC 250
  |||||
84 euLeuHisProAlaLysProIleSerPheAlaGlyArgMetLeuGlnThr 100
  |||||
251 TCCTGATCCAGCCAAAGCCCATCTCTCTCTCTCTCTCTCTCTCTCTCT 300
  |||||
101 PheLeuPheSerThrPheAlaValThrGluCysLeuLeuValValIle 117
  |||||
301 TTTCTGTTTTCACCTTTGCTGCTGCACAGATGCTCTCTCTCTCTCTCT 350
  |||||
117 tSerTyrAspLeuTyrValAlaIleCysHisProLeuArgTyrLeuAla 134
  |||||
351 GTCTATGATGCTGACGCTGCGCATCTGCGACCCCTCCGAAATTTGGCCA 400
  |||||
134 leuMetThrTrpArgValCysIleThrLeuAlaValThrSerTyrThr 150
  |||||
401 TCATGACCTGGAGAGTGTGATCACCTCGCGGTGACTCTCTGGACCACT 450
  |||||
151 GlyValLeuLeuSerLeuIleHisLeuValLeuLeuLeuProLeuPro 167
  |||||
451 GAGATCTTTTATCTTGTATCATCTTGTGTACTTCTTACCTTTACCTTT 500
  |||||
167 eCysArgProGlnLysIleTyrHisPhePheCysGluIleLeuAlaVal 184
  |||||
501 CTGTAGCCGCCAGAAATTTATCACTTTTGTGAATCTTGGCTGTTC 550
  |||||
184 euLysLeuAlaCysAlaAspThrHisIleAsnGluAsnMetValLeuAla 200
  |||||
551 TCAAACTTCGCTGCGATACCCACATCAATGAGAACATGCTCTGGCC 600
  |||||
201 GlyAlaIleSerGlyLeuValGlyProLeuSerThrIleValValSer 217
  |||||
601 GAGGCAATTTCTGGGCTGTGGAGCCCTGTTCACAAATGTAGTTGATA 650
  |||||
217 rMetCysIleLeuCysAlaIleLeuGlnIleGlnSerArgGluValGln 234
  |||||
651 TATGTGCATCTCTGTGCTATCTTCATCCATCAATCAAGGGAAATTTGAG 700
  |||||
234 rGlyValaPheCysThrCysPheSerHisLeuCysValIleGlyLeuPhe 250
  |||||
701 GGAAGCCCTTTCGACCTGCTCTCCACCTCTGTGTGATTTGGACTCTTT 750
  |||||
251 TyrGlyThrAlaIleIleMetTyrValGlyProArgTyrGlyAsnPro 267
  |||||
751 TATGGACAGCCATTTATCATGTGTGACCCAGATTTGGAAACCCCAA 800
  |||||
267 sGluGlnLysLysTyrLeuLeuPheHisSerLeuPheAsnProMetL 284
  |||||

```

```

|||||
801 GGAGCAGAGAGAAATATCTCTCTCTTTCACAGCCTCTTATATCCATGC 850
  |||||
284 euAsnProLeuIleCysSerLeuAlaGAsnSerGluValLysAsnThrLeu 300
  |||||
851 TCATCTCCCTTACTGTAGTACTTAGAACTCAAGAGTGAAGATATCTTTG 900
  |||||
301 LysArgValLeuGlyValGluArgAlaLeu 310
  |||||
901 AAGAGATGCTCGAGATAGAAAGGCTTTTA 930
  |||||
seq_name: /SID51/gcdata/hold-geneseq/geneseq-embL/NA2001A.DAT: AAS09955
seq_documentation_block:
ID AAS09955 standard; DNA; 1012 BP.
XX
AC AAS09955;
XX
DT 24-OCT-2001 (first entry)
XX
DE DNA encoding human odorant receptor (OR)-like protein, NOV11.
XX
KW Odorant receptor; human; OR; NOV11; therapeutic; neuro-olfactory system;
KW trauma; surgery; neoplastic disorder; gene therapy; adenocarcinoma;
KW lymphoma; prostate cancer; uterus cancer; immune response; asthma; AIDS;
KW acquired immunodeficiency syndrome; Crohn's disease; multiple sclerosis;
KW Albright hereditary osteodystrophy; diagnostic; ds.
XX
OS Homo sapiens.
XX
FH Key 1..53 location/Qualifiers
FT 5'UTR
FT CDS 54..986
FT /tag= a
FT /product= b
FT /product= "Odorant receptor-like protein, NOV11"
FT 3'UTR 987..1012
FT /tag= c
XX
PN WO200151632-A2.
XX
PD 19-JUL-2001.
XX
PF 16-JAN-2001; 2001WO-US01513.
XX
PR 13-JAN-2000; 2000US-0175989.
PR 14-JAN-2000; 2000US-0176134.
PR 25-JAN-2000; 2000US-0177839.
PR 26-JAN-2000; 2000US-0178191.
PR 26-JAN-2000; 2000US-0178227.
PR 14-JUL-2000; 2000US-0218324.
PR 24-JUL-2000; 2000US-0220253.
PR 25-JUL-2000; 2000US-0220590.
XX
PA (CDNA-) CURAGEN CORP.
XX
PI Padigaru M, Prayaga SK, Taupier RJ, Mishra V, Tchernev VR;
PI Spytek KA, Li L;
XX
DR P-PSDB: AA005141.
XX
WP1; 2001-451859/48.
XX
PT New NOVX polypeptides and polynucleotides, useful for treating or
PT preventing disorders of the neuro-olfactory system, cancer and multiple
PT sclerosis -
XX
PS Claim 9; Page 52; 141pp; English.
XX

```

The sequence represents the coding sequence of human odorant receptor (OR)-like protein, NOV11. The NOV11 polypeptide, nucleic acid and antibody are useful as therapeutics, particularly in the manufacture of a medicament for treating a syndrome associated with a human disease, which includes a pathology associated with NOV11 polypeptide. The NOV11 nucleic

OM of: US-09-898-586-24 to: N.Geneseq_032802.* out_format: pfs

Date: Aug 21, 2002 8:22 PM

About: Results were produced by the GenCore software, version 4.5,
Copyright (c) 1993-2000 CompuGen Ltd.

Command line parameters:

```
-MODE=firmet-p2n.model -DEV=xlib  
-O/cg2.L/USPTO.spool/US09898586/runat.16082002.205736.20603/app-query.fasta.1.373  
-DB=N.Geneseq_032802 -OPMT=fastap -SUFFIX=ring -GAPOP=12.000  
-GAPEXT=4.000 -MINMATCH=0.100 -DOOPT=0.600 -LOOPEXT=0.000  
-OGAPOP=4.500 -OGAPEXT=0.050 -XGAPOP=10.000 -XGAPEXT=0.500  
-FGAPOP=6.000 -FGAPEXT=7.000 -YGAPOP=10.000 -YGAPEXT=0.500  
-DELOP=6.000 -DELEXT=7.000 -START=1 -MATRIX=blotsum2  
-TRANS=human40.cdi -LIST=45 -DOCALLIGN=200 -THR_SCORE=pcit  
-THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL -OUTFMT=pfs  
-NORML=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000  
-USER=US09898586.@CGNL_1.169 -NCPU=6 -ICPU=3 -LONGLOG  
-DEV.TIMEOUT=120 -MARN.TIMEOUT=30 -NO_XLPPY -WAIT -THREADS=1
```

Search information block:

```
Query: US-09-898-586-24  
Query length: 310  
Database: N.Geneseq_032802.*  
Database sequences: 1736436  
Database length: 858457221  
Search time (sec): 199.760000
```

```
score_list:  
SeqID      Strd Orig      ZScore      EScore Len      ! Documentation  
/SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH58613 + 1609.00 2938.22 2.6e-1  
/SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH31722 + 680.50 1231.66 2.9  
/SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH31846 + 677.00 1225.46 6.5  
/SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH31659 + 672.00 1214.71 2.6  
/SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH32250 + 672.00 1214.71 2.6  
seq_name: /SIDSI/gcgdata/hold-geneseq/geneseqn-emb1/NA2001A.DAT:AAH58613  
seq_documentation block:  
ID      AAF58613 standard: cDNA: 974 bp.  
AC      AAF58613:  
DT      24-Apr-2001 (first entry)  
DE      Human RECAP polynucleotide, SEQ ID NO: 41.  
KW      Human; RECAP: receptors and associated proteins; cerebroprotective;  
KW      neurotrophic; neuroprotective; anticonvulsant; antiparkinsonian; anti-HIV;  
KW      antidiabetic; immunostimulant; immunomodulator; antiinflammatory;  
KW      antihypoid; immunosuppressive; nephroprotective; antigout; thyromimetic;  
KW      cytostatic; antibacterial; virucide; fungicide; protozoacide;  
KW      antiarteriosclerotic; hepatotropic; gene therapy; infection; cancer; ss.  
OS      Homo sapiens.  
PM      WO200107612-A2.  
PD      01-FEB-2001.  
PF      21-JUL-2000; 2000MO-US20035.  
PR      21-JUL-1999; 99US-0145232.  
PR      07-OCT-1999; 99US-0158578.  
PR      12-NOV-1999; 99US-0165192.  
XX      (INCY-) INCYTE GENOMICS INC.  
PI      Au-Yang J, Bandman O, Tang YT, Yue H, Azimzal Y, Burford N;  
PI      Baughn MR, Lu DM, Hillman UT, Patterson C, Lal P;  
DR      WPI: 2001-168554/17.  
DR      P-PSDB: AAB86889.  
XX      Novel receptors and associated proteins for diagnosis and treatment of  
PT      neurological disorders, Immunological disorders including autoimmune/  
PT      inflammatory disorders and cell proliferative disorders such as cancer  
XX      -  
PS      Claim 5; Page 125-126; 128pp: English.  
CC      The present sequence encodes a human RECAP (receptors and associated  
CC      proteins) polypeptide. RECAP polynucleotides and polypeptides are useful  
CC      in the diagnosis, treatment and prevention of neurological disorders  
CC      such as stroke, Alzheimer's disease, Pick's disease, Huntington's  
CC      disease, dementia, Parkinson's disease, Down's syndrome, amyotrophic  
CC      lateral sclerosis, multiple sclerosis, bacterial and viral meningitis,  
CC      CJD (Creutzfeldt-Jakob disease), GSS (Gerstmann-Strausler-Scheinker  
CC      syndrome), immunological disorders, including autoimmune/inflammatory  
CC      disorders such as AIDS, Digeorge's syndrome, severe combined  
CC      immunodeficiency disease (SCID), Chediak-Higashi syndrome, Cushing's  
CC      disease, Addison's disease (SCID), Chediak-Higashi syndrome, Cushing's  
CC      disease, mellitus, Good pasture's syndrome, gout, Grave's disease,  
CC      Hashimoto's thyroiditis, Sjogren's syndrome, Werner's syndrome, viral,  
CC      bacterial, fungal, parasitic, protozoal, and helminthic infections; and  
CC      cell proliferation disorders such as arteriosclerosis, atherosclerosis,  
CC      cirrhosis, hepatitis and cancer.  
SQ      Sequence 974 bp; 206 A; 270 C; 214 G; 284 T; 0 other:  
alignment_scores:  
Quality: 1609.00 Length: 310
```


